

Construct pie chart sectors

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle. Copy or complete the first step.

2. Find the mean of 12, 15, 18, 11 and 19.

3. Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?

4. Miro says: Miro divides by the largest value instead of the number of values when finding the mean. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle. Copy or complete the first step.
Answer 90 degrees.
2. Find the mean of 12, 15, 18, 11 and 19.
Answer 15.
3. Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?
Answer Dataset A: 24; Dataset B: 23, so A is greater.
4. Miro says: Miro divides by the largest value instead of the number of values when finding the mean. Is this correct? Explain.
Answer Add every value, count how many values there are, then divide the total by that count.

Construct pie chart sectors

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.

6. Check this result using an inverse, estimate or known fact: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?

2. Find the mean of 12, 15, 18, 11 and 19.

7. Prove or explain your reasoning: A line graph rises from 18 to 46. What is the increase?

3. Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?

8. Identify and correct this misconception: Miro divides by the largest value instead of the number of values when finding the mean.

4. Solve this independently and show every stage: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.

9. Write a complete sentence explaining how you checked one answer.

5. Use a second method or representation for: Find the mean of 12, 15, 18, 11 and 19.

10. Write and solve a similar question to: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?

Teacher answers and checking prompts

1. In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.
Answer 90 degrees.
2. Find the mean of 12, 15, 18, 11 and 19.
Answer 15.
3. Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?
Answer Dataset A: 24; Dataset B: 23, so A is greater.
4. Solve this independently and show every stage: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.
Answer 90 degrees.
5. Use a second method or representation for: Find the mean of 12, 15, 18, 11 and 19.
Answer Expected result: 15. Method or representation may vary.
6. Check this result using an inverse, estimate or known fact: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?
Answer Expected result: Dataset A: 24; Dataset B: 23, so A is greater. A valid check must be shown.
7. Prove or explain your reasoning: A line graph rises from 18 to 46. What is the increase?
Answer 28. The explanation must show why the method works.
8. Identify and correct this misconception: Miro divides by the largest value instead of the number of values when finding the mean.
Answer Add every value, count how many values there are, then divide the total by that count.
9. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.
10. Write and solve a similar question to: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?
Answer Answers vary. The new question must use the same mathematical structure and include a correct solution.

Construct pie chart sectors

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Prove or explain your reasoning: A line graph rises from 18 to 46. What is the increase?

6. Create a new example that tests the same idea as: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?

2. Prove the answer to this question, rather than only calculating it: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.

7. Find a second method or representation. Compare its efficiency with your first method.

3. Solve this in two different ways and compare them: Find the mean of 12, 15, 18, 11 and 19.

8. Write one always, sometimes or never statement about today's learning and justify it.

4. Work backwards from the answer to reconstruct the question: Dataset A: 24; Dataset B: 23, so A is greater.

9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.

5. Explain why this reasoning fails: Miro divides by the largest value instead of the number of values when finding the mean.

10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.

Teacher answers and checking prompts

1. Prove or explain your reasoning: A line graph rises from 18 to 46. What is the increase?
Answer 28. The explanation must show why the method works.
2. Prove the answer to this question, rather than only calculating it: In a survey of 60 pupils, 15 choose art. Find the pie-chart angle.
Answer Expected result: 90 degrees. Proof or justification must match the lesson structure.
3. Solve this in two different ways and compare them: Find the mean of 12, 15, 18, 11 and 19.
Answer Expected result: 15. Two valid methods and a comparison are required.
4. Work backwards from the answer to reconstruct the question: Dataset A: 24; Dataset B: 23, so A is greater.
Answer One valid reconstruction is: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater? Other equivalent questions are acceptable.
5. Explain why this reasoning fails: Miro divides by the largest value instead of the number of values when finding the mean.
Answer Add every value, count how many values there are, then divide the total by that count.
6. Create a new example that tests the same idea as: Dataset A has mean 24 over 8 values. Dataset B has total 207 over 9 values. Which mean is greater?
Answer Answers vary. The example and solution must preserve the mathematical structure.
7. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
8. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.
9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.
Answer Answers vary. The error must be mathematically relevant and the correction must be precise.
10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.
Answer Answers vary. The explanation must distinguish the mathematical structure from the changed value.