

Retrieve multiplication and division

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate $4,308 \times 36$ and check using estimation. Copy or complete the first step.

2. Calculate $9,072 \div 28$.

3. A coach holds 46 people. How many coaches are needed for 4,375 people?

4. Miro says: Miro treats a remainder as the final answer without reading the context. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate $4,308 \times 36$ and check using estimation. Copy or complete the first step.
Answer 155,088; estimate about $4,300 \times 40 = 172,000$.
2. Calculate $9,072 \div 28$.
Answer 324.
3. A coach holds 46 people. How many coaches are needed for 4,375 people?
Answer 96 coaches.
4. Miro says: Miro treats a remainder as the final answer without reading the context. Is this correct? Explain.
Answer Interpret the remainder as the context requires after the written division is complete.

Retrieve multiplication and division

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate $4,308 \times 36$ and check using estimation.

6. Check this result using an inverse, estimate or known fact: A coach holds 46 people. How many coaches are needed for 4,375 people?

2. Calculate $9,072 \div 28$.

7. Find a four-digit number that divided by 32 gives quotient 125 remainder 9.

3. A coach holds 46 people. How many coaches are needed for 4,375 people?

8. Identify and correct this misconception: Miro treats a remainder as the final answer without reading the context.

4. Solve this independently and show every stage: Calculate $4,308 \times 36$ and check using estimation.

9. Write a complete sentence explaining how you checked one answer.

5. Use a second method or representation for: Calculate $9,072 \div 28$.

10. Write and solve a similar question to: A coach holds 46 people. How many coaches are needed for 4,375 people?

Teacher answers and checking prompts

1. Calculate $4,308 \times 36$ and check using estimation.
Answer 155,088; estimate about $4,300 \times 40 = 172,000$.
2. Calculate $9,072 \div 28$.
Answer 324.
3. A coach holds 46 people. How many coaches are needed for 4,375 people?
Answer 96 coaches.
4. Solve this independently and show every stage: Calculate $4,308 \times 36$ and check using estimation.
Answer 155,088; estimate about $4,300 \times 40 = 172,000$.
5. Use a second method or representation for: Calculate $9,072 \div 28$.
Answer Expected result: 324. Method or representation may vary.
6. Check this result using an inverse, estimate or known fact: A coach holds 46 people. How many coaches are needed for 4,375 people?
Answer Expected result: 96 coaches. A valid check must be shown.
7. Find a four-digit number that divided by 32 gives quotient 125 remainder 9.
Answer 4,009.
8. Identify and correct this misconception: Miro treats a remainder as the final answer without reading the context.
Answer Interpret the remainder as the context requires after the written division is complete.
9. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.
10. Write and solve a similar question to: A coach holds 46 people. How many coaches are needed for 4,375 people?
Answer Answers vary. The new question must use the same mathematical structure and include a correct solution.

Retrieve multiplication and division

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Find a four-digit number that divided by 32 gives quotient 125 remainder 9.

6. Create a new example that tests the same idea as: A coach holds 46 people. How many coaches are needed for 4,375 people?

2. Prove the answer to this question, rather than only calculating it: Calculate $4,308 \times 36$ and check using estimation.

7. Find a second method or representation. Compare its efficiency with your first method.

3. Solve this in two different ways and compare them: Calculate $9,072 \div 28$.

8. Write one always, sometimes or never statement about today's learning and justify it.

4. Work backwards from the answer to reconstruct the question: 96 coaches.

9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.

5. Explain why this reasoning fails: Miro treats a remainder as the final answer without reading the context.

10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.

Teacher answers and checking prompts

1. Find a four-digit number that divided by 32 gives quotient 125 remainder 9.
Answer 4,009.
2. Prove the answer to this question, rather than only calculating it: Calculate $4,308 \times 36$ and check using estimation.
Answer Expected result: 155,088; estimate about $4,300 \times 40 = 172,000$. Proof or justification must match the lesson structure.
3. Solve this in two different ways and compare them: Calculate $9,072 \div 28$.
Answer Expected result: 324. Two valid methods and a comparison are required.
4. Work backwards from the answer to reconstruct the question: 96 coaches.
Answer One valid reconstruction is: A coach holds 46 people. How many coaches are needed for 4,375 people? Other equivalent questions are acceptable.
5. Explain why this reasoning fails: Miro treats a remainder as the final answer without reading the context.
Answer Interpret the remainder as the context requires after the written division is complete.
6. Create a new example that tests the same idea as: A coach holds 46 people. How many coaches are needed for 4,375 people?
Answer Answers vary. The example and solution must preserve the mathematical structure.
7. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
8. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.
9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.
Answer Answers vary. The error must be mathematically relevant and the correction must be precise.
10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.
Answer Answers vary. The explanation must distinguish the mathematical structure from the changed value.