

Multiply two-digit numbers

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate 47×36 . Copy or complete the first step.

2. Calculate 68×24 .

3. Calculate 93×57 .

4. Miro says: Miro writes the second partial product directly under the first without a zero placeholder. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate 47×36 . Copy or complete the first step.
Answer 1,692.
2. Calculate 68×24 .
Answer 1,632.
3. Calculate 93×57 .
Answer 5,301.
4. Miro says: Miro writes the second partial product directly under the first without a zero placeholder. Is this correct? Explain.
Answer Multiplying by 30 gives tens, so the second row begins in the tens column.

Multiply two-digit numbers

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate 47×36 .

6. Check this result using an inverse, estimate or known fact: Calculate 93×57 .

2. Calculate 68×24 .

7. Find the missing factor: $__ \times 48 = 3,456$.

3. Calculate 93×57 .

8. Identify and correct this misconception: Miro writes the second partial product directly under the first without a zero placeholder.

4. Solve this independently and show every stage: Calculate 47×36 .

9. Write a complete sentence explaining how you checked one answer.

5. Use a second method or representation for: Calculate 68×24 .

10. Write and solve a similar question to: Calculate 93×57 .

Teacher answers and checking prompts

1. Calculate 47×36 .
Answer 1,692.
2. Calculate 68×24 .
Answer 1,632.
3. Calculate 93×57 .
Answer 5,301.
4. Solve this independently and show every stage: Calculate 47×36 .
Answer 1,692.
5. Use a second method or representation for: Calculate 68×24 .
Answer Expected result: 1,632. Method or representation may vary.
6. Check this result using an inverse, estimate or known fact: Calculate 93×57 .
Answer Expected result: 5,301. A valid check must be shown.
7. Find the missing factor: $__ \times 48 = 3,456$.
Answer 72.
8. Identify and correct this misconception: Miro writes the second partial product directly under the first without a zero placeholder.
Answer Multiplying by 30 gives tens, so the second row begins in the tens column.
9. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.
10. Write and solve a similar question to: Calculate 93×57 .
Answer Answers vary. The new question must use the same mathematical structure and include a correct solution.

Multiply two-digit numbers

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Find the missing factor: $__ \times 48 = 3,456$.

6. Create a new example that tests the same idea as: Calculate 93×57 .

2. Prove the answer to this question, rather than only calculating it: Calculate 47×36 .

7. Find a second method or representation. Compare its efficiency with your first method.

3. Solve this in two different ways and compare them: Calculate 68×24 .

8. Write one always, sometimes or never statement about today's learning and justify it.

4. Work backwards from the answer to reconstruct the question: 5,301.

9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.

5. Explain why this reasoning fails: Miro writes the second partial product directly under the first without a zero placeholder.

10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.

Teacher answers and checking prompts

1. Find the missing factor: $__ \times 48 = 3,456$.
Answer 72.
2. Prove the answer to this question, rather than only calculating it: Calculate 47×36 .
Answer Expected result: 1,692. Proof or justification must match the lesson structure.
3. Solve this in two different ways and compare them: Calculate 68×24 .
Answer Expected result: 1,632. Two valid methods and a comparison are required.
4. Work backwards from the answer to reconstruct the question: 5,301.
Answer One valid reconstruction is: Calculate 93×57 . Other equivalent questions are acceptable.
5. Explain why this reasoning fails: Miro writes the second partial product directly under the first without a zero placeholder.
Answer Multiplying by 30 gives tens, so the second row begins in the tens column.
6. Create a new example that tests the same idea as: Calculate 93×57 .
Answer Answers vary. The example and solution must preserve the mathematical structure.
7. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
8. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.
9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.
Answer Answers vary. The error must be mathematically relevant and the correction must be precise.
10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.
Answer Answers vary. The explanation must distinguish the mathematical structure from the changed value.