

DSP Delivery Excellence Performance

AION at DBY5
Week 52
2025

Week 52 Performance

Overall Standing

Great

See details on next page

Key Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Mentor Adoption Rate
3. Lost on Road (LoR) DPMO

Announcements

We are pleased to inform you that metric definitions on page 5 and 6 are now available in country specific language. This can be found in the **resources table** and also in the **metric definition section**.

We are surfacing a reminder of the interactive metric modules available below, in the resources section. These modules cover Safety, Quality/Standard Work Compliance & Customer Feedback / Team.

We have updated the supplementary Concessions report with additional “focus areas” that identify delivery factors that may have contributed to the issuance of concessions (Incorrect Scan Indicator, Signature on Delivery , High Value Item, Delivery Exception, Mailbox Eligible). DSPs using the report experience a 35% higher reduction in DNR DPMO compared to DSPs with lower adoption rates.

Note: Users can only access the same geography modules, as example, UK can only access these modules via UK/IE links.

Resources

Please click on the the Country code below you operate in. They are hyperlinks to the resource pages.

Scorecard Metric Definitions	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Metrics	Resource Links							
Vehicle Safety Audit (VSA)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Mentor Adoption Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
Speeding Event Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
FICO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
Netradyne	UK/ IE OSM,	UK/ IE BO,						
Delivery Completion Rate(DCR)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivered Not Received(DNR DPMO)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
POD	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Contact Compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer escalation DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer Delivery Feedback	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Breach of contract	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Working hours compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Comprehensive audit score	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivery Success Conditions DPMO	-	-	DE/ AT,	ES,	FR,	BE,	NL,	IT
Lost on Road (LoR) DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
DPR	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT

Questions?

- Discuss with your Account Manager

DSP WEEKLY SCORECARD

AION at DBY5

Week 52 - 2025

Rank at DBY5:

2 (0 WoW)

Overall Score:

76.33 | Great

Compliance and Safety

Great

Safety

Safe Driving Metric (FICO)

813 | Fantastic

Speeding Event Rate (Per 100 Trips)

3.62 | Fantastic

Mentor Adoption Rate

80.23% | Fair

Compliance

Vehicle Audit (VSA) Compliance

100% | Fantastic

Breach of Contract (BOC)

None

Working Hours Compliance (WHC)

100% | Fantastic

Comprehensive Audit Score (CAS)

In Compliance

Delivery Quality & SWC:

Great

Customer delivery Experience

Customer escalation DPMO

31 | Great

Customer Delivery Feedback

4354 | Great

Standard Work Compliance

Photo-On-Delivery

97.98% | Great

Contact Compliance

96.41% | Fair

Quality

Delivery Completion Rate(DCR)

99.04% | Fantastic

Delivered Not Received(DNR DPMO)

2794 | Poor

Lost on Road (LoR) DPMO

179 | Fair

Delivery Success Conditions (DSC DPMO)

1488 | Fair

Metrics highlighted in red are for visibility only and do not impact final DSP Scores/ Tiers

Capacity:

Fantastic

Next Day Capacity Reliability

110.61% | Fantastic

Same Day/Sub-Same Day Capacity Reliability

100% | Fantastic

Recommended Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Mentor Adoption Rate
3. Lost on Road (LoR) DPMO

Current Week Tips

Coming Soon

CC - Contact Compliance
 POD - Photo On Delivery
 CE - Customer Escalations

DSP WEEKLY SUMMARY

Transporter ID	Delivered	DCR	DSC DPMO	LoR DPMO	POD	CC	CE	CDF DPMO
A16P1XWR59PZR1	188	99.47%	0	0	97.44%	100%	0	5319
A1AOGSSZZWYTP7	426	100%	0	0	99.67%	-	0	7042
A1DR1I9N2666L2	316	95.76%	0	0	99.19%	52.63%	0	9494
A1EAU1B2Q46BZH	454	99.78%	2203	2198	91.71%	-	0	4405
A1EEVXIKF56DMI	765	99.09%	3922	1295	90.69%	100%	0	6536
A1ETDP5W8LQU7Y	411	99.52%	0	0	92.83%	100%	0	9732
A1FGTFHRU82ZNB	114	99.13%	0	0	100%	-	0	-
A1FUK8W5UWQSF9	652	99.85%	0	0	100%	100%	0	1534
A1ISAABLH000ES	417	100%	0	0	98.6%	100%	0	2398
A1L52FTIZPXQQ0	392	91.38%	0	0	96.62%	0%	0	7653
A1LRY443WQUWE6	585	99.83%	5128	0	98.94%	80%	0	6838
A1NMK9VZFYROPQ	402	99.5%	0	0	99.14%	80%	0	-
A1PPLQX8HTZC2D	441	97.35%	0	0	97.21%	82.81%	0	4535
A1THJFZCN5QAFD	681	100%	0	0	99.4%	100%	0	-
A1VL6FXC4T3T16	308	98.72%	3247	0	100%	97.62%	0	6494
A1VMLYUEJWBKLG	301	99.67%	0	0	100%	100%	0	-
A1VVC587UFU5VJ	404	99.75%	0	0	100%	100%	0	4950
A20YHLI0TJ9VIM	701	99.57%	0	0	99.76%	85.71%	0	1427
A2BYO2TS9D8A3E	198	100%	0	0	97.58%	-	0	25253
A2FEQCSRC4Q33C	501	100%	0	0	96.2%	-	0	1996
A2GMZZS8LBVZ3V	707	98.88%	1414	0	98.94%	0%	0	7072
A2I58T8EHFRIEO	756	100%	0	0	99.6%	100%	0	1323
A2IEHJ434ZM6TX	468	99.15%	0	0	98.53%	96.15%	0	2137
A2JSX4I6FU4DF1	642	98.62%	0	0	99.55%	0%	0	1558
A2LSZAP5MGGVHD	335	99.7%	2985	0	100%	100%	0	26866
A2MZ9R6Z5RTM0K	505	99.61%	1980	0	99.58%	100%	0	5941
A2OH54F2NL9ALU	477	99.79%	0	0	97.86%	-	0	4193
A2PAE95P0RGB3M	282	97.92%	10638	0	93.58%	100%	0	7092
A2RHE7U6UCJJ93	583	99.66%	1715	0	98.76%	0%	0	6861
A2SH6003XP1MEU	786	97.88%	1272	0	94.13%	16.67%	0	2545
A2Y74VRYW00OR5	580	99.49%	0	0	99.71%	66.67%	0	-
A31T2WS7D8WLZ0	412	95.59%	0	0	98.39%	0%	0	-
A33UCX3JZMWN76	467	98.94%	2141	0	98.73%	87.5%	0	-
A37PILXMJVB7ZU	142	99.3%	7042	0	99%	100%	0	7042
A38R69COKUIRBE	345	92.99%	0	0	96.11%	93.79%	0	11594
A393RCF43669J0	609	99.84%	4926	0	99.49%	-	0	3284
A39BVX5ER28H7P	471	100%	0	0	100%	100%	0	4246
A3ALROM073LW44	432	99.31%	0	0	99.58%	100%	0	-
A3DGK1S1D9RS6X	677	98.83%	1477	0	98.41%	98.25%	0	2954
A3E4C3OKC8FYLE	330	100%	3030	0	100%	100%	0	12121
A3FTNUP0KX138H	651	97.89%	0	0	98.3%	12.5%	1	9217
A3H11XF1SVS84O	221	99.55%	9050	0	92.73%	100%	0	-
A3L3USE4T0W2YK	399	99.5%	5013	0	96.84%	100%	0	2506
A3NGWVHU7TVGRV	206	98.56%	0	0	97.04%	-	0	4854
A3OMDYPW7OVBJO	324	99.39%	9259	0	96.33%	75%	0	3086
A3PUR7FF9G85QZ	540	99.82%	1852	0	98.53%	100%	0	1852
A3R11HNZ2XFQAG	481	100%	4158	0	96.6%	-	0	10395
A3RYNUCQ8MTSUV	598	100%	0	1672	98.13%	-	0	1672
A3ST6ZRMACD9WK	336	97.96%	2976	0	99.11%	94.44%	0	2976
A3V1P68C6YO919	611	99.84%	1637	0	100%	100%	0	4910
A3VX1BN9SXV2X4	290	98.98%	6897	0	99.06%	100%	0	-

A5A6I65TGFZ5R	281	97.23%	3559	0	97.42%	37.5%	1	21352
A6Z2SB0T9ZIAC	579	99.48%	0	0	96.51%	-	0	3454
A7H5ML6G1ENPO	382	97.7%	0	0	100%	85.71%	0	-
A85JEH6GCOZV3	213	98.61%	0	0	97.32%	100%	0	-
AB05ESQ500CMR	301	99.01%	0	0	96.77%	100%	0	6645
ABR9P46RIHW7N	308	99.35%	0	0	100%	-	0	3247
ABUP96Y6LNDMT	215	99.08%	0	0	98.78%	50%	0	-
AJ2HME0DRDXI1	435	99.77%	0	0	98.87%	100%	0	-
AM4HMCCKF5WU1Q	658	97.92%	1520	2976	98.86%	95.38%	0	1520
APRZ8PWWNT126	32	100%	0	0	100%	100%	0	31250
ASM0VHXOGCDW	498	99.8%	0	0	98.05%	100%	0	2008
AZY874H4V0PI7	341	97.43%	0	0	98.19%	0%	0	2933

Drivers With Working Hour Exceptions

**Blank Sheet means no exceptions*

#	Transporter ID	Daily Limit Exceeded	Weekly Limit Exceeded	Under Offwork Limit	Work Day Limit Exceeded	WH Exception
1	A1ETDP5W8LQU7Y	No	No	Yes	No	Yes
2	A2JSX4I6FU4DF1	No	No	Yes	No	Yes
3	A1EAU1B2Q46BZH	No	No	Yes	No	Yes
4	A39BVX5ER28H7P	No	No	Yes	No	Yes
5	A2OH54F2NL9ALU	No	No	Yes	No	Yes
6	A1LRY443WQUWE6	No	No	Yes	No	Yes
7	A3V1P68C6YO919	No	No	Yes	No	Yes
8	A2LSZAP5MGGVHD	No	No	Yes	No	Yes
9	A3R11HNZ2XFQAG	No	No	Yes	No	Yes
10	A3L3USE4T0W2YK	No	No	Yes	No	Yes
11	A3NGWVHU7TVGRV	No	No	Yes	No	Yes
12	A1L52FTIZPXQQ0	No	No	Yes	No	Yes
13	A3ALROM073LW44	No	No	Yes	No	Yes
14	A2FEQCSRC4Q33C	No	No	Yes	No	Yes
15	A38R69COKUIRBE	No	No	Yes	No	Yes
16	A1VMLYUEJWBKLG	No	No	Yes	No	Yes
17	A3E4C3OKC8FYLE	No	No	Yes	No	Yes
18	A3OMDYPW7OVBJO	No	No	Yes	No	Yes

Performance Standards and Service Levels

Per Program Policy, your company's performance will be measured across the following SLS metrics, and your company will be expected to meet the SLS targets included on this page. Below presents the target and minimum service level per metric. If you repeatedly* fall below the Minimum Service Levels (presented below), it can result in a reduction of volume allocated to your company, or termination of your company's Program Agreement

* Definition of Repeatedly = falling below the minimum requirement in 2 consecutive instances (weekly scorecards) below minimum requirement

* Metrics and the associated targets are subject to change. We reserve the right to make amendments with notice in writing including via email, 8 weeks prior to change.

Operational SLS Metrics	Target	Minimum
Scorecard Performance	78	50
Vehicle Audit Compliance (VSA)	98%	95%
Safe Driving (FICO)	810	730
DVIC Compliance	95%	90%
Speeding Event Rate (per 100 trips)	5	10
Customer Escalation DPMO	0.02	160
Customer Delivery Feedback	3680	5460
Route Reliability	100%	85%
Delivery Completion Rate (DCR)	99%	97%
Delivery Success Conditions (DSC DPMO)	1180	1760
Photo On Delivery	98%	96%
Contact Compliance	98%	95%
Lost on Road DPMO	50	200

Metric Definitions

(Click on the country you operate in)

[UK/IE](#)

[DE/AT](#)

[ES](#)

[FR](#)

[BE](#)

[NL](#)

[IT](#)

Safety

Includes metrics such as Vehicle Audit (VSA) Compliance, Safe Driving Metric, Seatbelt off Rate (only for UK DSP 2.0s), Speeding event Rate, Daily Vehicle Inspection Check Compliance and E-Mentor Adoption Rate. (See Below for more details)

Vehicle Audit (VSA) Compliance

Vehicle Audit (VSA) Compliance is calculated as the DVIC Checks verified by Amazon over last two weeks. We calculate this metric as the count of vehicles that have passed Amazon's VSA check against the total number of vehicles audited during WK-2 and WK-1. Vehicle Audit (VSA) Compliance calculation: Total VSA Passed Audits (WK-2 & WK-1) / Total VSA Audits (WK-2 & WK-1). A DSP who has Fantastic standing would receive a $\geq 98\%$ in VSA.

Safe Driving Metric (FICO)

This metric is calculated using the eDriving Mentor FICO score, which is a composite potential indicator of a driver's safe driving behaviour. The metric is measured by analysing indicators of how your drivers operate their vehicles, such as Harsh Acceleration, Braking, Cornering, Cell phone Distraction and Speeding. The metric is a weighted average of all driver's eDriving Mentor FICO scores at the end of the week on a 100 – 850 scale where a higher score is better. A DSP who has Fantastic standing would receive a ≥ 810 in FICO.

Speeding Event Rate

The Speeding Event Rate metric is the average number of speeding instances incurred by a DA per route. A speeding instance is counted as exceeding the speed limit by 20% or more for at least 60 seconds. A DSP who has Fantastic standing would receive a $\leq 5\%$ speeding events per 100 trips.

E-Mentor Adoption Rate

The E-Mentor Adoption Rate allows you to understand what percent of your drivers are using Mentor App on a weekly basis. This metric is calculated by number of active drivers on the Mentor app divided by total active drivers for the particular week. If your drivers have low adoption rates, your other safety metrics might be impacted, resulting in overall lower score. We encourage DSPs to increase eMentor app adoption rate with the drivers to help support improved driver behaviour. A DSP who has Fantastic standing would receive a $\geq 90\%$ in E-Mentor Adoption Rate.

Compliance

We regularly audit for compliance to ensure DSP's business operations adhere to Amazon supply chain standards and program policy.

Comprehensive Audit Score

The Comprehensive Audit is a measurement of DSP/Driver Eligibility, DSP Operations, Safety, Wages & Benefits, DSP Management, and Working Hours (all measurements outlined in the DSP Program Agreements and Policies). The results of the Comprehensive Audit provide a baseline for a DSP's state of compliance. Compliance is critical to ensuring a good working environment for you and your drivers and meeting our compliance standards is required. You must earn an 'In Compliance' on your Comprehensive Audit to be eligible for scorecard evaluation and not be in Breach of Contract (BOC). A DSP who has Fantastic standing would receive a 100% in CAS.

Working Hour Compliance (WHC)

WHC metric is based on a DSP's continuous compliance with working hour requirements as established by Amazon Supply Chain Standards, Amazon Logistics business policy, and prevailing local law. This includes compliance with: Daily and weekly working hour thresholds; Maximum permissible consecutive workdays; and Minimum required rest between shifts. The metric is calculated as % of drivers complying with working hour limits. A DSP who has Fantastic standing would receive a 100% in WHC.

Delivery Quality

Includes metrics: Delivery Completion Rate, Delivered not Received DPMO and SWA On-time Arrival (DSPs within the SWA program)

Delivery Completion Rate

The share of packages dispatched to the drivers which are delivered to the customer (and not returned to the station). Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a $\geq 99\%$ in DCR.

Delivered Not Received DPMO

The number of packages delivered but not received by customer, on per million opportunities / delivered (DPMO) basis. Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a ≤ 1200 in DNR DPMO.

Lost on Road (LoR) DPMO

The number of packages dispatched to the drivers but not delivered to the customer (and not returned to the station), on per million opportunities / dispatched (DPMO) basis. A DSP who has Fantastic standing would receive a ≤ 50 LoR DPMO.

Delivery Success Conditions (DSC DPMO)

The number of packages delivered but not received (DNR) by customers — on a per-million-opportunities / delivered (DPMO) basis — where these DNR concessions fall into one of eight root-cause buckets of concessions:

- Delivered to Household Member / Customer
- Delivered to Receptionist
- Delivered to Neighbor
- Delivered to Mailbox
- Delivered greater than 25 metres from the delivery location
- Delivered unattended with no photo-on-delivery (POD)
- Delivered not following customer preferences
- Delivered using the 'simultaneous group stop' function

DSC is measured in DPMO (Defects per Million Opportunities). A DSC DPMO of 1,000 means that customers did not receive their packages 1,000 times per 1,000,000 deliveries. A DSP with Fantastic standing would require a DSC DPMO ≤ 1180.

Standard Work Compliance

Includes metrics on Photo on Delivery, Contact Compliance and SWA Scan Compliance (only applicable for DSPs within the SWA program)

Photo on Delivery

The number of usable (i.e. presentable to the customer) POD (Photo-on-delivery) photos taken, divided by total POD opportunities. A DSP who has Fantastic standing would receive a >=98% in Photo on Delivery.

Contact Compliance

The metric is calculated as the count of all calls and texts that were made by a driver through the Amazon Flex app vs the total packages delivered with a call or text, as well as packages not delivered due to reasons such as Unable to Access (UTA), Unable to Locate (UTL), No Safe Locations (NSL). A DSP who has Fantastic standing would receive a 98% in Contact Compliance.

Customer Feedback

Includes Customer Delivery Feedback DPMO and Customer Escalations DPMO

Customer Delivery Feedback

CDF DPMO metric is a measurement of the negative customer feedback received — on a per-million-opportunities / delivered (DPMO) basis. A DSP who has Fantastic standing would receive a <= 3680 in CDF.

Customer Escalations DPMO

Customer Escalations DPMO: The frequency at which drivers incur customer escalations, on a per-million opportunities (DPMO) basis. Violations are triple-weighted, and Defects are single weighted. Only successfully resolved tickets with customer escalations are counted with a 4-week delay. For example, Week 45 Scorecard Escalation Defect DPMO is calculated by counting and weighting the feedback incurred by drivers in Week 41 and not overturned by appeals. A DSP who has Fantastic standing would receive a 0 in Customer Escalations DPMO.

Capacity

Includes Capacity Reliability

Capacity Reliability

Capacity Reliability compares your completed routes per day (excluding any Amazon caused cancellations) from Work Summary Tool to your day-level Reliability Targets from Route Targets (Okami) with an exception; if your final day-before scheduled plan comes in lower due to Amazon caused cancellations, those cancelled routes will be subtracted from your Reliability Target.