

DSP Delivery Excellence Performance

AION at DBY5
Week 10
2026

Week 10 Performance

Overall Standing

Fantastic

See details on next page

Key Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Working Hours Compliance (WHC)
3. Lost on Road (LoR) DPMO

Announcements

We are pleased to inform you that metric definitions on page 5 and 6 are now available in country specific language. This can be found in the **resources table** and also in the **metric definition section**.

We are surfacing a reminder of the interactive metric modules available below, in the resources section. These modules cover Safety, Quality/Standard Work Compliance & Customer Feedback / Team.

We have updated the supplementary Concessions report with additional “focus areas” that identify delivery factors that may have contributed to the issuance of concessions (Incorrect Scan Indicator, Signature on Delivery , High Value Item, Delivery Exception, Mailbox Eligible). DSPs using the report experience a 35% higher reduction in DNR DPMO compared to DSPs with lower adoption rates.

Note: Users can only access the same geography modules, as example, UK can only access these modules via UK/IE links.

Resources

Please click on the the Country code below you operate in. They are hyperlinks to the resource pages.

Scorecard Metric Definitions	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Metrics	Resource Links							
Vehicle Safety Audit (VSA)	UK/ IE OSM,	UK/ IE BO,	DE/ AT	ES,	FR,	BE,	NL,	IT
Mentor Adoption Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL	
Speeding Event Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL	
FICO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL	
Netradyne	UK/ IE OSM,	UK/ IE BO,						
Delivery Completion Rate(DCR)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivered Not Received(DNR DPMO)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
POD	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Contact Compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer escalation DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer Delivery Feedback	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Breach of contract	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Working hours compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Comprehensive audit score	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivery Success Conditions DPMO	-	-	DE/ AT,	ES,	FR,	BE,	NL,	IT
Lost on Road (LoR) DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
DPR	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT

Questions?

- Discuss with your Account Manager

DSP WEEKLY SCORECARD

AION at DBY5

Week 10 - 2026

Rank at DBY5: 3 (0 WoW)

Overall Score:

78.66 | Fantastic

Compliance and Safety

Great

Safety

Safe Driving Metric (FICO)

811 | Fantastic

Speeding Event Rate (Per 100 Trips)

1.77 | Fantastic

Mentor Adoption Rate

94.93% | Fantastic

Compliance

Vehicle Audit (VSA) Compliance

100% | Fantastic

Breach of Contract (BOC)

None

Working Hours Compliance (WHC)

86.76% | Poor

Comprehensive Audit Score (CAS)

In Compliance

Delivery Quality & SWC:

Great

Customer delivery Experience

Customer escalation DPMO

23 | Great

Customer Delivery Feedback

2530 | Fantastic

Quality

Delivery Completion Rate(DCR)

99.17% | Fantastic

Delivered Not Received(DNR DPMO)

1223 | Great

Lost on Road (LoR) DPMO

84 | Great

Delivery Success Conditions (DSC DPMO)

1012 | Fair

Standard Work Compliance

Photo-On-Delivery

99.09% | Fantastic

Contact Compliance

98.95% | Fantastic

Metrics highlighted in red are for visibility only and do not impact final DSP Scores/ Tiers

Capacity:

Fantastic

Next Day Capacity Reliability

100.98% | Fantastic

Same Day/Sub-Same Day Capacity Reliability

110% | Fantastic

Recommended Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Working Hours Compliance (WHC)
3. Lost on Road (LoR) DPMO

Current Week Tips

Coming Soon

CC - Contact Compliance
 POD - Photo On Delivery
 CE - Customer Escalations

DSP WEEKLY SUMMARY

Transporter ID	Delivered	DCR	DSC DPMO	LoR DPMO	POD	CC	CE	CDF DPMO
A11QQXKOJRNZUJ	523	99.62%	1912	0	98.34%	100%	0	9560
A1AOGSSZZWYTP7	1002	98.14%	998	0	100%	100%	0	4990
A1EAU1B2Q46BZH	393	100%	5089	0	100%	100%	0	-
A1EEMZIG6TDSWQE	144	100%	0	0	100%	100%	0	-
A1ETDP5W8LQU7Y	477	100%	6289	0	95.55%	100%	0	14675
A1FGTFHRU82ZNB	175	99.43%	0	0	100%	100%	0	-
A1FUK8W5UWQSF9	970	100%	0	0	100%	100%	0	1031
A1ISAABLH000ES	1216	98.94%	0	0	99.13%	76%	0	822
A1LRY443WQUWE6	819	98.67%	0	0	98.56%	100%	0	1221
A1NMK9VZFYROPQ	1090	99.91%	0	0	99.79%	75%	0	-
A1OGWC6I2AH4CB	114	96.61%	0	0	100%	100%	0	-
A1PPLQX8HTZC2D	1165	99.74%	858	0	98.93%	33.33%	0	2575
A1RY5N03UD7YSZ	366	99.73%	0	0	97.83%	100%	1	2732
A1THJFZCN5QAFD	723	99.86%	2766	0	100%	100%	0	-
A1VL6FXC4T3T16	1080	98.27%	0	0	100%	82.61%	0	926
A1VMLYUEJWBKLG	609	99.67%	0	0	99.38%	100%	0	4926
A20YHLI0TJ9VIM	1151	99.83%	0	0	99.36%	100%	0	869
A22DTQ81W7AXZS	1017	99.71%	983	0	99.22%	100%	0	983
A25BTUGWTZWSXO	149	100%	0	0	100%	-	0	6711
A25BTUGWTZWSXO	149	100%	0	0	100%	-	0	6711
A28OB1FAELLVZI	565	97.41%	8850	0	98.88%	0%	0	14159
A2AUVLJ9JOJYW3	78	98.73%	0	0	100%	100%	0	12821
A2BYO2TS9D8A3E	1152	99.83%	0	0	100%	100%	0	1736
A2FEQCSRC4Q33C	1128	99.73%	1773	0	99.4%	100%	0	2660
A2GW84XWTF9A36	890	98.34%	0	0	100%	30%	0	3371
A2I58T8EHFRIEO	1210	100%	0	0	100%	100%	0	826
A2IEHJ434ZM6TX	925	99.25%	0	0	99.68%	90.91%	0	2162
A2MZ9R6Z5RTMOK	1172	98.9%	853	0	99.03%	100%	0	4266
A2OA0KRV6XSEBA	819	99.51%	0	0	99.73%	100%	0	1221
A2OH54F2NL9ALU	1156	99.91%	2595	0	100%	100%	0	2595
A2PAE95P0RGB3M	679	97.56%	1473	0	97.14%	98.33%	0	2946
A2Q0CGFBF75SNI	874	99.09%	1144	0	98.1%	100%	0	1144
A30HC9E1UDY802	399	95%	2506	2381	95%	80.36%	0	5013
A33UCX3JZMWN76	1215	99.51%	0	0	99.54%	100%	0	-
A38R69COKUIRBE	731	99.32%	0	0	94.58%	100%	0	8208
A393RCF43669JO	1239	99.44%	0	0	98.91%	50%	0	3228
A39BVX5ER28H7P	638	97.7%	1567	0	100%	100%	0	1567
A3ALROM073LW44	957	99.38%	0	0	100%	100%	0	3135
A3CWRQCRVKWZU4	801	99.5%	0	0	94.24%	100%	0	1248
A3FTNUP0KX138H	424	99.76%	0	0	97.46%	100%	0	-
A3H11XF1SVS84O	443	100%	0	0	98.92%	100%	0	-
A3L3USE4T0W2YK	1189	95.96%	2523	0	97.17%	96.97%	0	3364
A3M97XI800SEZO	535	99.26%	0	0	98.41%	100%	0	11215
A3PUR7FF9G85QZ	1097	99.1%	0	0	98.87%	64.71%	0	1823
A3Q0OJZIE0U7IX	68	97.14%	14706	0	100%	100%	0	-
A3R11HNNZ2XFQAG	836	98.7%	0	0	99.6%	92.21%	0	4785
A3S5YU2UZUOBN8	420	97.67%	0	0	100%	100%	0	-
A3TNGCYA4XL0OR	351	100%	2849	0	100%	100%	0	-
A3V1P68C6YO919	880	99.89%	1136	0	100%	100%	0	-
A3VBUEAN22RR3XX	285	100%	0	0	98.36%	100%	0	-
A3VX1BN9SXV2X4	1230	99.43%	0	0	99.57%	90%	0	813

A5A6I65TGFZ5R	1188	99.66%	5892	0	97.85%	50%	0	6734
A7H5ML6G1ENPO	1503	98.75%	665	0	100%	98.46%	0	665
A7XH5ILV93KZL	92	98.92%	0	0	100%	100%	0	-
A85JEH6GCOZV3	1138	99.91%	0	0	99.65%	100%	0	-
AB05ESQ500CMR	967	100%	0	0	100%	100%	0	-
ABR9P46RIHW7N	102	99.03%	0	0	100%	100%	0	-
ABUP96Y6LNDMT	40	100%	0	0	100%	-	0	-
AC0X00HF5QCRX	1050	98.22%	952	0	99.77%	95.24%	0	3810
AJ2HME0DRDXI1	142	100%	0	0	100%	100%	0	-
APRZ8PWWNT126	970	98.28%	1031	0	100%	98.11%	0	1031
ARK3918PI7HEC	785	100%	1274	0	99.78%	100%	0	2548
AS997F0VRMPCU	121	100%	0	0	100%	100%	0	-
ASM0VHXOGCDW	1249	96.9%	1601	0	99.52%	100%	0	2402
AUN4SYBBO18YK	254	99.22%	0	0	100%	95.45%	0	-
AY4ML9AT1H5O6	267	99.26%	3745	3717	100%	0%	0	3745

Drivers With Working Hour Exceptions

**Blank Sheet means no exceptions*

#	Transporter ID	Daily Limit Exceeded	Weekly Limit Exceeded	Under Offwork Limit	Work Day Limit Exceeded	WH Exception
1	A1ETDP5W8LQU7Y	No	No	Yes	No	Yes
2	AJ2HME0DRDXI1	No	No	Yes	No	Yes
3	AY4ML9AT1H5O6	No	No	Yes	No	Yes
4	A1LRY443WQUWE6	No	No	Yes	No	Yes
5	A1VMLYUEJWBKLG	No	No	Yes	No	Yes
6	A3M97XI800SEZO	No	No	Yes	No	Yes
7	A1RY5N03UD7YSZ	No	No	Yes	No	Yes
8	A11QQXKOJRNZUJ	No	No	Yes	No	Yes
9	A39BVX5ER28H7P	No	No	Yes	No	Yes

Performance Standards and Service Levels

Per Program Policy, your company's performance will be measured across the following SLS metrics, and your company will be expected to meet the SLS targets included on this page. Below presents the target and minimum service level per metric. If you repeatedly* fall below the Minimum Service Levels (presented below), it can result in a reduction of volume allocated to your company, or termination of your company's Program Agreement

* Definition of Repeatedly = falling below the minimum requirement in 2 consecutive instances (weekly scorecards) below minimum requirement

* Metrics and the associated targets are subject to change. We reserve the right to make amendments with notice in writing including via email, 8 weeks prior to change.

Operational SLS Metrics	Target	Minimum
Scorecard Performance	78	50
Vehicle Audit Compliance (VSA)	98.5%	96%
Safe Driving (FICO)	810	730
DVIC Compliance	95%	90%
Speeding Event Rate (per 100 trips)	5	10
Customer Escalation DPMO	0.02	160
Customer Delivery Feedback	3680	5460
Route Reliability	100%	85%
Delivery Completion Rate (DCR)	99.1%	98.2%
Delivery Success Conditions (DSC DPMO)	720	1060
Photo On Delivery	98%	96%
Contact Compliance	98%	95%
Lost on Road DPMO	50	200

Metric Definitions

(Click on the country you operate in)

[UK/ IE,](#)

[DE/ AT,](#)

[ES,](#)

[FR,](#)

[BE,](#)

[NL,](#)

[IT](#)

Safety

Includes metrics such as Vehicle Audit (VSA) Compliance, Safe Driving Metric, Seatbelt off Rate (only for UK DSP 2.0s), Speeding event Rate, Daily Vehicle Inspection Check Compliance and E-Mentor Adoption Rate. (See Below for more details)

Vehicle Audit (VSA) Compliance

Vehicle Audit (VSA) Compliance is calculated as the DVIC Checks verified by Amazon over last two weeks. We calculate this metric as the count of vehicles that have passed Amazon's VSA check against the total number of vehicles audited during WK-2 and WK-1. Vehicle Audit (VSA) Compliance calculation: Total VSA Passed Audits (WK-2 & WK-1) / Total VSA Audits (WK-2 & WK-1). A DSP who has Fantastic standing would receive a $\geq 98.5\%$ in VSA.

Safe Driving Metric (FICO)

This metric is calculated using the eDriving Mentor FICO score, which is a composite potential indicator of a driver's safe driving behaviour. The metric is measured by analysing indicators of how your drivers operate their vehicles, such as Harsh Acceleration, Braking, Cornering, Cell phone Distraction and Speeding. The metric is a weighted average of all driver's eDriving Mentor FICO scores at the end of the week on a 100 – 850 scale where a higher score is better. A DSP who has Fantastic standing would receive a ≥ 810 in FICO.

Speeding Event Rate

The Speeding Event Rate metric is the average number of speeding instances incurred by a DA per route. A speeding instance is counted as exceeding the speed limit by 20% or more for at least 60 seconds. A DSP who has Fantastic standing would receive a $\leq 5\%$ speeding events per 100 trips.

E-Mentor Adoption Rate

The E-Mentor Adoption Rate allows you to understand what percent of your drivers are using Mentor App on a weekly basis. This metric is calculated by number of active drivers on the Mentor app divided by total active drivers for the particular week. If your drivers have low adoption rates, your other safety metrics might be impacted, resulting in overall lower score. We encourage DSPs to increase eMentor app adoption rate with the drivers to help support improved driver behaviour. A DSP who has Fantastic standing would receive a $\geq 90\%$ in E-Mentor Adoption Rate.

Compliance

We regularly audit for compliance to ensure DSP's business operations adhere to Amazon supply chain standards and program policy.

Comprehensive Audit Score

The Comprehensive Audit is a measurement of DSP/Driver Eligibility, DSP Operations, Safety, Wages & Benefits, DSP Management, and Working Hours (all measurements outlined in the DSP Program Agreements and Policies). The results of the Comprehensive Audit provide a baseline for a DSP's state of compliance. Compliance is critical to ensuring a good working environment for you and your drivers and meeting our compliance standards is required. You must earn an 'In Compliance' on your Comprehensive Audit to be eligible for scorecard evaluation and not be in Breach of Contract (BOC). A DSP who has Fantastic standing would receive a 100% in CAS.

Working Hour Compliance (WHC)

WHC metric is based on a DSP's continuous compliance with working hour requirements as established by Amazon Supply Chain Standards, Amazon Logistics business policy, and prevailing local law. This includes compliance with: Daily and weekly working hour thresholds; Maximum permissible consecutive workdays; and Minimum required rest between shifts. The metric is calculated as % of drivers complying with working hour limits. A DSP who has Fantastic standing would receive a 100% in WHC.

Delivery Quality

Includes metrics: Delivery Completion Rate, Delivered not Received DPMO and SWA On-time Arrival (DSPs within the SWA program)

Delivery Completion Rate

The share of packages dispatched to the drivers which are delivered to the customer (and not returned to the station). Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a $\geq 99.09999999999999\%$ in DCR.

Delivered Not Received DPMO

The number of packages delivered but not received by customer, on per million opportunities / delivered (DPMO) basis. Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a ≤ 1200 in DNR DPMO.

Lost on Road (LoR) DPMO

The number of packages dispatched to the drivers but not delivered to the customer (and not returned to the station), on per million opportunities / dispatched (DPMO) basis. A DSP who has Fantastic standing would receive a ≤ 50 LoR DPMO.

Delivery Success Conditions (DSC DPMO)

The number of packages delivered but not received (DNR) by customers — on a per-million-opportunities / delivered (DPMO) basis — where these DNR concessions fall into one of eight root-cause buckets of concessions:

- Delivered to Household Member / Customer
- Delivered to Receptionist
- Delivered to Neighbor
- Delivered to Mailbox
- Delivered greater than 25 metres from the delivery location
- Delivered unattended with no photo-on-delivery (POD)
- Delivered not following customer preferences
- Delivered using the 'simultaneous group stop' function

DSC is measured in DPMO (Defects per Million Opportunities). A DSC DPMO of 1,000 means that customers did not receive their packages 1,000 times per 1,000,000 deliveries. A DSP with Fantastic standing would require a DSC DPMO ≤ 720.

Standard Work Compliance

Includes metrics on Photo on Delivery, Contact Compliance and SWA Scan Compliance (only applicable for DSPs within the SWA program)

Photo on Delivery

The number of usable (i.e. presentable to the customer) POD (Photo-on-delivery) photos taken, divided by total POD opportunities. A DSP who has Fantastic standing would receive a >=98% in Photo on Delivery.

Contact Compliance

The metric is calculated as the count of all calls and texts that were made by a driver through the Amazon Flex app vs the total packages delivered with a call or text, as well as packages not delivered due to reasons such as Unable to Access (UTA), Unable to Locate (UTL), No Safe Locations (NSL). A DSP who has Fantastic standing would receive a 98% in Contact Compliance.

Customer Feedback

Includes Customer Delivery Feedback DPMO and Customer Escalations DPMO

Customer Delivery Feedback

CDF DPMO metric is a measurement of the negative customer feedback received — on a per-million-opportunities / delivered (DPMO) basis. A DSP who has Fantastic standing would receive a <= 3680 in CDF.

Customer Escalations DPMO

Customer Escalations DPMO: The frequency at which drivers incur customer escalations, on a per-million opportunities (DPMO) basis. Violations are triple-weighted, and Defects are single weighted. Only successfully resolved tickets with customer escalations are counted with a 4-week delay. For example, Week 45 Scorecard Escalation Defect DPMO is calculated by counting and weighting the feedback incurred by drivers in Week 41 and not overturned by appeals. A DSP who has Fantastic standing would receive a 0 in Customer Escalations DPMO.

Capacity

Includes Capacity Reliability

Capacity Reliability

Capacity Reliability compares your completed routes per day (excluding any Amazon caused cancellations) from Work Summary Tool to your day-level Reliability Targets from Route Targets (Okami) with an exception; if your final day-before scheduled plan comes in lower due to Amazon caused cancellations, those cancelled routes will be subtracted from your Reliability Target.