

DSP Delivery Excellence Performance

AION at DBY5
Week 12
2026

Week 12 Performance

Overall Standing

Fantastic

See details on next page

Key Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Lost on Road (LoR) DPMO

Announcements

We are pleased to inform you that metric definitions on page 5 and 6 are now available in country specific language. This can be found in the **resources table** and also in the **metric definition section**.

We are surfacing a reminder of the interactive metric modules available below, in the resources section. These modules cover Safety, Quality/Standard Work Compliance & Customer Feedback / Team.

We have updated the supplementary Concessions report with additional “focus areas” that identify delivery factors that may have contributed to the issuance of concessions (Incorrect Scan Indicator, Signature on Delivery , High Value Item, Delivery Exception, Mailbox Eligible). DSPs using the report experience a 35% higher reduction in DNR DPMO compared to DSPs with lower adoption rates.

Note: Users can only access the same geography modules, as example, UK can only access these modules via UK/IE links.

Resources

Please click on the the Country code below you operate in. They are hyperlinks to the resource pages.

Scorecard Metric Definitions	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Metrics	Resource Links							
Vehicle Safety Audit (VSA)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Mentor Adoption Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
Speeding Event Rate	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
FICO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	
Netradyne	UK/ IE OSM,	UK/ IE BO,						
Delivery Completion Rate(DCR)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivered Not Received(DNR DPMO)	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
POD	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Contact Compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer escalation DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Customer Delivery Feedback	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Breach of contract	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Working hours compliance	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Comprehensive audit score	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
Delivery Success Conditions DPMO	-	-	DE/ AT,	ES,	FR,	BE,	NL,	IT
Lost on Road (LoR) DPMO	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT
DPR	UK/ IE OSM,	UK/ IE BO,	DE/ AT,	ES,	FR,	BE,	NL,	IT

Questions?

- Discuss with your Account Manager

DSP WEEKLY SCORECARD

AION at DBY5

Week 12 - 2026

Rank at DBY5:

1 (0 WoW)

Overall Score:

87.67 | Fantastic

Compliance and Safety

Fantastic

Safety

Fantastic

Safe Driving Metric (FICO)

819 | Fantastic

Speeding Event Rate (Per 100 Trips)

1.07 | Fantastic

Mentor Adoption Rate

94.58% | Fantastic

Compliance

Vehicle Audit (VSA) Compliance

100% | Fantastic

Breach of Contract (BOC)

None

Working Hours Compliance (WHC)

100% | Fantastic

Comprehensive Audit Score (CAS)

In Compliance

Delivery Quality & SWC:

Fantastic

Customer delivery Experience

Customer escalation DPMO

0 | Fantastic

Customer Delivery Feedback

3060 | Fantastic

Standard Work Compliance

Photo-On-Delivery

99.11% | Fantastic

Contact Compliance

99.42% | Fantastic

Quality

Delivery Completion Rate(DCR)

99.35% | Fantastic

Delivered Not Received(DNR DPMO)

1201 | Great

Lost on Road (LoR) DPMO

61 | Great

Delivery Success Conditions (DSC DPMO)

813 | Fair

Metrics highlighted in red are for visibility only and do not impact final DSP Scores/ Tiers

Capacity:

Fantastic

Next Day Capacity Reliability

100.46% | Fantastic

Same Day/Sub-Same Day Capacity Reliability

100% | Fantastic

Recommended Focus Areas

1. Delivery Success Conditions (DSC) DPMO
2. Lost on Road (LoR) DPMO

Current Week Tips

Coming Soon

CC - Contact Compliance
 POD - Photo On Delivery
 CE - Customer Escalations

DSP WEEKLY SUMMARY

Transporter ID	Delivered	DCR	DSC DPMO	LoR DPMO	POD	CC	CE	CDF DPMO
A11QQXKOJRNZUJ	1100	99.1%	0	0	100%	100%	0	3636
A1AOGSSZZWYTP7	1119	100%	894	0	100%	100%	0	1787
A1EAU1B2Q46BZH	788	99.62%	0	0	99.6%	100%	0	-
A1ETDP5W8LQU7Y	1020	99.9%	0	0	95.5%	100%	0	2941
A1FGTFHRU82ZNB	34	100%	0	0	100%	100%	0	-
A1FUK8W5UWQSF9	794	99.62%	1259	0	100%	100%	0	-
A1ISAABLH000ES	1097	99.64%	0	0	98.72%	100%	0	912
A1J3ARIJA418VN	14	100%	0	0	90.91%	-	0	-
A1LRY443WQUWE6	865	99.43%	0	0	100%	100%	0	1156
A1NMMK9VZFYROPQ	1055	99.81%	0	0	100%	100%	0	-
A1OGWC612AH4CB	831	96.4%	0	0	99.71%	96.88%	0	1203
A1P7WR7XVP66BE	1113	99.82%	898	0	93.7%	100%	0	-
A1PPLQX8HTZC2D	1195	99.58%	1674	0	99.49%	100%	0	3347
A1RY5N03UD7YSZ	191	100%	5236	0	96.3%	100%	0	5236
A1VL6FXC4T3T16	817	99.39%	0	0	99.7%	100%	0	-
A1VMLYUEJWBKLG	919	98.18%	0	0	99.13%	99.17%	0	1088
A20YHLI0TJ9VIM	1266	97.84%	0	0	99.74%	92.86%	0	790
A22DTQ81W7AXZS	438	99.55%	0	0	100%	100%	0	4566
A25BTUGWTZWSXO	1067	99.63%	0	0	99.53%	100%	0	937
A26LBSY6V1T1LN	254	99.61%	0	0	98.65%	100%	0	3937
A2AUVLJ9JOJYW3	116	100%	0	0	100%	-	0	8621
A2AUVLJ9JOJYW3	116	100%	0	0	100%	-	0	8621
A2BYO2TS9D8A3E	1097	99.91%	0	0	99.64%	100%	0	2735
A2FEQCSRC4Q33C	1047	99.9%	0	0	97.33%	100%	0	4776
A2GW84XWTF9A36	664	99.7%	0	0	100%	75%	0	-
A2I58T8EHFRIEO	1166	99.4%	0	0	100%	100%	0	858
A2IEHJ434ZM6TX	1084	98.46%	0	0	100%	100%	0	1845
A2MZ9R6Z5RTMOK	1193	99%	838	0	99.71%	99.86%	0	838
A2OA0KRV6XSEBA	323	99.69%	0	0	99.48%	100%	0	-
A2OH54F2NL9ALU	953	99.9%	2099	0	99.75%	100%	0	3148
A2PGZI7VGZ7R5E	1084	99.18%	1845	0	95%	94.53%	0	5535
A2U63Y1G2ZWDR5	854	99.77%	1171	0	99.14%	-	0	2342
A2Y74VRYW00R5	396	99.5%	5051	0	100%	100%	0	-
A30HC9E1UDY802	658	99.1%	1520	1506	96.68%	100%	0	3040
A33UCX3JZMWN76	1224	98.16%	0	0	99.77%	98.11%	0	4085
A393RCF43669J0	980	99.8%	0	0	99.49%	100%	0	3061
A39BVX5ER28H7P	1208	99.92%	828	0	100%	100%	0	2483
A3ALROM073LW44	1219	99.75%	0	0	99.3%	100%	0	2461
A3CWRQCRVKWZU4	458	99.35%	6550	0	95.11%	100%	0	2183
A3FTNUP0KX138H	1007	99.7%	993	0	98.26%	100%	0	2979
A3H11XF1SVS840	1268	99.45%	789	0	99.19%	100%	0	2366
A3L3USE4T0W2YK	928	97.38%	0	1049	97.12%	100%	0	3233
A3M97XI800SEZO	861	98.74%	1161	0	99.13%	97.96%	0	8130
A3PUR7FF9G85QZ	272	100%	0	0	98.44%	100%	0	-
A3Q00JZIE0U7IX	76	100%	0	0	100%	100%	0	13158
A3R11HNZ2XFQAG	896	99.56%	0	0	100%	83.33%	0	2232
A3SOF0EZZDNH3R	889	98.78%	0	0	98.03%	93.33%	0	7874
A3TNGCYA4XLOOR	536	99.81%	0	0	100%	-	0	-
A3V1P68C6YO919	1065	100%	0	0	100%	-	0	-
A3VBUAN22RR3XX	813	99.51%	2460	0	100%	100%	0	4920
A3VX1BN9SXV2X4	1178	99.75%	849	0	99.85%	100%	0	849

A5A6I65TGFZ5R	1136	99.47%	2641	0	98.94%	88.89%	0	10563
A7H5ML6G1ENPO	569	99.82%	0	0	100%	100%	0	8787
A7XH5ILV93KZL	45	100%	0	0	100%	100%	0	-
A85JEH6GCOZV3	1282	99.84%	0	0	100%	100%	0	1560
AB05ESQ500CMR	1095	99.82%	913	0	99.23%	100%	0	2740
ABR9P46RIHW7N	34	100%	0	0	100%	100%	0	-
AC0X00HF5QCRX	1159	99.83%	863	0	100%	92.86%	0	863
AJ2HME0DRDXI1	72	98.63%	0	0	100%	100%	0	13889
APRZ8PWWNT126	592	99.33%	0	0	100%	100%	0	5068
ARK3918PI7HEC	490	99.8%	8163	0	99.12%	100%	0	6122
AS997F0VRMPCU	135	100%	0	0	100%	100%	0	-
ASM0VHXOGCDW	1356	99.05%	1475	0	100%	100%	0	3687
AUN4SYBBO18YK	185	98.4%	0	5319	100%	83.33%	0	-
AURGMBMOC6E6Q	739	97.49%	0	0	99.42%	0%	0	5413
AY4ML9AT1H5O6	1257	99.29%	3182	0	100%	14.29%	0	19093

Drivers With Working Hour Exceptions

**Blank Sheet means no exceptions*

#	Transporter ID	Daily Limit Exceeded	Weekly Limit Exceeded	Under Offwork Limit	Work Day Limit Exceeded	WH Exception
1	A2OA0KRV6XSEBA	No	No	Yes	No	Yes
2	A3CWRQCRVKWZU4	No	No	Yes	No	Yes
3	A7H5ML6G1ENPO	No	No	Yes	No	Yes
4	A3PUR7FF9G85QZ	No	No	Yes	No	Yes
5	A1LRY443WQUWE6	No	No	Yes	No	Yes
6	A2Y74VRYWO0OR5	No	No	Yes	No	Yes
7	A1VMLYUEJWBKLG	No	No	Yes	No	Yes
8	A22DTQ81W7AXZS	No	No	Yes	No	Yes
9	ARK3918PI7HEC	No	No	Yes	No	Yes
10	A30HC9E1UDY802	No	No	Yes	No	Yes

Performance Standards and Service Levels

Per Program Policy, your company's performance will be measured across the following SLS metrics, and your company will be expected to meet the SLS targets included on this page. Below presents the target and minimum service level per metric. If you repeatedly* fall below the Minimum Service Levels (presented below), it can result in a reduction of volume allocated to your company, or termination of your company's Program Agreement

* Definition of Repeatedly = falling below the minimum requirement in 2 consecutive instances (weekly scorecards) below minimum requirement

* Metrics and the associated targets are subject to change. We reserve the right to make amendments with notice in writing including via email, 8 weeks prior to change.

Operational SLS Metrics	Target	Minimum
Scorecard Performance	78	50
Vehicle Audit Compliance (VSA)	98.5%	96%
Safe Driving (FICO)	810	730
DVIC Compliance	95%	90%
Speeding Event Rate (per 100 trips)	5	10
Customer Escalation DPMO	0.02	160
Customer Delivery Feedback	3680	5460
Route Reliability	100%	85%
Delivery Completion Rate (DCR)	99.1%	98.2%
Delivery Success Conditions (DSC DPMO)	600	880
Photo On Delivery	98%	96%
Contact Compliance	98%	95%
Lost on Road DPMO	50	200

Metric Definitions

(Click on the country you operate in)

[UK/IE](#)

[DE/AT](#)

[ES](#)

[FR](#)

[BE](#)

[NL](#)

[IT](#)

Safety

Includes metrics such as Vehicle Audit (VSA) Compliance, Safe Driving Metric, Seatbelt off Rate (only for UK DSP 2.0s), Speeding event Rate, Daily Vehicle Inspection Check Compliance and E-Mentor Adoption Rate. (See Below for more details)

Vehicle Audit (VSA) Compliance

Vehicle Audit (VSA) Compliance is calculated as the DVIC Checks verified by Amazon over last two weeks. We calculate this metric as the count of vehicles that have passed Amazon's VSA check against the total number of vehicles audited during WK-2 and WK-1. Vehicle Audit (VSA) Compliance calculation: Total VSA Passed Audits (WK-2 & WK-1) / Total VSA Audits (WK-2 & WK-1). A DSP who has Fantastic standing would receive a $\geq 98.5\%$ in VSA.

Safe Driving Metric (FICO)

This metric is calculated using the eDriving Mentor FICO score, which is a composite potential indicator of a driver's safe driving behaviour. The metric is measured by analysing indicators of how your drivers operate their vehicles, such as Harsh Acceleration, Braking, Cornering, Cell phone Distraction and Speeding. The metric is a weighted average of all driver's eDriving Mentor FICO scores at the end of the week on a 100 – 850 scale where a higher score is better. A DSP who has Fantastic standing would receive a ≥ 810 in FICO.

Speeding Event Rate

The Speeding Event Rate metric is the average number of speeding instances incurred by a DA per route. A speeding instance is counted as exceeding the speed limit by 20% or more for at least 60 seconds. A DSP who has Fantastic standing would receive a $\leq 5\%$ speeding events per 100 trips.

E-Mentor Adoption Rate

The E-Mentor Adoption Rate allows you to understand what percent of your drivers are using Mentor App on a weekly basis. This metric is calculated by number of active drivers on the Mentor app divided by total active drivers for the particular week. If your drivers have low adoption rates, your other safety metrics might be impacted, resulting in overall lower score. We encourage DSPs to increase eMentor app adoption rate with the drivers to help support improved driver behaviour. A DSP who has Fantastic standing would receive a $\geq 90\%$ in E-Mentor Adoption Rate.

Compliance

We regularly audit for compliance to ensure DSP's business operations adhere to Amazon supply chain standards and program policy.

Comprehensive Audit Score

The Comprehensive Audit is a measurement of DSP/Driver Eligibility, DSP Operations, Safety, Wages & Benefits, DSP Management, and Working Hours (all measurements outlined in the DSP Program Agreements and Policies). The results of the Comprehensive Audit provide a baseline for a DSP's state of compliance. Compliance is critical to ensuring a good working environment for you and your drivers and meeting our compliance standards is required. You must earn an 'In Compliance' on your Comprehensive Audit to be eligible for scorecard evaluation and not be in Breach of Contract (BOC). A DSP who has Fantastic standing would receive a 100% in CAS.

Working Hour Compliance (WHC)

WHC metric is based on a DSP's continuous compliance with working hour requirements as established by Amazon Supply Chain Standards, Amazon Logistics business policy, and prevailing local law. This includes compliance with: Daily and weekly working hour thresholds; Maximum permissible consecutive workdays; and Minimum required rest between shifts. The metric is calculated as % of drivers complying with working hour limits. A DSP who has Fantastic standing would receive a 100% in WHC.

Delivery Quality

Includes metrics: Delivery Completion Rate, Delivered not Received DPMO and SWA On-time Arrival (DSPs within the SWA program)

Delivery Completion Rate

The share of packages dispatched to the drivers which are delivered to the customer (and not returned to the station). Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a $\geq 99.09999999999999\%$ in DCR.

Delivered Not Received DPMO

The number of packages delivered but not received by customer, on per million opportunities / delivered (DPMO) basis. Thresholds are set at the station level to account for regional differences. A DSP who has Fantastic standing would receive a ≤ 1200 in DNR DPMO.

Lost on Road (LoR) DPMO

The number of packages dispatched to the drivers but not delivered to the customer (and not returned to the station), on per million opportunities / dispatched (DPMO) basis. A DSP who has Fantastic standing would receive a ≤ 50 LoR DPMO.

Delivery Success Conditions (DSC DPMO)

The number of packages delivered but not received (DNR) by customers — on a per-million-opportunities / delivered (DPMO) basis — where these DNR concessions fall into one of eight root-cause buckets of concessions:

- Delivered to Household Member / Customer
- Delivered to Receptionist
- Delivered to Neighbor
- Delivered to Mailbox
- Delivered greater than 25 metres from the delivery location
- Delivered unattended with no photo-on-delivery (POD)
- Delivered not following customer preferences
- Delivered using the 'simultaneous group stop' function

DSC is measured in DPMO (Defects per Million Opportunities). A DSC DPMO of 1,000 means that customers did not receive their packages 1,000 times per 1,000,000 deliveries. A DSP with Fantastic standing would require a DSC DPMO ≤ 600.

Standard Work Compliance

Includes metrics on Photo on Delivery, Contact Compliance and SWA Scan Compliance (only applicable for DSPs within the SWA program)

Photo on Delivery

The number of usable (i.e. presentable to the customer) POD (Photo-on-delivery) photos taken, divided by total POD opportunities. A DSP who has Fantastic standing would receive a >=98% in Photo on Delivery.

Contact Compliance

The metric is calculated as the count of all calls and texts that were made by a driver through the Amazon Flex app vs the total packages delivered with a call or text, as well as packages not delivered due to reasons such as Unable to Access (UTA), Unable to Locate (UTL), No Safe Locations (NSL). A DSP who has Fantastic standing would receive a 98% in Contact Compliance.

Customer Feedback

Includes Customer Delivery Feedback DPMO and Customer Escalations DPMO

Customer Delivery Feedback

CDF DPMO metric is a measurement of the negative customer feedback received — on a per-million-opportunities / delivered (DPMO) basis. A DSP who has Fantastic standing would receive a <= 3680 in CDF.

Customer Escalations DPMO

Customer Escalations DPMO: The frequency at which drivers incur customer escalations, on a per-million opportunities (DPMO) basis. Violations are triple-weighted, and Defects are single weighted. Only successfully resolved tickets with customer escalations are counted with a 4-week delay. For example, Week 45 Scorecard Escalation Defect DPMO is calculated by counting and weighting the feedback incurred by drivers in Week 41 and not overturned by appeals. A DSP who has Fantastic standing would receive a 0 in Customer Escalations DPMO.

Capacity

Includes Capacity Reliability

Capacity Reliability

Capacity Reliability compares your completed routes per day (excluding any Amazon caused cancellations) from Work Summary Tool to your day-level Reliability Targets from Route Targets (Okami) with an exception; if your final day-before scheduled plan comes in lower due to Amazon caused cancellations, those cancelled routes will be subtracted from your Reliability Target.