Cucumber Report

| **Start : Jul 16, 7:14:28.472 PM**	**End : Jul 16, 7:14:55.570 PM**	**Duration : 27.098 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Orange HRM Login	*27.098 s*	*1*	*0*	*1*	*0*	*5*	*4*	*1*	*0*

#	Feature Name	Scenario Name
1	*Orange HRM Login*	*Login to Orange HRM By Invalid Credentials*

#	Feature Name	T	P	F	S	Duration
1	Orange HRM Login	1	0	1	0	27.098 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange HRM Login	Login to Orange HRM By Invalid Credentials	5	4	1	0	27.088 s

Orange HRM Login

FAILED	DURATION - 27.098 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 7:14:28.472 PM // 7:14:55.570 PM /		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Login to Orange HRM By Invalid Credentials

FAILED	DURATION - 27.088 s	Steps	
		Total - 5	
/ 7:14:28.482 PM // 7:14:55.570 PM /		Pass - 4	
Orange HRM Login		Fail - 1	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	1.048 s
2	When user enters username as "Gaurav"	PASSED	0.151 s
3	And user enters password as "admin123"	PASSED	0.202 s
4	And user click on login button	PASSED	2.196 s
5	Then user will be on dashboard page	FAILED	10.055 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"h6.oxd-topbar-header-breadcrumb-module"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://selenium. dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0ffd0a3d6d8d7c22a34fd3a8832d5afd, findElement {using=css selector, value=h6.oxd-topbar-header-breadcrumb-module}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61958}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61958/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0ffd0a3d6d8d7c22a34fd3a8832d5afd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at orangeHRMPages.DashboardPage.getDashboardPageHeader(DashboardPage.java:25)		
	at stepdefination.LoginOrangeHrmSteps.user_will_be_on_dashboard_page(LoginOrangeHrmSteps.java:43)		
	at ?.user will be on dashboard page(file:///E:/EclipseWorkSpaces/SdetBatchA/DemoCucumber/src/test/resources/features/OrangeHRMLogin.feature:17)		
	* Not displayable characters are replaced by '?'.		
	AFTER - hooks.BaseHooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	Login_to_Orange_HRM_By_Invalid_Credentials 		