



SCHEDULE-II

Format for processing of application for D.G Set Authorization

1. File No SPCB|580639
2. Name and Location of Industry Pragya Testing ,tyrtyrtyry
3. Correspondence Address 675
4. Capital Investment(Rs. in Lakh) 56.0
5. Period Applied for(validity up to) 22/11/2017
6. Type of Consent
 - (a) Establish/Operate CTE
 - (b) Fresh/Renewal Fresh
7. Location
 - (a) In an approved Industrial area NO
 - (b) whether land paper submitted NO
 - (c) In sensitive area NO
 - (d) In case of any other specific area NO
 - (g) Distance from nearest habitation and its population 7
8. Capacity of D.G Set-----KVA
 - (a) Capacity
 - (b) Fuel(KL/day) 77
 - (c) Stack Height 7
 - From ground level 7
 - Above the ground level 77
9. Acoustic enclosure/Sound proof system installed or not 7
10. Adequacy of pollution control system 77
11. Standard prescribed under Air(P&C) Act, 1981 & EP Act(D.G Set Noise Level Rules) 77
12. Impact on receiving environment water and air and comments thereof NO
13. Have any public complaints being received. if so, details thereof and comments NO

(Signature of inspecting officer)

Officer Recommendation	7
------------------------	---

Details of the Consent Fee Paid:

Type of Consent:- CTE

For the Year	Bank Name	Branch	Draft	Date	Amount (In
--------------	-----------	--------	-------	------	------------

From	To		Name	No./Money		Rupees)
17/11/2015	03/11/2017	1	1	1	26/09/2017	1.0

Officers Remarks	Name and Designation
tertertert	Richa Sharma (RC)
45456645	Richa Sharma (RC)