Default Arguments :

```
#include<iostream>
int add (int, int, int) → Here we have declared function to take
int main()                 Three argument
{
    int a,b;
    cout<<"Enter two numbers";
    cin>>a>>b;
    cout<<" Sum =" <<add(a,b); → It will cause error because we
    int c;                       are passing few / less actual
    cout<<"Enter three number";  argument or parameter
    cin>>a>>b>>c;
    cout<<" Sum = " << add(a,b,c);

    return 0;
}
int add (int x, int y, int z)
{
    return(x+y+z);
}
```

So, we cann't call an function with two different variety add(a,b) and add(a,b,c). Here the concept of Default argument come.

In C++ we are allow to call a function without specifying all its arguments.
In such cases, the function assigns a default value to a parameter which does not have a argument / actual argument in the function call.

Program:
```
#include<iostream>
int add(int, int, int=0);   → If third argument is not passed
int main()                      during function call it by-default become
{                               equal = 0.
    int a,b;
    cout<<"Enter two no. =";
    cin>>a>>b;
    cout<<"Sum ="<< add(a,b);  → for this call x=a , y=b and
    int c;                                          z=0
    cout<< "Enter three no. =";
    cin>>a>>b>>c;
    cout<<"Sum ="<< add(a,b,c);
}
int add( int x, int y, int z)
{
    return(x+y+z);
}
```

Important :

- During function declaration if you set any argument default then after it all argument should be set as default argument