



Help for Lightning Enablement

Improved Apps has always been about maximising the value of organisations' investments in Salesforce and your investment in other assets. At Improved Apps, we're delighted to confirm that our Customers' efforts in bringing help, information and critical communications to their users in pre-Lightning Salesforce environments will be fully protected as classic user interfaces are retired. Salesforce Lightning platform capabilities allow Improved Apps Customers a lot more flexibility of where and how the various packaged Lightning components are placed, operate and work around your Lightning customisations.


Improved Help

The components

As of the current version, Improved Help ships with the following Lightning components that can be added to any part of an Org's record and/or custom app pages and/or app utility bars:

Auto-form	Can be used alongside or as a replacement for the standard Salesforce Lightning detail control, allowing embedded Help and Guides to be defined and displayed on page load.
Crumb-trail	Displays the 'path' one has taken within a content hierarchy
Image Viewer	Displays images in various formats, be they sourced from Help Topics or elsewhere;
Listing	For showing lists of contextual and / or related Help Topics, Reading Lists, personal Notes or Resources.
Nudge	Displays messages to the user on arrival on a page in a variety of formats: these can be fixed text or details of a Help Topic selected at random from a specified pool of tagged items.
Position Detector	Visible at design-time only, this component can assist with the sizing and positioning of other components, such as those used to display embedded help in some circumstances.
Quick Access Menu	The Quick Access Menu (QAM) allows full help facilities to be made available via the addition of a single component that "floats" in place, so is always within reach, yet occupies minimal real-estate when not in use.
Reading List Viewer	Displays a Reading List and, optionally, related navigation controls.
Tabset	Enables the creation of tabbed interfaces on custom app, as well as record-based, pages.
Tags	Used to "tag" Help Topics with metadata (by relating them to "tag" Topics) or search for tagged items.
Topic Viewer	Displays a Help Topic and includes in-place editing facilities for Help Authors.
Tree Selector	Can be used to instruct Treeview controls to swap between available content hierarchies.
Tree View	Displays content hierarchies, such as tables of Help Topic contents or Reading Lists and their Entries;
Wizard	Presents a path-like UI that allows the user to step through a series of defined steps to achieve a specific goal.

Each component includes comprehensive configuration options, giving great flexibility and power in precisely how help is made available to users in different scenarios. The components are designed to be able to ‘talk’ to each other to drive dynamic content, driven by context or user interactions.




LUX Migration

The table below lists some of the ways in which Improved Help will outlive its Aloha origins:

Feature

Lighting UI

Contextual Help



Helped Page Layout and Element information retained and used to present appropriate, context-sensitive Help

Topic "Active" flag, Data Driven Filters and Sharing Rules apply as normal.

Selected Callout, including sizing, control of "Read More" links, voting and closure behaviour fully respected. Locally defined custom templates continue to be available.

Custom Styling

Company Name: Dickenson plc Close Date: 03/11/2010 Amount: €15,000.00 Opportunity Owner: Keith C

Qualif... Needs... Value... Id. De... Perce...

ACTIVITY CHATTER DETAILS TOPIC VIEWER

? Amount

The projected total sale of the opportunity.

Entering the projected sale amount helps with indentifying how much business in your sales funnel.

2. Qualification
Qualifying your Opportunity... Ensure you understand if there is Budget, Authority to purchase, a Need and you know the Decision making process.

Account Name
Click on the magnifying glass to search for an Account.

Amount
The projected total sale of the opportunity.

Select the projected value of the opportunity must be completed.

Description
Provide a detailed description of the opportunity. This is also a field to store additional information about the opportunity for which there is not an existing field.

Help for Activity History

Matching Items: 18

Custom styling reflected in all listings, Callouts and Topic Viewers

Reading Lists, Help Relationships and Featured content

Related Reading Lists

☆ 4. Driving BIGGER deals QUICKER

This Reading Lists demonstrates how you can drive useful collateral to your Users, removing excuses from the business by pushing Competitive or Market Analysis to your Users.

List of all Overview PDF's

All printable PDF overviews covering: Leads, Tasks & Events, Accounts, Contacts, Opportunities and Logging a call

List of all Overview Videos

We've put together this list of Videos, so that you can get up to speed as quick as possible...Watch each video and take your time.

Our Sales Process / Methodology

Everything you need to know about every stage in our Sales process.

Matching Items: 4

Any existing Topic / Reading List / Resource relationships will be available from within LUX - in increasingly flexible ways.

Featured content will continue to be highlighted.

Record status markers

Topic maintenance or configuration issues will continue to be highlighted in a familiar way.

Rating: Warm

Phone: (336) 222-7000

Fax: (336) 222-8000

Website: http://www.burlington.com

Ticker Symbol: BTXT

Ownership: Public

Employees: 9,000

SIC Code: 546732

Shipping Address

All Help

!!!! Fax - Configuration Issues
There are issues with the configuration of this Helped Element. Click for details

Help for Activity History (Related List Label)
This Activity History related list, shows you a complete list of any historic activities related to the record you are looking at.

Industry (Field)
Select the primary industry of the company from the drop down menu.

New Event Help (Button)
An Event is like a Meeting. You may log Events for the past or future. They will appear in your Calendar.

New Log a Call Button (Button)
This is just like adding a Task, however it is assumed an historic event, so it defaults to completed!

New Task Help (Button)
A task is an activity not scheduled for an exact day and time.

!!!! Ownership (DRAFT)
This element is helped but data driven filters do not match the current record. Click for details

Matching Items: 16

"Recently amended" styling and settings also respected.

Custom fields

1. Welcome to Improved Help

VISIBLE GENERAL **CUSTOM** STATUS TEXT GUIDES

Custom Topic Categorisation

Corporate Policy Document

Created by: Martin Little
Date & Time: 10-Apr-17 02:29

Modified by: Martin Little
Date & Time: 10-Apr-17 02:29

✓ ✕

Support for locally defined custom Help Topic fields as in classic (certain restrictions on data types apply)

Interactions

Global Settings

Quick-Start Documentation Help-Enabling Help Topics Experimental Features Related Content Console **Tracking** F

Help Interaction Tracking Options

This tab controls the logging history period for Help Interactions of different types are retained for reporting purposes. Interaction rec in Days (choose '0' days to disable Interaction logging where reporting is not required).

Callouts	30.0
Topics and Reading List Entries	30.0
Comments	30.0
Votes	30.0
Configuration Issues	30.0
Help Resource Views	30.0
Searches	30.0
Lightning Interactions	30.0

Your Org's Interactions records can be found [here](#). [Schedule Maintenance](#)

Full support for classic-type interactions [Topic views etc.] plus new LUX-only additions [e.g., Reading List usage] and enhanced end-user access to feedback mechanisms [e.g., more ways to comment]

Guides

Guides for this page


Multi Lingual 1

Ops Test


Matching Items: 2

[VIEW ALL](#)

Guides Listing appears in Quick Access Menu as in Classic



Guides can be launched into a modal dialogue (here, with “classic” styling)...



...or, by using our “Position Detector” component, embedded in place on the Lightning page (here, with Lightning styling).



By using our “Position Detector” component, it is also possible to launch Embedded Help in place on the Lightning page.



Phone Inquiry

Page design attributes

Each Improved Help Lightning component includes a number of parameters that the author of page or layout can use to control appearance and behaviour - see also [Improved Help - Business Logic: Lightning Parameters](#):

Attributes common to multiple components

Component Height	Display height for the component (pixels). In the case of the QAM, this is the height of the main body of the component when opened.
'No Data' Advice Label	A message to display on this component when no data is present, for example when search results return no data or the component is awaiting a "Record Selected" event in order to synchronise its display of related records:  Customers may wish to use this parameter to: - Advise users what to do to cause data to appear (e.g., "Click an item in the list on the left of this page to see related help"). - Encourage users to request / create help (e.g., "No help here? Please advise support").
Component ID	A reference name for the component, used in conjunction with the 'Listens To' parameter. Note that, in the case of the Quick Access Menu, Component ID is hard-wired to "theQAM". Components communicate / interact with each other by means of "events": for example, clicking a listing item raises a "Record Selected" event. When events are raised, they are marked with the ID of the component that raises them, allowing other page components to differentiate between sources and respond or ignore messages accordingly.
Diagnostics	NOTE: this is not a component design attribute but a feature controlled by Global Help Settings. The footer area of all Lightning Components includes status message text of various kinds. Optionally, this text can feature an on-click action exposing advanced diagnostics information. Behaviour is controlled via Global Settings:  Tick this box and save settings to enable diagnostics messages

	 <i>With Diagnostics off, text is formatted in a 'standard' colour and cannot be clicked</i>  <i>With Diagnostics on, text appears in a highlight colour and, when clicked, causes a diagnostics message to appear</i>
Suppress Header / Footer	These check boxes allow page owners to decide whether or not to display the Header area of a given component (i.e., its title, header-, drop-down- and ellipsis-tools) and / or its footer (i.e., the diagnostics area beneath the component's body).

Listing-specifics

Callout Option	Where relevant to the List being viewed, controls how to respond to listing item clicks. Select from: • <u>Selected Event Only</u>: when a listing is clicked, the listing will issue a "Record Selected" message that other components may choose to listen for and respond to. • <u>Selected Event plus Topic view</u>: when clicked, the listing issues the event but also opens a "callout" on to the relevant item. ○ When listing Help Topics, this will be the Topic's chosen callout. ○ When listing Reading Lists, this will be a modal dialogue showing the Reading List Viewer. ○ For other list types, this selection is no different from "Selected Event Only".
Fixed Help Context	• For a 'stand-alone' or fixed help listing, the object type (API Name) to which to contextualise. • For the "Tagged Items" option, the ID of the Topic with which listing items must be tagged in order to appear.
Overall Listing Style	The listing format to use in this component. Select from: • <u>Narrow</u>: suited to minimal screen real-estate (and hard-wired for the listing featured in the QAM). • <u>Wide</u>: a more open and expansive listing style.
Topic Labelling Option	For Help Topic listings, the fields to display for each row. Select from: • Element Name - Topic Name • Topic Name (Element Type) • Topic Name This setting is ignored for listings other than Help Topics.

Listing Type	The (related) list type to display in this component. Select from: • <u>All Help</u>: the listing will show the topics associated with every element defined for to the current Helped Page Layout. On a record page, this will be determined, as in classic, by examining the current record ID. If in a custom “App” page, use “Fixed Help” (see below). • <u>Bookmarks</u>: shows the current user’s list of bookmarked Topics. • <u>Fixed Help</u>: the listing will show the topics associated with every element applicable to the Helped Page Layout implied by the “fixed” context (see below). • <u>Tagged Items</u>: shows items that have been “tagged” with a particular meta Topic (see Tagging control). • <u>Help Notes</u>: Lists the user’s “sticky” notes for the current context (record ID or “fixed” ibid). Notes are a particular kind of Help Interaction, so LUX interactions must be enabled to use this option. Note that: ○ When on a record layout, notes are contextual to the individual row of data being viewed (i.e., the particular Account / Opportunity etc.) ○ On arrival at any given context, a new Note will be created automatically if one does not exist in the user’s name. ○ Notes effectively retain a version history: any edits are recorded in a new interaction, with all previous copies of the interaction retained. • <u>Reading Lists</u>: shows any Reading List that contains entries whose topics feature in the current context, plus any featured Reading Lists. • <u>Related Help</u>: shows any Help Topics related to the one selected on the component to which the listing is listening. • <u>Resources</u>: shows any Help Resources related to the one selected on the component to which the listing is listening.
Listing Row Style	The row format to use in this component. Select from: • <u>Expanded</u>: shows the ‘title’ text associated with each row of data. When listing Help Topics, for example, this will be the Topic Summary text. • <u>Hidden</u>: shows only the name of each record. Note that, depending on LUX interaction tracking status, context and the Configuration Tools available in a given Org, the user may be allowed to expand / contract list details themselves, with the component setting representing only an initial default. <i>Overall Listing Style = Wide</i> <i>Listing Row Style = Expanded</i> <i>Overall Listing Style = Narrow</i> <i>Listing Row Style = Hidden</i>
Listens To	The ID of a SINGLE component that this component should 'listen' to (respond to events from). To listen to the Quick Access Menu, enter 'theQAM'. If no value is provided, the list will effectively be static throughout the life of the page. Whilst this can be useful in some circumstances, for the “Related Help” and “Resources” Listing Types, a blank value is not suitable as the listing will have no means of knowing the Topic for which related items are to be shown.

Collapse Tools At

The maximum number of Listing Tools to show against list rows before collapsing them into an Ellipsis. 0 = always collapse, -1 = never collapse.

Note: this does not affect items in the Ellipsis tools menu. These apply to the component as a whole, rather than specific records and are always collapsed until the Ellipsis is clicked.



 <i>Collapse Tools set to 5 or less: ellipsis has been clicked to reveal tools on the Account Name row</i>	 <i>Identical listing component with Collapse Tools set to -1 (never collapse). Tools visible throughout</i>
--	---


Image Viewer-specifics

NOTE: In addition to being available for standalone use, the image viewer can be invoked as a modal dialogue by clicking on any image displayed via the Reading List Viewer or Topic Viewer.

Default Image URL

There are two salient points to bear in mind when using the Image Viewer component:

- As of this release, the component is an image - not a media - viewer: video content is not supported.
- The component can display an image from any secure HTTP (https) source, whether or not this happens to relate to a Help Topic.



Fundamentally, therefore, the component is driven by the URL of an image, as opposed to the ID of a Help Topic or record of any kind. That said, in common with other components, the Image Viewer is able to “listen” to its peers and, if supplied thereby with a Help Topic ID (via the “Topic Selected” event) it will retrieve the URL of the associated image and display it.



The Default Image URL is the https address of the image to show when the viewer is first displayed, prior to any Topic Selected event advising the component of the “current” item to load.

Default Image Title	This is the title to display with the default image. If the component receives Help Topic information as described above, the component's title reverts to Help Topic Name plus Image Title, where available.
----------------------------	---

Topic Viewer-specifics

Default Help Topic	Id of the Help Topic to display on loading (leave blank to show the Org's default Help Topic as defined in Global Settings).
Listens To	Comma-separated list of the component(s) that this component should 'listen' to (respond to events from). To listen to the Quick Access Menu, enter 'theQAM'.

Reading List Viewer-specifics

Default Reading List	Id of the Reading List to display on loading (leave blank to await instructions from the component this one 'listens to').
Show Navigation Bar	Shows or hides the Reading List Entries navigation bar. Note: "Reading List Entry Viewed" Help Interactions are only logged when clicking entry lozenges on the Navigation Bar: merely scrolling the viewer logs no interactions.
Show Entry Descriptions	Switches the display of Reading List Entry description text on or off.  <i>Media Width set to 100%, Descriptions off, Navigation bar on.</i>  <i>Media Width set to 50%, Descriptions on, Navigation bar off.</i>
Media Width	Percentage width at which to display Reading List Entry image and/or video. Select: 50, 75 or 100%. Note that any images featured in the Reading List's Entries will be displayed at the selected percentage of the width of the viewer, with height varying as required to retain the aspect ratio of the original picture.
Video Aspect Ratio	Ratio of width to height to use when displaying video media. Select from: • HD (16:9) • Monitor (4:3) • Widescreen (5:3)

	Note that the aspect ratio will be applied to all video media, regardless of source sizing.
Listens To	Comma-separated list of the component(s) that this component should 'listen' to (respond to events from). To listen to the Quick Access Menu, enter 'theQAM'.

Treeview Specifics

The Treeview control is designed to display information hierarchies in a way similar to that often seen in file explorers or tables of contents. A “root” node appears at the top of the tree, with its “children” displayed in a hierarchy of branches beneath it:



Tree View Lightning Component

- Powerful, SLDS compliant visualisation of content hierarchies
- All the benefits of our existing “cards”
 - Fully configurable tools etc.

IMPROVEDAPPS



Links seamlessly with our other components

- Tree sends syncing messages to other components configured to “listen” to it
- Enables “Table of Contents”-style navigation

IMPROVEDAPPS




Topic "Finance - edited" features in 2 hierarchies, so "Tree" tool automatically appears to highlight this

Click the Tree tool to see these hierarchies and the selected Topic's position within them

Allows for multiple content hierarchies

- Node-level tool automatically indicates availability of alternative paths through content to reach the current Topic
- Jump between different hierarchies

IMPROVEDAPPS

Node Icon Style	Controls the appearance of the nodes on the tree, which can be shown with or without icons: 
Default Tree	Sets the "root" node to be shown on the Tree. This is usually a Help Topic Id. Note that, unlike Reading Lists or Guides, trees do not exist as separate entities within Improved Help. Instead, they are a representation of the Help Topic Relationships that exist between the items to be shown. As of v1.36, Help Topic Relationships now include type information to support this: 'traditional' Help Topic Relationships were simply of type = 'Relative', whereas those that define trees take the form of parent:child relationships. To create a new tree, log in with suitable rights and proceed as follows: - Create a new Help Topic and note its ID. - Add a treeview to the desired Lightning Layout and set its Default Tree to the new Topic ID. - Use the "Add child" tool against the root node (the "+" with the white background) to begin adding child Topics.
Node Provider	The Treeview control includes its own API that can be used to display content of various kinds - not just Help Topics. The Node Provider field can generally be left blank, but is used in conjunction with the API to tell the tree which 'tree implementation' it should use to source its content.

What this means in practice is that our Customers can define their own object hierarchies and display them on the tree. As a compliment to this major enhancement, our Topic Viewer has also been extended to switch dynamically between displaying Help Topic information and other records:



Enhanced Topic (record) viewer control

- Automatically detects selected record type
- Shows Topic details if relevant / appropriate LUX record details if not
- **A new way to navigate SF setup / metadata!**

IMPROVEDAPPS

Please contact Support for more information.

Max Depth

Tree controls and their parent:child relationships must be created with care. In particular, Authors should be wary of creating 'recursive' trees that contain child nodes that are, themselves, parents of nodes appearing elsewhere in the hierarchy.

The "Max Depth" parameter can be used to limit the number of levels of child records, counting from the root node, to display on the tree. This can help to avoid recursion, and also issues where Salesforce Governor Limits might otherwise be encountered (max. SOQL queries, CPU time, viewstate errors etc.)

The default value of zero instructs the Tree to traverse the hierarchy to return all data.

Enable Drag and Drop

By adding our Listing controls to Lightning pages along with a Treeview, one can create hierarchies by dragging existing Topics into the desired locations on the Tree. In addition, one can drag branches around the tree to restructure content.

Once a tree of content has been produced, Lightning Page owners typically switch drag and drop off (uncheck this setting) in order to prevent their fellow Help Authors from inadvertently editing the tree.



Tree Selector Specifics

The Tree Selector control provides a way for Lightning Page owners to provide their users with access to multiple content hierarchies. The selector displays a Lightning "badge" for each available tree of content. When these are clicked, an associated Treeview can be instructed to show the relevant material:



Available Tree Ids	A comma separated list of the IDs of the root nodes to make available via this control. Clicking a tree selector badge effectively instructs any associated tree to use the clicked ID as its "Default Tree" (see Treeview Specifics, above).
Tree Providers	Node
Tree Labels	For each supplied Tree Id, supply the label text to present via the selector badge.

Tagging Control-specifics

Mode	Controls the behaviour of this control when its contents are clicked:  In "Search" mode, tag lozenge clicks fire a filtering event that listening components (lists) are able to use to re-query their content, displaying only items that are tagged with the selected item(s).  In "Associate" mode, lozenge clicks toggle the relevant meta tag on and off for the scoped record: in this mode, the tagging control should "listen" to a component that includes current record information, such as a Topic Viewer.
-------------	--


Scope	This is the record ID of a Help Topic that defines the tag cloud whose members will be depicted via this component. The component will display a tag lozenge for each Help Topic that has a "Member" type Help Relationship linking to this Topic.
Selected Style	Styling option to apply to selected tags. The available styles are a subset of Salesforce's Lightning Design System recommended colours.

Breadcrumb Specifics


The Breadcrumb control has no unique parameters of its own. Instead, its "Listens To" parameter should be set to the Component Id of an associated Treeview. As the user selects branches on the Tree, the Breadcrumb displays their "path" as a series of hyperlinks.

Position Detector-specifics

The Position Detector appears in the tool palette like our other Lightning components, but has a different icon style to mark it out from its peers. This is because it often has no visible user interface once delivered to a Lightning page: instead the component exists "under the covers" to report positioning and context information to other components that may need it.



When added to a Lightning layout, the Position Detector appears as a coloured block, but (with the exception of use in 'Help Button' mode) will not be visible once the saved page is viewed

Positioning Role	Defines the overall function that the Position Detector will perform. Options are: • 'Top' / 'Bottom': In these roles, Position Detectors are used in pairs and should be placed immediately above and immediately below the component about which sizing / positioning information is sought. The role defines the position that this detector is to report within its Positioning Group and should be selected to correspond with the position of the detector, above or below the component whose coordinates are to be reported. • 'Help Button': In this role, the Position Detector will manifest to end users as a button offering help for the context it serves. When a user clicks this, other components (such as Help Listings or Topic Viewers) that are configured to 'listen' to messages from this Detector will refresh to show related help data.  <i>When in the 'Help Button' role, the Position Detector manifests as a button that is able to trigger context help in accompanying components.</i>
-------------------------	---

	• 'Help Cue': In this role, the Position Detector behaves in the same way as for the Help Button role, however no button is shown and the user need not interact directly to trigger context: interactions are logged and contextualisation messages fired as soon as the Detector comes into existence. When placed on a Salesforce related list tab, for example, context fires every time that tab is selected by the user.
Positioning Group	• For 'Top' and 'Bottom' roles, an identifier for grouping pairs of Position Detectors in order that they can collaborate to identify the bounds of areas of the screen. • For 'Help Button' and 'Help Cue' roles, an identifier that will be included along with page context information in any Help Interaction records the Detector is to generate. Other Help components should include this value as (part of) their 'Listens To' parameter in order to respond when contextual events and interactions from the Detector fire. • This parameter can be any alphanumeric value (no spaces) that is unique to the (pair of) detector(s) on the current screen.
Help Context	For the 'Help Cue' and 'Help Button' roles, information defining the contextualise request to issue. For example, a Help Topic ID (if a Related Help Listing is to respond) or (for Fixed listings) the API name of an object.
Log Context Interaction	For the 'Help Cue' and 'Help Button' roles, check this box to log a Help Interaction as and when context messages are issued (i.e., every time the button is clicked or the cue is triggered).
Embedded Help Border Colour	Applies to detectors in the 'Top' role only: 6-character (HEX) colour value to use for the border surrounding embedded Help panels displayed via this control.
Embedded Help Background Colour	Applies to detectors in the 'Top' role only: 6-character (HEX) colour value to use for the background of embedded Help panels displayed via this control.

Quick Access Menu (QAM)-specifics

Collapse Tools At	Pass-through parameter to control the behaviour of the QAM's listing component: see the identically named parameter of the Listing component for more details.
Dialogue Display Mode	Controls the way in which certain options, such as the Reading List Viewer, are displayed. Select from: • Modal: options are displayed as pop-up, Lightning modal style (lighboxed) dialogues. • In-QAM: options are listed within the body of the QAM itself.


Auto-form specifics

The Improved Help Auto-form can be used instead of, or as a compliment to, the standard Salesforce record details component. The Auto-form offers the following significant advantages:

- Full support for embedded Help as soon as any record page loads.
- Point and click Help- and Guide-enabling modes, allowing non-technical Help Authors to create and embed rich help and training materials for their users without the need for development skills or System Administrator input.
- Full support for in-place interaction monitoring (e.g., who has viewed / voted / commented on particular Topics) via "Statistics mode".
- Support for in-place editing.
- Optional ability to offer users their own "personal form", which duplicates a read only copy of the fields they feel are most important to them at the top of their Auto-form.
 - Personal form definition data is stored as Help Interaction records, allowing Help Analysts to understand in new ways which fields end users find most useful.


Added to Lightning layout as a component

- ◉ Help on arrival
- ◉ Optional header allows access to mode switching tools etc.
- ◉ Guides listing
- ◉ Can be switched into a winter-19-like "compact" display density



IMPROVEDAPPS

The Auto-form can be added to Lightning page layouts, as with any other component. Additionally, Improved Help comes complete with a component (IHActionOverride) that can be used as an action override to allow full help and guidance to be offered when adding new records or editing in full screen (as opposed to in-place) mode:




The following settings apply only when adding the component to a page layout (they revert to default values when using the Auto-form as an action override).

Object API Name / Layout Name	These settings can be used to hard-wire the form to use a particular, named page layout for a named object. This can be useful if using the form on custom page layouts. More usually, these fields should be left blank, in which case Improved Help will detect the record type and user profile being used and display the appropriate, allocated page layout.
Display Density	Controls how much white space to display around the fields in this component (akin to Salesforce's "Comfy" and "Compact" density settings).
Default Form Section State	Controls whether form sections are expanded or collapsed when first visited by a user, prior to them opening/closing sections as they wish. As users expand and collapse sections, their state is recorded for the current object type in Help Interaction records and their personal settings restored on the basis of these on subsequent page visits.
Initial Sections to Display	The number of form sections to display when first loading the page. Set a lower number to improve loading speed on lengthy forms. Set to zero to load all sections. Regardless of the value specified, all sections will be rendered as soon as the user mouses over the form.
Callout Option	Controls how to respond to helped item clicks: the component can open a callout in-place, or simply raise a "Topic Selected" event to which other components, such as Help's Topic Viewer, can be made to respond (e.g., by displaying the relevant Help Topic).
Action on Saving	Controls the action to take after successfully saving a record via the Auto-form. One choose to simply report successful saving, or to navigate the entire page to the saved record.

Nudge specifics

The Nudge component displays messages to the user on arrival on a page in a variety of formats. The text of the message can be fixed or derived from details of a Help Topic selected at random from a specified pool of tagged items:



In fixed text mode:

- The page-author specifies the title and / or subtitle text to display.
- Clicking the Nudge dismisses it.

In random pool-Topic mode:

- The page-author specifies the pool of Topics from which to select Nudges.
- Topic Name and Summary text will be shown.
- Clicking the Nudge opens full Topic details in the Help Portal.

Scope	Complete the Scope field and leave the “Fixed Title” and “Fixed Sub-title” fields blank to operate the Nudge in random pool-Topic mode. Enter the record Id of the Topic that defines the tag pool whose members will be depicted via this component.
Fixed Title / Fixed Sub-title	Enter text into either or both of these fields to ignore the specified Scope / Topic pool and show a fixed message.
Selected Style	Controls the overall appearance of the Nudge bar. Styles are based on those recommended by Salesforce in SLDS for a “Scoped Notification”. As of this release, the options are: • Alert: Nudge is full screen width. • Toast: Nudge occupies a fractional portion of the screen, towards the left.
Vertical Range	Nudges always slide into view from the top of the screen. This setting represents the depth in pixels (Y-axis extent) to which nudge bar should animate. Typically, one might use a comparatively small number to display a less critical message or a larger one (which will position the Nudge in a more “invasive” position) to inform users of critical information.
Animation Speed	Controls the speed at which the Nudge bar animates into the specified “Vertical Range” position. Enter the number of milliseconds this is to take.
Auto-hide After	Hides the nudge automatically after the number of milliseconds entered. By entering zero, one can specify that the Nudge is to remain in position until positively dismissed by the user (by clicking on the close icon or, in fixed mode, by clicking on the text).

Wizard specifics

Wizards allow the user to step through a series of defined steps to achieve a specific goal.

A page author adds the component to a Lightning page, then select the Wizard that is to be offered to the user:

Wizard features

1. "Path" control allowing user to move back and forth through Wizard
2. Instructions for current step
3. Left hand component
4. Step-specific tools
5. Right hand component

The screenshot shows a wizard interface with five numbered callouts:

- 1**: Path control (top navigation bar with steps: Capture, Define, Review, Tag, Assign).
- 2**: Instructions for current step (top text area: "Select a Topic lozenge to define attributes:").
- 3**: Left hand component (main content area with text: "Add User Permission Sets...").
- 4**: Step-specific tools (top right icons: ? Add User Permission Sets, ? Add User Permission Sets, ? Add User Permission Sets).
- 5**: Right hand component (bottom right text area: "Apply the correct Permission Set for Users as needed...").



All aspects of the Wizard are defined in the "Configuration Item" records that ship with Improved Help. Each step is defined by a single Configuration Item record, including step label, tool tips, instructions and the controls to present.

Default Name	Wizard	This is the name of a Wizard, as defined in Configuration Item records. Please contact Improved Apps for more details about the Wizards that ship with Improved Help and how to develop others.
--------------	--------	---


Tabset specifics

The standard Salesforce tab component is only available on record pages as at this release of Improved Help, so Improved Apps have created a tabset control that can also be used on custom app pages. The component has the additional benefit of greater presentational flexibility, in that:

- Each tab can feature label text and / or an icon;
- Tabs can be styled individually, for example to have differing background and font colours;
- Tabs include meaningful tool tips (not fully implemented in the Salesforce control at this stage).

Tabset in use

- Space-saving
- Multiple styling options



Notwithstanding this flexibility, it is important to understand the limitations / strictures of our tabset implementation:

- One is not able to add tabs and control their order / content via the Lightning page editor.**
- Instead, the page author adds the tabset component to the page, then specifies the name of the collection of tabs to be displayed.
- The Tabset is similar to the Wizard control in that its contents are entirely defined in Configuration Item records: each tab in the collection is defined by a single record, which includes details of the label, tip text, icon and content to display.

Tab Set	The name (as defined in Configuration Item records) of the collection of tabs to display in the component. Please contact Improved Apps for more details about how to define tab sets.
Suppress Labels	Check this box to hide the text label accompanying each tab (setting ignored if Icon Style is 'None').
Icon Style	Controls the appearance of icons against the text of each tab in the tabset.

Configuration Tool Features

In addition to the high level design attributes described above, Improved Help's Lightning components are configurable at a more granular level in that Customers can control which functions are exposed to users via:

- Drop-down menus;
- "Header" area tools and supporting controls;
- Card-level Ellipsis menu tools; and
- Row-level Listing tools.



Collectively, these clickables are known as “Configuration Tools” and are 100% defined by Salesforce data records, giving Orgs a tremendous amount of flexibility, including:

- Which tools appear in which “Control Contexts”;
- The positioning of the tools in each of the four main areas, as shown above;
- Control presentation order;
- Tool labelling, tips, styling and icons; and
- Access control rights.

Deployment Examples

Typical deployment: QAM showing help for the current record / context

The screenshot shows the Salesforce QAM (Quick Action Monitor) interface for a lead record. The lead is "Ms Sandra Eberhards" from "Highland Manufacturing Ltd." with a status of "Working - Contacted". The interface displays a list of help topics on the right side, including "DRAFT Help for Help", "DRAFT Help for Website", "Address (RED)", "Check Industry", "City (DRAFT)", "Company", "Converted (DRAFT)", "DRAFT Help for Activity History", "DRAFT Help for Current Generator(s)", "DRAFT Help for Description", and "DRAFT Help for First Name". The "Address (RED)" topic is highlighted in red. The "Matching Items: 36" is shown at the bottom right.

Reading list launched from QAM with Dialogue Display Mode set to "Modal"

The screenshot shows the Salesforce QAM interface with a modal reading list displayed. The modal is titled "Reading List Viewer" and contains a list of items. The first item is "Understanding Leads and Converting" with a status of "Welcome". Below this, there is a section titled "Now select a Lead to work with..." and a link "Click here to see the Lead Owner". The modal also displays a "Matching Items: 14" at the bottom right.

Reading list launched from QAM with Dialogue Display Mode set to "In-QAM"

The screenshot shows the Salesforce QAM (Quick Answer Manager) interface. The top navigation bar includes 'Sales', 'Home', 'List', 'Detail', 'RL Viewer', 'QAM', and various list types. The main content area displays a lead record for 'Ms Sandra Eberhards' from 'Highland Manufacturing Ltd.'. The lead status is 'Working - Contacted'. The interface includes fields for Name, Company, Industry, Annual Revenue, Address, Title, Product Interest, Lead Status, Phone, Mobile, Fax, Email, Website, Lead Source, Rating, No. of Employees, and Current Generator(s). A 'Matching Items: 14' indicator is visible at the bottom right.

On the right side, a 'Understanding Leads and Converting' guide is displayed. It features a 'Welcome' message and a 'Now select a Lead to work with...' prompt. The guide includes a 'Matching Items: 14' indicator and a 'vcppt' video player showing a presentation titled 'Dreamforce 14 Impr...'.

Basic layout: Select Topic at left to see details at right

The screenshot shows the Salesforce QAM interface with a '2-Col List+Topic' layout. The left sidebar displays a list of 'Help Topics' under the '2-Col List+Topic' tab. The topics include 'DRAFT Help for Date de clôture (Field)', 'DRAFT Help for Détails Opportunité!! (Detail Section Label)', 'DRAFT Help for Étape (Field)', 'DRAFT Help for Étape suivante (Field)', 'DRAFT Help for Opps Injector Link 2 (Custom Link)', 'DRAFT Help for Product2_Tab (Signature Element)', 'DRAFT Help for Propriétaire de l'opportunité (Field)', 'DRAFT Help for Salesforce go button (Button)', 'DRAFT Help for Type d'enregistrement de l'opportunité (Field)', 'DRAFT Help for Yo's Geo S () @ ~ # (Field)', and 'DRAFT Help for Возможность: (Record Title)'. A 'Matching Items: 53' indicator is visible at the bottom right of the list.

On the right side, a 'Welcome to Improved Help' guide is displayed. It features a 'Welcome to Improved Help' message and a 'vcppt' video player showing a presentation titled 'Dreamforce 14 Impr...'. The guide includes a 'Matching Items: 53' indicator and an 'OK' button at the bottom right.

Complex layout: Select Topic at left to view related items. Select a related item for Topic details at right

The screenshot displays the Salesforce user interface with a top navigation bar and a sidebar. The main content area is divided into several panels:

- Help Topics:** A list of draft help topics on the left, including "IDRAFT Help for Date de clôture (Field)" and "IDRAFT Help for Détails Opportunité!! (Detail Section Label)".
- Related Help:** A panel showing related help items, including "Address (RED)", "Contact the Improved Apps Team", and "Customer Success Examples (AMBER)".
- Related Reading Lists:** A panel showing reading lists, including "Authors Guide - Helped Elements" and "Keyword linking tests".
- Related Resources:** A panel showing resources, including "A test image" and "Beeb".
- Customer Success Examples (AMBER):** A panel on the right showing customer success stories, including "Simon McAllister, Senior Director, Global Sales & Alliances Operations, QlikView" and "Celeste Hollenbeck, VinSolutions".
- Improved Help:** A panel at the bottom right showing "My Help Notes" and an "ERR!" message.

Image Viewer Invoked as a modal dialogue from a Topic Viewer

The screenshot displays the Salesforce user interface with a modal dialog box open. The dialog box is titled "Improved Help Image Viewer" and shows a large image of a forest. The background interface is dimmed, showing the same layout as the previous screenshot.

Tree Viewer navigating Topics forming a test script with Votes to record results plus supporting notes / resources

The screenshot displays a web application interface for managing test scripts. On the left, a 'Tree Viewer' shows a hierarchical structure of topics under 'Improved Help Test Script'. The selected topic is 'jQuery: version check'. The main panel shows the details of this test script, including a title 'jQuery: version check', a description 'Consider jQuery updates', and a list of available jQuery versions. Below this, there is a section for recording test results with buttons for 'Not Tested', 'Known Issue', 'Pass', and 'Fail'. On the right, there is a 'Related Resources' section with links to 'Available jQuery versions' and 'LUX Library Compatibility Guide'. At the bottom, there is a 'My Help Notes' section with a list of notes dated from 12 Oct 17 to 30 Nov 17. The interface also includes a search bar, a breadcrumb trail, and a footer with various links and a 'Matching Items: 33' indicator.

Tagging controls being used to locate and categorise competitor strengths / weaknesses

The screenshot shows a web application interface for competitor analysis. At the top, there is a 'Filter to records with:' section with two radio buttons: 'ALL of the selected tags set' and 'ANY of the selected tags set'. Below this, there is a horizontal list of tags including 'ANALYTICS', 'ATTRACTIVE UI', 'CHEAP', 'CONTEXTUAL', 'CUSTOMISABLE', 'EMBEDDED', 'FEEDBACK: QUESTIONNAIRES', 'FEEDBACK: VOTES', 'GAMIFICATION', 'GUIDES', 'LIGHTNING READY', 'NATIVE', 'NON-TECHNICAL', 'OFF PLATFORM CAPABILITY', 'PLAYBOOKS', 'SECURITY REVIEWED', 'SENTIMENT', 'SIMPLICITY', and '[UN-TAGGED ITEMS]'. The main panel is divided into three sections: 'Competitor Analysis', 'Knowledge Tree', and 'Features'. The 'Competitor Analysis' section lists various competitors like 'AppLearn ADOPT', 'Assima Vimago', 'Blackboard', 'CrowdGuide', 'Iridize', 'Knowledge Tree', 'Nickelled', and 'Ontuitive'. The 'Knowledge Tree' section shows a tree structure with a title 'Engage Your Prospects. KnowledgeTree helps sales keep prospects energized. They help: Sales Teams, Sales Leadership, Marketing Teams'. The 'Features' section lists various features like 'ANALYTICS', 'ATTRACTIVE UI', 'CHEAP', 'CONTEXTUAL', 'CUSTOMISABLE', 'EMBEDDED', 'FEEDBACK: QUESTIONNAIRES', 'FEEDBACK: VOTES', 'GAMIFICATION', 'GUIDES', 'LIGHTNING READY', 'NATIVE', 'NON-TECHNICAL', 'OFF PLATFORM CAPABILITY', 'PLAYBOOKS', 'SECURITY REVIEWED', and 'SENTIMENT'. The 'Weaknesses' section lists various weaknesses like 'BUGGY', 'EXPENSIVE', 'EXTENSIONS REQUIRED', 'LIMITED SCOPE', and 'NON-NATIVE'. The 'Related Resources' section is currently empty, showing '[No Data]'. The interface also includes a search bar, a breadcrumb trail, and a footer with various links and a 'Matching Items: 20' indicator.

The Lightning Out Host

Introduction


As of version 1.33, Improved Help includes a “Lightning Out” host: this is a Visualforce page (IHLuxOutHost) that can create and display Lightning components dynamically - effectively allowing Lightning features to be exposed within non-Lightning environments, such as Salesforce Classic.

Use cases could include:


- Creation of local, custom Help Topic Templates that display Lightning Lists etc. embedded in Classic pages, or anywhere the Help Hook is used.
- Providing navigation direct to particular Lightning content, such as a specific Reading List, Image or Help Topic. For example, Lightning Out URLs could be included within the body of Help Topic or Notice rich text to facilitate linking to the desired content.
- Display of embedded help within Lightning itself: the Host is a Visualforce page and can add help hooks if desired.

Examples

Image Viewer invoked from a classic session with Salesforce header visible



Link directly to a Reading List in the Lightning viewer



Guided Salesforce Lightning record detail component, including QAM

Lead Owner Keith Clarke	Lead Status Working - Contacted
Name Company	Phone (850) 644-4200
Company Farmers C	Mobile
Industry Agricultur	Fax (850) 644-4300
Annual Revenue €900,750,000	Email bertha@fcf.net
	Website
	Lead Source Web
	Rating Hot