

Document ID
Title
Version
Date
Issuer
Status

Case notice

PRG-002

Peregrine technical compliance schedule

1.0

2026-08-24

Peregrine Instrumentation

submitted

Fictional training case; all people, organisations, products, rules and events are invented. This is not A
Singapore procurement law.



Row	Requirement	CE-24 response	
T-01	Per-run positions		24
T-02	Temperature range, °C	–40 to 125	
T-03	Load range, N	0 to 500	
T-04	Electrical bias, V	0 to 24	
T-05	Raw export	CSV and JSON, local	
T-06	Training places		8

Block locator

PRG-002 T1
PRG-002 §2
PRG-002 §3
PRG-002 §3.1
PRG-002 §3.2
PRG-002 §4
PRG-002 §4.1
PRG-002 §5
PRG-002 §5.1
PRG-002 §5.2

Type

table
paragraph
heading
paragraph
paragraph
heading
paragraph
heading
paragraph
paragraph

Content

Row | Requirement | CE-24 response

01 | Per run positions | 24
Two consecutive runs can process 48 samples over time, but the submitted CE-24 has 24 simultaneous expansion is not included

Configuration and measurement record
The CE-24 is built around a compact chamber with individually logged positions and reusable run profiles to schedule cohorts in successive controlled cycles, export each run separately and combine results. The position count in row 01 is a simultaneous capacity for the delivered Compact Encubator CE-24. Each active position is associated with a channel identifier in the exported record. The separate runs verification

CSV and JSON exports can be saved to the Institute's local storage without an ongoing hosted account field guide covering time

stamp format, units, channel identifiers, event codes and file naming. During
For the delivered CE-24, each specimen position is given a channel identifier before a controlled run starts. The run identifier, specimen mapping and selected profile, then reviews any warnings before release acceptance, a representative run and selected profile in the compact chamber export a raw file record can be linked back to a position and timestamp. The operator guide should show which fields i

Source / fact references