

Document ID
Title
Version
Date
Issuer
Status

Case notice

APR-002

Aperture technical compliance schedule

1.0

2026-08-27

Aperture Reliability Systems

submitted

Fictional training case; all people, organisations, products, rules and events are invented. This is not A
Singapore procurement law.



Row	Requirement	AR-72 response	
T-01	Per-run positions		72
T-02	Temperature range, °C	−40 to 125	
T-03	Load range, N	0 to 500	
T-04	Electrical bias, V	0 to 24	
T-05	Raw export	CSV and JSON, local	
T-06	Training places		8

Block locator

APR-002 T1
APR-002 §3
APR-002 §3.1
APR-002 §3.2
APR-002 §4
APR-002 §4.1
APR-002 §5
APR-002 §5.1
APR-002 §5.2

Type

table
heading
paragraph
paragraph
heading
paragraph
heading
paragraph
paragraph

Content

Row | Requirement | AR-72 response

Configuration and measurement record

The AR-72 architecture provides a broad bank of addressable test positions and a detailed local event chamber to support large cohorts and reduce the number of separate runs needed for a given study.

Export and verification

CSV and JSON exports can be saved to the Institute's local storage without an ongoing hosted account. The operator guide covers time stamp format, units, channel identifiers, event codes and file naming. During

For the delivered AR-72, each specimen position is given a channel identifier before a controlled run s

At acceptance, a representative run should exercise the installed large cohort chamber, export a raw

record can be linked back to a position and timestamp. The operator guide should show which fields i

Source / fact references