

Experiment No.04

HTML CODE:

```
<!-- /*4. To implement a dynamic vowel counter tool in js to analyze and count character
occurrences in user input string */ -->
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Vowels Count</title>
    <link rel="stylesheet" href="style.css" />
    <script src="file.js"></script>
  </head>

  <body>
    <div id="container">
      <h2>Vowel Counter</h2>
      <p>
        Designed by
        <a href="https://github.com/gauravpatrekar01"> Gaurav Patrekar </a>
      </p>
      <div>
        <input type="text" id="inputString" placeholder="Enter Your String" />
        <button id="functionbutton" onclick="countVowels()">
          Count Vowels
        </button>
      </div>
      <h3>Your Result</h3>
      <div id="result"></div>
    </div>
  </body>
</html>
```

JS CODE:

```
console.log("Java Script is Started")
function countVowels() {
  var str = document.getElementById("inputString").value;
  if (str == "" || str == " ") {
    alert("Enter Valid String");
```

```
}
else {
    alert("Inputed String is " + str);
}
var strToArr = str.toLowerCase().split("");
console.log(strToArr);
var count = 0 , countA = 0, countE = 0, countI = 0, countO = 0, countU = 0;
for(var i=0;i<str.length;i++)
{
    if(strToArr[i] == 'a')
    {
        countA++;
        count++;
    }
    else if(strToArr[i] == 'e')
    {
        countE++;
        count++;
    }
    else if(strToArr[i] == 'i')
    {
        countI++;
        count++;
    }
    else if(strToArr[i] == 'o')
    {
        countO++;
        count++;
    }
    else if(strToArr[i] == 'u')
    {
        countU++;
        count++;
    }
}
console.log("Count of Vowels is " + count);
console.log("Count of Vowel A is " + countA);
console.log("Count od Vowel E is " + countE);
console.log("Count od Vowel I is " + countI);
console.log("Count od Vowel O is " + countO);
console.log("Count od Vowel U is " + countU);
```

```
document.getElementById("result").innerHTML="<p>Count of Vowels is " + count +
"</p><p>Count of Vowel A is " + countA + "</p> <p>Count of Vowel E is " + countE +
"</p><p>Count of Vowel I is " + countI + "</p><p>Count of Vowel O is " + countO +
"</p><p>Count of Vowel U is " + countU + "</p>"
}
```

CSS CODE:

```
body{
  font-family:Arial,Helvetica,sans-serif;
  height:100vh;
  margin:0;
  display:flex;
  justify-content:center;
  align-items:center;
  background:linear-gradient(149deg,#ff0318,#0909af);
}
div{
  margin-bottom: 15px;
}
h2{
  font-size: 35px;
  justify-content: center;
  margin-bottom:8px;
}
p{
  margin-top: 2px;
}
#container{
  width:340px;
  padding:30px 25px;
  background:white;
  border-radius:20px;
  box-shadow:0 15px 40px rgba(0,0,0,.25);
  text-align:center;
}
#functionbutton{
  margin-top: 15px;
}
```

```
input[type="text"] {
  padding: 20px;
  width: 250px;
  font-size: 17px;
  border-radius: 4px;
}
input:hover{
  border-color: #18cf5e;
}
button {
  padding: 8px 15px;
  font-size: 18px;
  cursor: pointer;
  width: 88%;
  background-color: #4c0966;
  color: white;
  border: none;
  border-radius: 4px;
}

button:hover {
  background-color: #13de0c;
}
#result {
  background: linear-gradient(149deg, #d7cbcc, #dfee99);
  padding: 15px;
  border-radius: 15px;
  width: 300px;
  box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
}
#result p{
  justify-content: left;
}
```

OUTPUT:

