

Experiment No.04

HTML CODE:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Array Operations</title>
    <link rel="stylesheet" href="lab5.css" />
    <script src="lab5.js"></script>
  </head>
  <body>
    <div id="container">
      <h2>Sort N Reverse</h2>
      <p style="margin-top: 2px;">
        Designed by
        <a href="https://github.com/gauravpatrekar01"> Gaurav Patrekar </a>
      </p>
      <input id="inputString" placeholder="Enter Your String" />

      <button id="b1" onclick="reverseString()">Reverse</button>
      <button id="b2" onclick="sortString()">Sort</button>

      <div id="result"></div>
    </div>
  </body>
</html>
```

JS CODE:

```
function reverseString() {
  var str = document.getElementById("inputString").value;
  var arr = str.split("");
  var rev = arr.reverse().join("");
  document.getElementById("result").innerHTML = "<p>Reversed Input: " + rev + "</p>";
}

function sortString() {
  var str = document.getElementById("inputString").value;
  var arr = str.split("");
  var sorted = arr.sort().join("");
```


```
document.getElementById("result").innerHTML = "<p>Sorted Input: " + sorted +  
"</p>";  
}
```

CSS CODE:

```
body {  
  font-family: Arial, Helvetica, sans-serif;  
  height: 100vh;  
  margin: 0;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  background: linear-gradient(149deg, #ff0318, #0909af);  
}  
#container {  
  width: 340px;  
  padding: 30px 25px;  
  background: white;  
  border-radius: 20px;  
  box-shadow: 0 15px 40px rgba(0, 0, 0, .25);  
  text-align: center;  
}  
input {  
  padding: 20px;  
  width: 80%;  
  height: 10px;  
  font-size: 17px;  
  border-radius: 4px;  
}  
input:hover {  
  border-color: #18cf5e;  
}  
h2 {  
  font-size: 35px;  
  justify-content: center;  
  margin-bottom: 8px;  
}  
button {  
  padding: 8px 15px;  
  margin-top: 15px;
```


```
font-size: 18px;
cursor: pointer;
width: 40%;
background-color: #4c0966;
color: white;
border: none;
border-radius: 4px;
}
button:hover {
  background-color: #13de0c;
}
#b1{
  background-color: #8f2406;
}
#b2{
  background-color: #14068f;
}
#result {
  background: linear-gradient(149deg,#d7cbcc,#dfee99);
  padding: 15px;
  margin-top: 20px;
  border-radius: 15px;
  width: 300px;
  box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
}
```

OUTPUT:




#Modern-Web-Applications

Gaurav Patrekar A30



Entering String for Sort alphabetically:



#Modern-Web-Applications

Gaurav Patrekar A30

