

Billing and Shipping Information

OneSource Account # :

Contact for ordering or delivery questions

Contact :

Email :

Mobile Phone :

Ship To :

Company :

Address :

City/ State/ Zip :

Contact :

Phone :

Fax :

Email :

PO # :

Shipping Check Priority : ☐ Ground ☐ 2nd Day
(shipping calculated separately per order)

Completion of this order form with the most accurate and up-to-date information, including all patient information, measurements, and construction information allows us to provide the highest quality product for you and your patient

Required Patient Information

Patient Initials :

First and Last Name Initial

Height : ft. in.

K-Level : ☐ K1 ☐ K2 ☐ K3 ☐ K4

Weight : lbs.

Impact Level : ☐ High ☐ Med ☐ Low

Patient ID # :


Amputation Level : ☐ AK ☐ KD

☐ Left ☐ Right ☐ Bilateral Order

Check Socket Measurements

☐ Call to discuss before design

***Length Measurements (IT to Distal End)



Level Measurement

IT

- 2 in

- 4 in

- 6 in

- 8 in

- 10 in

- 12 in


IT to DE

GT to DE

Shape

- ☐ Shape by measurements
☐ Shape by scan
☐ Shape by sending physical cast

Brim Shape




Narrow ML 1



Narrow ML 2



Narrow ML 3



Omega Cat Cam

Socket Styles



Pin Lock



Suction No
Distal Attachment



Coyote Suction Puck
Drop-In



Lanyard

Socket Price Includes installed Suspension Preference

*Modifications

- ☐ Standard AK (2% reduction, Lateral Wall compression, Scarpas Compression, Posterior Lateral Compression, and Adductor Longus Relief)
☐ Other :

**Socket Fabrication Method

- ☐ 3DP PETG AK Diagnostic Socket
☐ 3DP CoPoly - Kyron Max Diagnostic
☐ Socket (CPX)

Notes :

* If a specific alignment isn't provided, standard alignment is 0° Flexion and 0° Adduction.

** Dynamic Weight limit : 200 lb with Fiberglass reinforcement (3DP PETG). 250 lb with No Reinforcement (3DP CoPoly)

*** Length and circumferences are required. If not provided and socket fit requires remake, customer is responsible for cost of remake.

☐ Cast sent to OneSource Integrated O&P Solutions (optional)