

### Billing and Shipping Information

OneSource Account # :

Contact for ordering or delivery questions

Contact :

Email :

Mobile Phone :

Ship To :

Company :

Address :

City/ State/ Zip :

Contact :

Phone :

Fax :

Email :

PO # :

Shipping Check Priority : ☐ Ground ☐ 2<sup>nd</sup> Day  
(shipping calculated separately per order)

### Required Patient Information

Patient Initials :

First and Last Name Initial

Height :  ft.  in.

K-Level : ☐ K1 ☐ K2 ☐ K3 ☐ K4

Weight :  lbs.

Impact Level : ☐ High ☐ Med ☐ Low

Patient ID # :

Amputation Level : ☐ BK ☐ Left ☐ Right ☐ Bilateral Order

### One Source BK Kit Selection

#### Pin Locking

- ☐ BK K1
- ☐ BK K2-72
- ☐ BK K2 Flexible Keel – Multi-axial Ankle
- ☐ BK K2 Hydraulic
- ☐ BK K3 Dynamic Response
- ☐ BK K3 Hydraulic
- ☐ BK K3 Vertical Shock

#### Passive Suction

- ☐ BK K1
- ☐ BK K2-72
- ☐ BK K2 Flexible Keel – Multi-axial Ankle
- ☐ BK K2 Hydraulic
- ☐ BK K3 Dynamic Response
- ☐ BK K3 Hydraulic
- ☐ BK K3 Vertical Shock

#### Active Vacuum

- ☐ BK K2 Flexible Keel – Multi axial Ankle + Vacuum
- ☐ BK K3 Dynamic Response + Vacuum
- ☐ BK K3 Vertical Shock + Vacuum

### Products

☐ Call to discuss before design

### Gel Liner



☐ Ossur  
Comfort Liner

- ☐ 3 mm uniform
- ☐ 6 mm uniform

- |   |                             |                               |                             |
|---|-----------------------------|-------------------------------|-----------------------------|
| <input type="checkbox"/> 16                         | <input type="checkbox"/> 18 | <input type="checkbox"/> 20   | <input type="checkbox"/> 22 |
| <input type="checkbox"/> 23.5                       | <input type="checkbox"/> 25 | <input type="checkbox"/> 26.5 | <input type="checkbox"/> 28 |
| <input type="checkbox"/> 30                         | <input type="checkbox"/> 32 | <input type="checkbox"/> 34   | <input type="checkbox"/> 36 |
| <input type="checkbox"/> 40 (only available in 3mm) |                             |                               |                             |



☐ WillowWood  
Alpha Classic



☐ Willow Wood  
Hybrid

- ☐ Small - (Uniform)
- ☐ Medium - (Uniform)
- ☐ Medium Plus - (Uniform)
- ☐ Large - (Uniform)
- ☐ Large Plus - (Uniform)
- ☐ Extra Large - (Uniform)

(6mm anterior /3mm posterior)

### BK Suspension Option \* Vacuum Options



Pin Lock



Coyote Suction  
Puck Drop-In



\*V4 EasyLine  
Valve Kit




TP5 valve



Aria auto  
expulsion valve



Aria Universal  
Mini Valve



Aria Plate Valve



\*Aria Hybrid  
Valve



\*Aria Plate  
Valve

### Suction

- ☐ \*V4 Valve
- ☐ TP5 Valve
- ☐ Aria Auto Expulsion Valve
- ☐ Aria Universal Mini Valve
- ☐ Coyote Suction Puck Drop - In
- ☐ \*Aria Hybrid Valve
- ☐ \*Aria Plate valve

### Suspension Sleeves (Suction, Vacuum only)

- ☐ Black
- ☐ Tan

#### Sizes

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ Short (Black only)

### BK K1



SACH Foot with bolt

### BK K2-72



College Park Breeze

### BK K2 Flexible Keel Multi-axial Ankle \*Vacuum



\*Ossur K2 Sensation



Ottobock K2 Terion

### BK K2 Flexible Keel-Hydraulic Ankle



College Park Odyssey K2



Ottobock Kintrol

### BK K3 Dynamic Response \*Vacuum Options



\*Proteor Rush Rampage LP



\*Ossur LP Variflex



WillowWood Meta Arc

### BK K3 Hydraulic



College Park K3 Odyssey



WillowWood Meta Flow

### BK K3 Vertical Shock \*Vacuum Options



Proteor Shockwave



\*Proteor Rush Rogue 2

Foot side and Foot size

Foot Shell Color

- ☐ Caucasian
- ☐ Brown

### BK Alignables

- ☐ \*\*BK Pin Kit (P3-WH, 12" Bonded Pylon, Tube Clamp)
- ☐ \*\*BK Suction Kit (Bulldog - FHLA-10 Attachment Plate, Male Pyramid, 12" Bonded Pylon, Tube clamp)
- ☐ \*\*\*Heavy Duty BK Pin Kit (Tru-life AAA - Male Pyramid, 12" Bonded Pylon Pylon, Tube Clamp)

### BK Textiles

☐ Sock Kit - Qty 3, 3ply , 3 5 ply, 6 1 ply



#### Sock Sizing

- ☐ Medium Short (10-14" Length, 6-8" Width) (MOST BK)
- ☐ Medium Regular (14-18" Length, 8-10" Width) (Most AK, XL BK)
- ☐ Wide Regular (14-18" Length, 10-12" Width) (XL AK)
- ☐ No Socks Needed

☐ Standard Shrinkers - Qty 2



#### Shrinker Sizing

- ☐ 0
- ☐ 2
- ☐ 4
- ☐ 6
- ☐ No Shrinker Needed

\*Vacuum Options    \*\*275 lbs weight limit    \*\*\*350 Lbs weight limit (extra charge)

Notes :

Pricing			
Suspension	Service Type	List	Kit
Lock	BK K1	\$1081	\$750
Lock	BK K2-72	\$1125	\$800
Lock	BK K2 Flexible Keel – Multi-axial Ankle	\$1421	\$1000
Lock	BK K2 Hydraulic	\$3076	\$2350
Lock	BK K3 Dynamic Response	\$2311	\$1850
Lock	BK K3 Hydraulic	\$3596	\$2700
Lock	BK K3 Vertical Shock	\$3501	\$2700
Suction	BK K1	\$1393	\$1025
Suction	BK K2-72	\$1447	\$1075
Suction	BK K2 Flexible Keel – Multi-axial Ankle	\$1743	\$1300
Suction	BK K2 Hydraulic	\$3398	\$2650
Suction	BK K3 Dynamic Response	\$2633	\$2000
Suction	BK K3 Hydraulic	\$3918	\$3000
Suction	BK K3 Vertical Shock	\$3823	\$3000
Vacuum	BK K2 Flexible Keel – Multi-axial Ankle + Vacuum	\$3688	\$2800
Vacuum	BK K3 Dynamic Response + Vacuum	\$4617	\$3500
Vacuum	BK K3 Vertical Shock + Vacuum	\$5710	\$4300
Fabrication	BK Standard One Stage Lamination (Standard for pin lock)	\$572	\$400
Fabrication	BK Standard Two Stage Lamination (Standard for Suction)	\$749	\$500
Fabrication	3DP CoPoly - Kyron Max BK Definitive Socket (CPX-KM)	\$534	\$300
Fabrication	BK - BOA System (for Traditional Only - per unit)	\$644	\$650
Fabrication	3D Printed BK Flexible Inner	\$200	\$100
Fabrication	Flexible Inner - Traditional Black	\$217	\$125
Fabrication	3DP PETG BK Diagnostic Socket (includes suspension)	\$331	\$190
Fabrication	3DP CoPoly - Kyron Max BK Diagnostic Socket (CPX-KM)	\$350	\$250