HTML:

```
<!DOCTYPE html>
<html>
<head>
     <link rel="stylesheet" type="text/css" href="style.css">
     <script type="text/javascript">
           function insert(num) {
                document.form.textview.value =
document.form.textview.value+num;
           }
           function equal(){
                var exp = document.form.textview.value
                if (exp) {
                document.form.textview.value = eval(exp);
           }
          function clean(){
                document.form.textview.value = "";
           }
           function back() {
                var exp = document.form.textview.value;
                document.form.textview.value =
exp.substring(0,exp.length-1);
           }
     </script>
     <title></title>
</head>
<div class="main">
     <form name="form">
           <input class="textview" name="textview">
```

```
<input class="button" type="button"</pre>
value="C" onclick="clean()">
                    <input class="button" type="button"</pre>
value="<" onclick="back()">
                    <input class="button" type="button"</pre>
value="/" onclick="insert('/')">
                    <input class="button" type="button"</pre>
value="X" onclick="insert('*')">
                    <input class="button" type="button"</pre>
value="7" onclick="insert(7)">
                    <input class="button" type="button"</pre>
value="8" onclick="insert(8)">
                    <input class="button" type="button"</pre>
value="9" onclick="insert(9)">
                    <input class="button" type="button"</pre>
value="-" onclick="insert('-')">
```

```
<input class="button" type="button"</pre>
value="4" onclick="insert(4)">
                    <input class="button" type="button"</pre>
value="5" onclick="insert(5)">
                    <input class="button" type="button"</pre>
value="6" onclick="insert(6)">
                    <input class="button" type="button"</pre>
value="+" onclick="insert('+')">
                    <input class="button" type="button"</pre>
value="1" onclick="insert(1)">
                    <input class="button" type="button"</pre>
value="2" onclick="insert(2)">
                    <input class="button" type="button"</pre>
value="3" onclick="insert(3)">
                    <input class="button" type="button"</pre>
value="=" onclick="equal()" style="height: 106px;">
```

```
<input style="width:100%;"class="button"</pre>
type="button" value="0" onclick="insert(0)">
                   <input class="button" type="button"</pre>
value="." onclick="insert('.')">
                   </form>
</div>
</body>
</html>
.button{
    width: 50px;
    height: 50px;
     font-size: 25px;
    cursor: pointer;
    margin: 2px;
    background-color: rgba(0,0,0,0.4);
    border: none;
     color: #fff;
}
.textview{
    width: 213px;
    margin: 5px;
```

font-size: 25px;

padding: 5px;

```
background-color: rgba(225,225,225,0.4);
border: 1px solid #fff;
color: #fff;

// main{
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%,-50%);
}
body{
    background-color: #49f;
}
```