Cucumber Report

Start : Aug 01, 6:19:07.586 pm	End : Aug 01, 6:19:31.114 pm	Duration : 23.528 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Implementing guru99 with sceanrio outlines	23.528 s	2	0	2	0	10	10	0	0

#	Feature Name	T	P	F	S	Duration
1	Implementing guru99 with sceanrio outlines	2	0	2	0	23.528 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Implementing guru99 with sceanrio outlines	create new user in guru99	5	5	0	0	13.032 s
2	Implementing guru99 with sceanrio outlines	create new user in guru99	5	5	0	0	10.458 s

Implementing guru99 with sceanrio outlines

FAILED	DURATION - 23.528 s		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 6:19:07.586 pm // 6:19:31.114 pm /				2		10

create new user in guru99

FAILED	DURATION - 13.032 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:19:07.593 pm // 6:19:20.625 pm /				5
Implementing guru99 with sceanrio outlines				

#	Step / Hook Details	Status	Duration
1	When user is on home page	PASSED	5.784 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario) create new user in guru99	PASSED	0.194 s
2	When user enter fname "Gauri" lname "Chawathe" MailID "gauri@gmail.com" and Phone "1212121212"	PASSED	0.557 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario) create new user in guru99	PASSED	0.192 s

#	Step / Hook Details	Status	Duration
3	Then Enter Address "Pune" and city "Wakad"	PASSED	0.250 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario) create new user in guru99 	PASSED	0.179 s
4	Then enter Username "gauri@gmail.com" password "gauri1234" and confirmPass "gauri1234"	PASSED	0.371 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario) create new user in guru99 	PASSED	0.152 s
5	And refresh page	PASSED	5.327 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PRATHA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59857}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59857/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefination.StepReg.tearDowm(StepReg.java:57)	FAILED	0.017 s

create new user in guru99

FAILED	DURATION - 10.458 s
/ 6:19:20.656 pm // 6:19:31.114 pm /	
Implementing guru99 with sceanrio outlines	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user is on home page	PASSED	3.321 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario)	PASSED	0.147 s
	create new user in guru99		
2	When user enter fname "sssssriq" lname "qqqqqe" MailID "wwwi@gmail.com" and Phone "2212121212"	PASSED	0.530 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario)	PASSED	0.179 s
	create new user in guru99		
3	Then Enter Address "Pudsasfe" and city "Wfdafadfaf"	PASSED	0.339 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario)	PASSED	0.164 s
	create new user in guru99		
4	Then enter Username "sssss@gmail.com" password "sssss1234" and confirmPass "sssss1234"	PASSED	0.314 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario)	PASSED	0.162 s
	create new user in guru99		

#	Step / Hook Details	Status	Duration
5	And refresh page	PASSED	5.301 s
	AFTER_STEP - StepDefination.StepReg.tearDowm(io.cucumber.java.Scenario)	FAILED	0.000 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PRATHA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59925}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59925/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)
	  at StepDefination.StepReg.tearDowm(StepReg.java:57)		