

Cucumber Report

01-Aug-2023, 6:08:27 pm

Start : Aug 01, 6:08:09.659 pm

End : Aug 01, 6:08:25.515 pm

Duration : 15.856 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 2
FAILED - 2
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Implementing guru99 with sceanrio outlines</u>	15.856 s	2	0	2	0	10	2	2	6





#	Feature Name	T	P	F	S	Duration
1	<u>Implementing guru99 with sceanrio outlines</u>	2	0	2	0	15.856 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Implementing guru99 with sceanrio outlines</u>	<u>create new user in guru99</u>	5	1	1	3	9.314 s
2	<u>Implementing guru99 with sceanrio outlines</u>	<u>create new user in guru99</u>	5	1	1	3	6.513 s


Implementing guru99 with scearnio outlines

FAILED	DURATION - 15.856 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 2 Fail - 2 Skip - 6	
/ 6:08:09.659 pm // 6:08:25.515 pm /					



create new user in guru99


FAILED	DURATION - 9.314 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 6:08:09.664 pm // 6:08:18.978 pm /				
Implementing guru99 with scearnio outlines				

#	Step / Hook Details	Status	Duration
1	Given User is on home page	PASSED	6.265 s
	AFTER_STEP - StepDefination.StepReg.tearDown(io.cucumber.java.Scenario)	PASSED	0.175 s
	create new user in guru99		
			
2	When user enter fname "Gauri" lname "Chawathe" MailID "gauri@gmail.com" and Phone "1212121212"	FAILED	2.686 s
	java.lang.NullPointerException: Cannot invoke "PageLayer.RegistrationPage.contactInfoFunctionality(String, String, String, String)" because "this.rp" is null at StepDefination.RegPageStepExample.user_enter_fname_lname_mail_id_and_phone(RegPageStepExample.java:17) at ?.user enter fname "Gauri" lname "Chawathe" MailID "gauri@gmail.com" and Phone "12121212"(file:///C:/Users/Prathamesh/eclipse-workspace/BDD/com.guru99_app/AllFeatureFiles/TC-001_RegExamples.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepReg.tearDown(io.cucumber.java.Scenario)	PASSED	0.164 s
	create new user in guru99		

#	Step / Hook Details	Status	Duration
			
3	Then Enter Address "Pune" and city "Wakad"	SKIPPED	0.006 s
4	Then enter Username "gauri@gmail.com" password "gauri1234" and confirmPass "gauri1234"	SKIPPED	0.000 s
5	And close page	SKIPPED	0.000 s

create new user in guru99

FAILED	DURATION - 6.513 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 6:08:19.002 pm // 6:08:25.515 pm /				
Implementing guru99 with scanario outlines				

#	Step / Hook Details	Status	Duration
1	Given User is on home page	PASSED	2.850 s
	AFTER_STEP - StepDefination.StepReg.tearDown(io.cucumber.java.Scenario)	PASSED	0.194 s
	create new user in guru99		
			
2	When user enter fname "sssssiq" lname "qqqqqe" MailID "wwwi@gmail.com" and Phone "2212121212"	FAILED	3.254 s
	<p>java.lang.NullPointerException: Cannot invoke "PageLayer.RegistrationPage.contactInfoFunctionality(String, String, String, String)" because "this.rp" is null</p> <p>at StepDefination.RegPageStepExample.user_enter_fname_lname_mail_id_and_phone(RegPageStepExample.java:17)</p> <p>at ?.user enter fname "sssssiq" lname "qqqqqe" MailID "wwwi@gmail.com" and Phone "2212121212"(file:///C:/Users/Prathamesh/eclipse-workspace/BDD/com.guru99_app/AllFeatureFiles/TC-001_RegExamples.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - StepDefination.StepReg.tearDown(io.cucumber.java.Scenario)	PASSED	0.204 s

#	Step / Hook Details	Status	Duration
	create new user in guru99 		
3	Then Enter Address "Pudsasfe" and city "Wfdafadfaf"	SKIPPED	0.001 s
4	Then enter Username "sssss@gmail.com" password "sssss1234" and confirmPass "sssss1234"	SKIPPED	0.000 s
5	And close page	SKIPPED	0.000 s