Vidyavardhini's College of Engineering & Technology

Department of Computer Science & Engineering (Data Science)

EXPERIMENT ASSESSMENT

ACADEMIC YEAR 2025-26

Course: MDM: Introduction to web technology

Course code: 2344212

Year: SE SEM: IV

Experiment No. 3
AIM:- Create a dynamic To-Do List where users can add, mark as complete, and remove tasksusing JavaScript & DOM.
Name: Gauri Desai
Roll Number: 03
Date of Performance:
Date of Submission:

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>To-Do List</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f4f4f4;
      display: flex;
      justify-content: center;
      margin-top: 50px;
    }

    .todo-container {
      background: #fff;
      padding: 20px;
      width: 300px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0,0,0,0.1);
    }

    h2 {
      text-align: center;
    }

    input {
      width: 75%;
      padding: 8px;
    }

    button {
      padding: 8px;
      cursor: pointer;
    }

    ul {
      list-style: none;
      padding: 0;
    }

    li {
      display: flex;
```

```html
<html lang="en">
<head>
  <style>
    li {
      display: flex;
      justify-content: space-between;
      padding: 8px;
      margin-top: 8px;
      background: #eee;
      border-radius: 4px;
    }

    li.completed {
      text-decoration: line-through;
      color: gray;
    }

    .delete-btn {
      background: red;
      color: white;
      border: none;
      border-radius: 4px;
    }
  </style>
</head>
<body>

  <div class="todo-container">
    <h2>To-Do List</h2>

    <input type="text" id="taskInput" placeholder="Add a task">
    <button onclick="addTask()">Add</button>

    <ul id="taskList"></ul>
  </div>

  <script>
    function addTask() {
      const taskInput = const taskInput: HTMLElement | null
      const taskText = taskInput.value.trim();

      if (taskText === "") {
        alert("Please enter a task");
```


File Edit Selection View Go Run
Sample
No Con...
EXP3.htm U
3.html U
BLACKBOX
VARIABLES
WATCH
CALL STACK
Ope... RUNNING
3.h... RUNNING
Ne... RUNNING
c... RUNNING
LOADED SCRIPTS
BREAKPOINTS
EVENT LISTENER BREAKP...
3.html > ...
2 <html lang="en">
64 <body>
75 <script>
76 function addTask() {
80 if (taskText === "") {
81 alert("Please enter a task");
82 return;
83 }
84
85 const li = document.createElement("li");
86 li.textContent = taskText;
87
88 // Toggle completed
89 li.addEventListener("click", function () {
90 li.classList.toggle("completed");
91 });
92
93 // Delete button
94 const deleteBtn = document.createElement("button");
95 deleteBtn.textContent = "X";
96 deleteBtn.className = "delete-btn";
97
98 deleteBtn.addEventListener("click", function (e) {
99 e.stopPropagation(); // prevent toggle
100 li.remove();
101 });
102
103 li.appendChild(deleteBtn);
104
105 document.getElementById("taskList").appendChild(li);
106 taskInput.value = "";
107 }
108 </script>
109
110 </body>
111 </html>
112
Sample main* 0 0 BLACKBOX Agent Open Website Generate Commit Message Spaces: 4 UTF-8 CRLF HTML Signed out Go Live BLACKBOXAI: Open Chat


To-Do List
To-Do List
local or shared file
Memory usage: 29.8 MB
/Sample/3.html
To-Do List
Add a task
Add
make a project
X
make a cake
X