


| Feature   |          | Scer | nario |   | Step |    |    |   |   |
|---|----------|------|-------|---|------|----|----|---|---|
| Name  | Duration | T    | P     | F | S    | T  | P  | F | S |
| Test Employee all End points using different http request | 2.626 s  | 4    | 3     | 1 | 0    | 39 | 35 | 1 | 3 |


| Tag                           |   | Scei | nario |   | Feature |   |   |   |  |
|-------------------------------|---|------|-------|---|---------|---|---|---|--|
| Name                          | Т | P    | F     | S | T       | P | F | S |  |
| @Employee                     | 4 | 3    | 1     | 0 | 1       | 0 | 1 | 0 |  |
| @GetSingleEmployee            | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |  |
| @DeleteSingleEmployee         | 1 | 1    | 0     | 0 | 1       | 0 | 1 | 0 |  |
| @GetAllEmployeeAsPerCondition | 1 | 1    | 0     | 0 | 1       | 0 | 1 | 0 |  |
| @GetAllEmployee               | 1 | 1    | 0     | 0 | 1       | 0 | 1 | 0 |  |

FEATURES SUMMARY



| # | Feature Name  | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Test Employee all End points using different http request | 4 | 3 | 1 | 0 | 2.626 s  |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name  | Scenario Name                | T  | P  | F | S | Duration |
|---|---|------------------------------|----|----|---|---|----------|
| 1 | Test Employee all End points using different http request | Retrieve Employee Entity     | 10 | 6  | 1 | 3 | 2.099 s  |
| 2 | Test Employee all End points using different http request | Delete Employee Entity       | 10 | 10 | 0 | 0 | 0.246 s  |
| 3 | Test Employee all End points using different http request | Retrieve All Employee Entity | 10 | 10 | 0 | 0 | 0.086 s  |
| 4 | Test Employee all End points using different http request | Retrieve All Employee Entity | 9  | 9  | 0 | 0 | 0.048 s  |

DETAILED SECTION -- 6 --

## **Test Employee all End points using different http request**

| FAILED              | DURATION - 2.626 s | Scenarios |          | Steps      |    |
|---------------------|--------------------|-----------|----------|------------|----|
|                     |                    | Total - 4 |          | Total - 39 |    |
| / 4:19:51.115 pm // | 4:19:53.741 pm /   | Pass - 3  | <u> </u> | Pass - 35  | 39 |
|                     |                    | Fail - 1  |          | Fail - 1   | 55 |
|                     |                    | Skip - 0  |          | Skip - 3   |    |
|                     |                    |           |          |            |    |


## **Retrieve Employee Entity**



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri   | PASSED | 0.895 s  |
| 2 | Given user set "employees" base path  | PASSED | 0.001 s  |
| 3 | And user get the request specification object   | PASSED | 0.260 s  |
| 4 | And user add employee id "3" as path parameter  | PASSED | 0.018 s  |
| 5 | When user select http get request to retrieve employee single entity  | PASSED | 0.843 s  |
| 6 | Then user get validatable reponse interface object  | PASSED | 0.013 s  |
| 7 | And user validate status code 200   | FAILED | 0.048 s  |
|   | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) |        |          |


DETAILED SECTION -- 7 -

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)                           |         |          |
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)                           |         |          |
|    | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) |         |          |
|    | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)              |         |          |
|    | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)                                      |         |          |
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)                                      |         |          |
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)                                      |         |          |
|    | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)         |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                           |         |          |
|    | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                   |         |          |
|    | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |         |          |
|    | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)                 |         |          |
|    | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.   |         |          |
|    | java:193)   |         |          |
|    | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)                            |         |          |
|    | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)                               |         |          |
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)                               |         |          |
|    | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)                               |         |          |
|    | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)                         |         |          |
|    | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:84)                  |         |          |
|    | at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)                       |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                           |         |          |
|    | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                   |         |          |
|    | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |         |          |
|    | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)  |         |          |
|    | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)   |         |          |
|    | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)  |         |          |
|    | at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)                     |         |          |
|    | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:136)                             |         |          |
|    | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)                                 |         |          |
|    | at StepAPI.EmployeeStep.user_validate_status_code(EmployeeStep.java:52)   |         |          |
|    | at ?.user validate status code 200(file:///C:/Users/gauri/git/BDDFramewrk2024/src/test/java/FeatureFiles/Employee.feature:14) |         |          |
|    | * Not displayable characters are replaced by '?'.   |         |          |
| 8  | And user validate status line "200 OK"  | SKIPPED | 0.000 s  |
| 9  | And user validate response time 5000 ms   | SKIPPED | 0.000 s  |
| 10 | And user generate response logs   | SKIPPED | 0.000 s  |



| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
| 1  | * user set base uri   | PASSED | 0.000 s  |
| 2  | Given user set "employees" base path                                  | PASSED | 0.000 s  |
| 3  | And user get the request specification object                         | PASSED | 0.002 s  |
| 4  | And user add employee id "9bef" as path parameter                     | PASSED | 0.000 s  |
| 5  | When user select http delete request to delete employee single entity | PASSED | 0.049 s  |
| 6  | Then user get validatable reponse interface object                    | PASSED | 0.000 s  |
| 7  | And user validate status code 200                                     | PASSED | 0.000 s  |
| 8  | And user validate status line "200 OK"                                | PASSED | 0.010 s  |
| 9  | And user validate response time 5000 ms                               | PASSED | 0.039 s  |
| 10 | And user generate response logs                                       | PASSED | 0.140 s  |

## **Retrieve All Employee Entity**



| # | Step / Hook Details                           | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri                           | PASSED | 0.000 s  |
| 2 | Given user set "employees" base path          | PASSED | 0.000 s  |
| 3 | And user get the request specification object | PASSED | 0.002 s  |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
| 4  | And user add employee query parameter "lasNname" and "Kumar"      | PASSED | 0.011 s  |
| 5  | When user select http get request to retrieve all employee entity | PASSED | 0.048 s  |
| 6  | Then user get validatable reponse interface object                | PASSED | 0.000 s  |
| 7  | And user validate status code 200                                 | PASSED | 0.001 s  |
| 8  | And user validate status line "200 OK"                            | PASSED | 0.001 s  |
| 9  | And user validate response time 5000 ms                           | PASSED | 0.001 s  |
| 10 | And user generate response logs                                   | PASSED | 0.016 s  |

## **Retrieve All Employee Entity**

| PASSED                  | DURATION - 0.048 s                          | 0.15 | 57 |   |   | - | - |   |   |   | - |   | Steps     |   |
|-------------------------|---|------|----|---|---|---|---|---|---|---|---|---|-----------|---|
| / <i>1</i> :10:52 602 p | m // 4:19:53.741 pm /                       | 0.1  |    |   |   |   |   |   |   |   |   |   | Total - 9 |   |
| 7 4.19.55.095 μ         | III // 4.19.55.741 piii /                   | 0.1  |    |   |   |   | - |   |   |   |   |   | Pass - 9  |   |
| Test Employee           | all End points using different http request | .05  | +  |   |   |   | + |   |   |   |   |   | Fail - 0  | 9 |
| 05                      | O - AND                                     | - 0  |    | _ | _ |   |   |   |   |   |   |   | Skip - 0  |   |
| @⊨mpioyee @             | GetAllEmployee                              | "    | =  | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |           |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri   | PASSED | 0.000 s  |
| 2 | Given user set "employees" base path                              | PASSED | 0.000 s  |
| 3 | And user get the request specification object                     | PASSED | 0.004 s  |
| 4 | When user select http get request to retrieve all employee entity | PASSED | 0.031 s  |
| 5 | Then user get validatable reponse interface object                | PASSED | 0.000 s  |
| 6 | And user validate status code 200                                 | PASSED | 0.001 s  |
| 7 | And user validate status line "200 OK"                            | PASSED | 0.000 s  |
| 8 | And user validate response time 5000 ms                           | PASSED | 0.001 s  |
| 9 | And user generate response logs                                   | PASSED | 0.008 s  |