


| Feature | | | Scer | nario | | | St | ер | |
|---|----------|---|------|-------|---|----|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Test Employee all End points using different http request | 1.889 s | 4 | 2 | 2 | 0 | 39 | 31 | 2 | 6 |


| Tag | | Scer | nario | | Feature | | | | | |
|-------------------------------|---|------|-------|---|---------|---|---|---|--|--|
| Name | T | P | F | S | T | P | F | S | | |
| @Employee | 4 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | | |
| @GetSingleEmployee | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| @DeleteSingleEmployee | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| @GetAllEmployeeAsPerCondition | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @GetAllEmployee | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Test Employee all End points using different http request | 4 | 2 | 2 | 0 | 1.889 s |


SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|------------------------------|----|----|---|---|----------|
| 1 | Test Employee all End points using different http request | Retrieve Employee Entity | 10 | 6 | 1 | 3 | 1.617 s |
| 2 | Test Employee all End points using different http request | Delete Employee Entity | 10 | 6 | 1 | 3 | 0.045 s |
| 3 | Test Employee all End points using different http request | Retrieve All Employee Entity | 10 | 10 | 0 | 0 | 0.120 s |
| 4 | Test Employee all End points using different http request | Retrieve All Employee Entity | 9 | 9 | 0 | 0 | 0.032 s |

DETAILED SECTION -- 6 --

Test Employee all End points using different http request



Retrieve Employee Entity




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri | PASSED | 0.552 s |
| 2 | Given user set "employees" base path | PASSED | 0.000 s |
| 3 | And user get the request specification object | PASSED | 0.212 s |
| 4 | And user add employee id "3" as path parameter | PASSED | 0.015 s |
| 5 | When user select http get request to retrieve employee single entity | PASSED | 0.775 s |
| 6 | Then user get validatable reponse interface object | PASSED | 0.010 s |
| 7 | And user validate status code 200 | FAILED | 0.035 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) | | |

DETAILED SECTION -- 7 -

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org. code haus. groovy. runtime. call site. Pogo Meta Method Site \$Pogo Cached Method Site No Unwrap No Coerce. invoke (Pogo Meta Method Site.) at the property of the pr | | |
| | java:193) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126) | | |
| | $at\ io. rest assured. internal. Validatable Response Options Impl. status Code (Validatable Response Options Impl. java: 84)$ | | |
| | at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) | | |
| | at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) | | |
| | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:136) | | |
| | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) | | |
| | at StepAPI.EmployeeStep.user_validate_status_code(EmployeeStep.java:52) | | |
| | at ?.user validate status code 200(file:///C:/Users/gauri/git/BDDFramewrk2024/src/test/java/FeatureFiles/Employee.feature:14) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 8 | And user validate status line "200 OK" | SKIPPED | 0.000 s |
| 9 | And user validate response time 5000 ms | SKIPPED | 0.001 s |
| 10 | And user generate response logs | SKIPPED | 0.000 s |

DETAILED SECTION -- 8 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri | PASSED | 0.000 s |
| 2 | Given user set "employees" base path | PASSED | 0.001 s |
| 3 | And user get the request specification object | PASSED | 0.005 s |
| 4 | And user add employee id "9bef" as path parameter | PASSED | 0.002 s |
| 5 | When user select http delete request to delete employee single entity | PASSED | 0.033 s |
| 6 | Then user get validatable reponse interface object | PASSED | 0.000 s |
| 7 | And user validate status code 200 | FAILED | 0.002 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:674) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSp | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:84) | | |
| | at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) | | |
| | at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) | | |
| | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:136) | | |
| | at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) | | |
| | at StepAPI.EmployeeStep.user_validate_status_code(EmployeeStep.java:52) | | |
| | at ?.user validate status code 200(file:///C:/Users/gauri/git/BDDFramewrk2024/src/test/java/FeatureFiles/Employee.feature:26) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 8 | And user validate status line "200 OK" | SKIPPED | 0.001 s |
| 9 | And user validate response time 5000 ms | SKIPPED | 0.000 s |
| 10 | And user generate response logs | SKIPPED | 0.000 s |


Retrieve All Employee Entity

| PASSED DURATION - 0.120 s | 0.15 | 5 7 [| | | - | | | Steps | |
|---|------|-------|------|------------------|---|------|------|----------------|----|
| / 5:59:25.803 pm // 5:59:25.923 pm / | 0.1 | - - | | ! | | | | Total - 10 | |
| | 05 | | | | | | | Pass - 10 | 10 |
| Test Employee all End points using different http request | .05 | | | | 1 | 1 | _ | Skip - 0 | |
| @Employee @GetAllEmployeeAsPerCondition | 0 | -1 F | | - | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri | PASSED | 0.001 s |
| 2 | Given user set "employees" base path | PASSED | 0.000 s |
| 3 | And user get the request specification object | PASSED | 0.001 s |
| 4 | And user add employee query parameter "lasNname" and "Kumar" | PASSED | 0.005 s |
| 5 | When user select http get request to retrieve all employee entity | PASSED | 0.012 s |
| 6 | Then user get validatable reponse interface object | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 7 | And user validate status code 200 | PASSED | 0.000 s |
| 8 | And user validate status line "200 OK" | PASSED | 0.008 s |
| 9 | And user validate response time 5000 ms | PASSED | 0.019 s |
| 10 | And user generate response logs | PASSED | 0.070 s |

Retrieve All Employee Entity



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | * user set base uri | PASSED | 0.000 s |
| 2 | Given user set "employees" base path | PASSED | 0.000 s |
| 3 | And user get the request specification object | PASSED | 0.002 s |
| 4 | When user select http get request to retrieve all employee entity | PASSED | 0.023 s |
| 5 | Then user get validatable reponse interface object | PASSED | 0.001 s |
| 6 | And user validate status code 200 | PASSED | 0.000 s |
| 7 | And user validate status line "200 OK" | PASSED | 0.001 s |
| 8 | And user validate response time 5000 ms | PASSED | 0.000 s |
| 9 | And user generate response logs | PASSED | 0.005 s |