Cucumber Report

| Start : Jan 23, 6:24:46.662 pm	End : Jan 23, 6:24:48.393 pm	Duration : 1.731 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 31 FAILED - 2 SKIPPED - 6

1

4

39

Pass %

0 %

Pass %

50 %

Pass %

79 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test Employee all End points using different http request	1.731 s	4	2	2	0	39	31	2	6

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Employee	4	2	2	0	1	0	1	0
@GetSingleEmployee	1	0	1	0	1	0	1	0
@DeleteSingleEmployee	1	0	1	0	1	0	1	0
@GetAllEmployeeAsPerCondition	1	1	0	0	1	0	1	0
@GetAllEmployee	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Test Employee all End points using different http request	4	2	2	0	1.731 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Employee all End points using different http request	Retrieve Employee Entity	10	6	1	3	1.450 s
2	Test Employee all End points using different http request	Delete Employee Entity	10	6	1	3	0.027 s
3	Test Employee all End points using different http request	Retrieve All Employee Entity	10	10	0	0	0.130 s
4	Test Employee all End points using different http request	Retrieve All Employee Entity	9	9	0	0	0.042 s

Test Employee all End points using different http request

FAILED	DURATION - 1.731 s		Scenarios		Steps	
			Total - 4		Total - 39	
/ 6:24:46.662 pm // 6:24:48.393 pm /			Pass - 2	4	Pass - 31	39
			Fail - 2		Fail - 2	
			Skip - 0		Skip - 6	

Retrieve Employee Entity

FAILED	DURATION - 1.450 s			Steps	
/ 6:24:46.666 pm // 6:24:48.116 pm /				Total - 10	
Test Employee all End points using different http request				Pass - 6	10
				Fail - 1	
@Employee @GetSingleEmployee				Skip - 3	

#	Step / Hook Details	Status	Duration
1	* user set base uri	PASSED	0.460 s
2	Given user set "employees" base path	PASSED	0.001 s
3	And user get the request specification object	PASSED	0.190 s
4	And user add employee id "3" as path parameter	PASSED	0.016 s
5	When user select http get request to retrieve employee single entity	PASSED	0.703 s
6	Then user get validatable reponse interface object	PASSED	0.015 s
7	And user validate status code 200	FAILED	0.045 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)
	   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:84)		
	at io.restassured.internal.ValidatableResponseImpl.super2statusCode(ValidatableResponseImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:136)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at StepAPI.EmployeeStep.user_validate_status_code(EmployeeStep.java:52)		
	at ?.user validate status code 200(file:///C:/Users/gauri/git/BDDFramewrk2024/src/test/java/FeatureFiles/Employee.feature:14)		
	* Not displayable characters are replaced by '?'.		
8	And user validate status line "200 OK"	SKIPPED	0.000 s
9	And user validate response time 5000 ms	SKIPPED	0.001 s
10	And user generate response logs	SKIPPED	0.000 s

Delete Employee Entity

FAILED   DURATION - 0.027 s

/ 6:24:48.152 pm // 6:24:48.179 pm /

Test Employee all End points using different http request

@Employee @DeleteSingleEmployee

Steps
Total - 10
Pass - 6
Fail - 1
Skip - 3

10

#	Step / Hook Details	Status	Duration
1	* user set base uri	PASSED	0.001 s
2	Given user set "employees" base path	PASSED	0.000 s
3	And user get the request specification object	PASSED	0.001 s
4	And user add employee id "84cf" as path parameter	PASSED	0.000 s
5	When user select http delete request to delete employee single entity	PASSED	0.020 s
6	Then user get validatable reponse interface object	PASSED	0.001 s
7	And user validate status code 200	FAILED	0.002 s

java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)

| #	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:84) at io.restassured.internal.ValidatableResponseImpl.super2statusCode(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:136) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at StepAPI.EmployeeStep.user_validate_status_code(EmployeeStep.java:52) at ?.user validate status code 200(file:///C:/Users/gauri/git/BDDFramewrk2024/src/test/java/FeatureFiles/Employee.feature:26) * Not displayable characters are replaced by '?'.		
8	And user validate status line "200 OK"	SKIPPED	0.000 s
9	And user validate response time 5000 ms	SKIPPED	0.000 s
10	And user generate response logs	SKIPPED	0.000 s

Retrieve All Employee Entity

PASSED	DURATION - 0.130 s
/ 6:24:48.192 pm // 6:24:48.322 pm /	
Test Employee all End points using different http request	
@Employee @GetAllEmployeeAsPerCondition	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	* user set base uri	PASSED	0.000 s
2	Given user set "employees" base path	PASSED	0.001 s
3	And user get the request specification object	PASSED	0.001 s
4	And user add employee query parameter "lasNname" and "Jadhav"	PASSED	0.006 s
5	When user select http get request to retrieve all employee entity	PASSED	0.013 s
6	Then user get validatable reponse interface object	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
7	And user validate status code 200	PASSED	0.001 s
8	And user validate status line "200 OK"	PASSED	0.010 s
9	And user validate response time 5000 ms	PASSED	0.018 s
10	And user generate response logs	PASSED	0.064 s

Retrieve All Employee Entity

PASSED	DURATION - 0.042 s
/ 6:24:48.351 pm // 6:24:48.393 pm /	
Test Employee all End points using different http request	
@Employee @GetAllEmployee	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	* user set base uri	PASSED	0.001 s
2	Given user set "employees" base path	PASSED	0.000 s
3	And user get the request specification object	PASSED	0.001 s
4	When user select http get request to retrieve all employee entity	PASSED	0.031 s
5	Then user get validatable reponse interface object	PASSED	0.000 s
6	And user validate status code 200	PASSED	0.000 s
7	And user validate status line " OK"	PASSED	0.002 s
8	And user validate response time 5000 ms	PASSED	0.000 s
9	And user generate response logs	PASSED	0.006 s