



DATA REMEDIATION PROPOSAL · JULY 2026

Resolving unassigned vote numbers

A plan to identify, auto-resolve and file the fuel transactions whose Issue Vote does not yet match a cost-centre — so every litre lands under the right department.

94.8%

ALREADY RESOLVED

1,477

TXNS TO RESOLVE · 70 VOTES

48%

AUTO-FIXABLE, NO INPUT

Where the numbers stand today

Every fuel **issue (FIS)** carries an **Issue Vote** — the budget code of the division that received the fuel. Reports join that code to the cost-centre registry to show a department name. When the code isn't in the registry, the dashboard falls back to the raw number (e.g. 3030101150275) and the fuel is effectively unattributed. I measured the current state directly against the database:



- ☒ **26,848** FIS transactions resolved to a department
- ☐ **1,477** unresolved (5.2%) — across **70** distinct votes
- ☐ **0** blank votes — every transaction has a code

The good news: this is a small, bounded tail — 70 codes, not thousands — and nearly half of it can be fixed with no human input at all (next page).

The 1,477 split into two clean buckets

Bucket A

Auto-fix

705

TRANSACTIONS · 39 VOTES

Fund-code variants. The suffix differs (...150275 instead of ...100655) but the first 7 digits — the division code — match exactly one registered division. Resolvable automatically with zero ambiguity.

Bucket B

Needs filing

772

TRANSACTIONS · 31 VOTES

Unregistered codes. The division code itself isn't in the registry (includes 15 Excel precision-degraded codes the earlier repair couldn't uniquely match). These need a person to assign or create the cost-centre.

Anatomy of a vote number

Every code is 13 digits. The leading 7 identify the **division**; the trailing 6 are a **fund / project suffix** that can vary for the same division. That structure is the key to fixing Bucket A safely.



Track 1 — Auto-resolve by division prefix

For each unresolved vote, take its first 7 digits and look up which registered division(s) share that prefix. If **exactly one** division matches, resolve it. I tested this against all 70 unresolved codes:

PREFIX MATCH RESULT	VOTES	TXNS	ACTION
Unique division match	39	705	Auto-resolve — safe, applied at ingestion + one-time backfill
Ambiguous (>1 division)	0	0	None occur — no risk of misattribution
No prefix in registry	31	772	Falls through to Track 2 (human review)

Why this is safe: zero unresolved codes map to more than one division, so prefix-matching can never guess wrong. Resolution is recorded as a lightweight alias (vote → division), never by overwriting the transaction's original code — so it's fully auditable and reversible.

Where Track 1 runs

- **At ingestion** — extends the existing self-heal (which already fixes Excel scientific-notation degradation) with a prefix fallback, so new uploads resolve on the way in.
- **One-time backfill** — a re-runnable script resolves the 705 existing transactions and prints exactly what it changed, mirroring the vote-repair script already in `scripts/`.

Track 2 — File the rest in the Registry

The remaining 31 codes need human knowledge. Rather than hunting through spreadsheets, a new **"Unassigned votes"** tab in the existing Registry surfaces them as a worklist — ranked by impact — with a one-click resolution for each.

Vote numbers
Departments
Fleet units
Unassigned votes (31)

Unassigned vote review

772 transactions across 31 codes · sorted by transaction volume

Bulk assign

VOTE CODE	SUGGESTED MATCH	TXNS	LITRES	RESOLVE
1510201100655	Electricity ▶ Streetlights ?	145	9,903	Assign New
2000201100655	No suggestion — pick manually	83	5,039	Assign New
1000251100655	No suggestion — pick manually	68	3,878	Assign New

Assign 1510201100655 →

Department ▼ Dept of Electricity

Division ▼ Electricity Streetlights

Save & re-resolve

Mockup — the new "Unassigned votes" tab in the Registry, styled in the current Municipal Blue theme. Each row shows real impact (txns / litres) so the highest-value codes get filed first.


How a resolution flows

- **Suggested match** — where the division prefix hints at a likely division (but isn't certain), it's pre-filled as a suggestion the reviewer confirms or overrides.
- **Assign** registers the code against an existing department + division; **New** opens the standard "add cost-centre" form pre-filled with the code.
- On save, the affected transactions immediately re-resolve — the count at the top ticks down, giving a clear sense of progress.

Making the gap visible until it's closed


While codes await filing, the interface should be honest about it — never silently mislabel, and always point to where it can be fixed.

Before — raw numbers, no context



Today: unattributed fuel shows as opaque 13-digit codes.

After — names, with a clear flag



After: resolved names; the residual tail is grouped as one amber "Unassigned" row that links to the review queue.

A standing indicator

A small amber badge in the dashboard header — **"12 unassigned codes · 772 L"** — links straight to the review queue, so the backlog stays visible to admins and trends toward zero without anyone having to go looking for it.

Rollout — four small, reversible steps

STEP	WHAT	EFFORT	OUTCOME
1	Backfill script: prefix-resolve the 39 unambiguous votes (alias table, printed diff, re-runnable)	~0.5 day	705 txns fixed
2	Extend ingestion self-heal with the prefix fallback so new uploads stay clean	~0.5 day	No new Bucket-A debt
3	Registry "Unassigned votes" tab — worklist, suggestions, assign / create, live re-resolve	~1.5 days	772 txns fileable
4	Grouped "Unassigned" rows in charts + dashboard badge linking to the queue	~0.5 day	Backlog always visible

Net effect: ~48% of the gap (705 txns) closes automatically on day one with zero risk; the remaining 52% becomes a short, ranked worklist that anyone with departmental knowledge can clear in a sitting — and the design keeps the tail visible so it never silently grows again.

Nothing in this document has been implemented — it is a proposal for review. On approval, I'd suggest starting with Steps 1–2 (pure win, no UI) and reviewing the resolved output before building the queue.