Ex 1.1

Relations Ex 1.1 Q1(i)

```
A be the set of human beings.
R = \{(x,y): x \text{ and } y \text{ work at the same place}\}
Reflexive:
        x and x works together
        (x,x) \in R
        R is reflexive
\Rightarrow
Symmetric: If x and y work at the same place, which implies,
y and \times work at the same place
        (y,x) \in R
        R is symmetric
Transitive: If x and y work at the same place
then \boldsymbol{x} and \boldsymbol{y} work at the same place and \boldsymbol{y} and \boldsymbol{z} work at the same place
        (x,z) \in R and
Hence,
        R is transitive
```

Relations Ex 1.1 Q1(ii)

.4 be the set of human beings.

 $R = \{(x,y): x \text{ and } y \text{ lives in the same locality } \}$

Reflexive: since x and x lives in the same locality

$$\Rightarrow$$
 $(x,x) \in R$

Symmetric: Let $(x,y) \in R$

- \Rightarrow x and y lives in the same locality
- \Rightarrow y and x lives in the same locality
- \Rightarrow $(y,x) \in R$

Transitive: Let $(x, y) \in R$ and $(y, z) \in R$

$$(x, y) \in R$$

- \Rightarrow x and y lives in the same locality
 - and $(y, z) \in R$
- \Rightarrow y and z lives in the same locality
- \Rightarrow x and z lives in the same locality
- \Rightarrow (x, z) \in R
- ⇒ R is transitive

Relations Ex 1.1 Q1(iii)

$$R = \{(x,y) : x \text{ is wife of } y\}$$

Reflexive: since x can not be wife of x

⇒ R is not reflexive

Symmetric: Let $(x,y) \in R$

- \Rightarrow x is wife of y
- \Rightarrow y is husband of x
- ⇒ (y,x) ∉ R
- ⇒ R is not symmetric

Transitive: Let $(x,y) \in R$ and $(y,z) \in R$

- \Rightarrow x is wife of y and y is husband of z which is a contradiction
- ⇒ (x,z) ∉ R
- ⇒ R is not transitive

Relations Ex 1.1 Q1(iv)

```
A be the set of human beings
R = \{(x, y) : x \text{ is father of } y\}
Reflexive: since x can not be father of x
 ∴ (x, x) ∉ R
 ⇒ R is not reflexive
Symmetric: Let (x, y) \in R
 \Rightarrow x is father of y
 \Rightarrow y can not be father of x
 ⇒ (γ, x) ∉ R
 ⇒ R is not symmetric
Transitive: Let (x, y) \in R and (y, z) \in R
 \Rightarrow x is father of y and y is father of z
 ⇒ x is grandfather of z
 ⇒ (x, z) ∉ R
 ⇒ R is not transitive
Relations Ex 1.1 Q2
We have,
                 A = \{a, b, c\}
R_1 = \{(a, a)(a, b)(a, c)(b, b)(b, c)(c, a)(c, b)(c, c)\}
        R_1 is reflexive as (a,a) \in R_1, (b,b) \in R_1 \otimes (c,c) \in R_1
        R_1 is not symmetric as (a,b) \in R_1 but (b,a) \in R_1
        R_1 is not transitive as (b,c) \in R_1 and (c,a) \in R_1 but (b,a) \notin R_1
R_2 = \{(a, a)\}
        R_2 is not reflexive as (b,b) \notin R_2
        R_2 is symmetric and transitive.
R_3 = \{(b,c)\}
        R_3 is not reflexive as (b,b) \notin R_3
        R_3 is not symmetric
        R_3 is not transitive.
R_4 = \{(a,b)(b,c)(c,a)\}
        R<sub>4</sub> is not reflexive on set A as (a,a) ∉ R<sub>4</sub>
        R_4 is not symmetric as (a,b) \in R_4 but (b,a) \notin R_4
        R_4 is not transitive as (a,b) \in R_4 and (b,c) \in R_4 but (a,c) \notin R_4
Relations Ex 1.1 O3
```

$$R_1 = \left\{ \left(x, y \right), x, y \in Q_0, x = \frac{1}{y} \right\}$$

Reflexivity: Let, $x \in Q_0$

$$\Rightarrow \qquad x \neq \frac{1}{x}$$

$$\Rightarrow$$
 $(x,x) \in R_1$

 \therefore R_1 is not reflexive

Symmetric: Let, $(x,y) \in R_1$

$$\Rightarrow \qquad x = \frac{1}{v}$$

$$\Rightarrow$$
 $y = \frac{1}{x}$

$$\Rightarrow$$
 $(y,x) \in R_1$

.. R₁ is symmetric symmetric

Transitive: Let, $(x,y) \in R_1$ and $(y,z) \in R_1$

$$\Rightarrow \qquad x = \frac{1}{y} \text{ and } y = \frac{1}{z}$$

$$\Rightarrow x = z$$

$$\Rightarrow$$
 $(x,z) \notin R_1$

 \therefore R_1 is not trasitive

Relations Ex 1.1 Q3(ii)

Reflexivity: Let, a \in z

$$\Rightarrow$$
 $|a-a|=0 \le 5$

$$\therefore \qquad (a,a) \in R_2 \Rightarrow R_2 \text{ is reflexive}$$

Symmetricity:Let, $(a,b) \in R_2$

$$\Rightarrow |a-a| \le 5$$

$$\Rightarrow |b-a| \le 5$$

$$\Rightarrow$$
 $|b,a| \in R_2 \Rightarrow R_2 \text{ is symmetric}$

Transitivity: Let, $(a,b) \in R_2$ and $(b,c) \in R_2$

$$\Rightarrow$$
 $|a-b| \le 5$ and $|b-c| \le 5$

$$\Rightarrow$$
 R₂ is not transitive

$$\begin{bmatrix} \therefore & \text{if } a = 15, b = 11, c = 7 \\ & \Rightarrow & |15 - 11| \le 5 \text{ and } |11 - 7| \le 5 \\ & \text{but } |15 - 7| \ge 5 \end{bmatrix}$$

(i) We have,
$$A = \{1, 2, 3\}$$
 and $R_1 = \{(1, 1)(1, 3)(3, 1)(2, 2)(2, 1)(3, 3)\}$

$$(1,1),(2,2) \text{ and } (3,3) \in R_1$$

.. R₁ is not Reflexive

Now,

∴
$$(2,1) \in R_1$$
 but $(1,2) \notin R_1$

 \therefore R_1 is not Symmetric

Again,

:
$$(2,1) \in R_1$$
 and $(1,3) \in R_1$ but $(2,3) \notin R_1$

.: R₁ is not Transitive

(ii)
$$R_2 = \{(2,2), (3,1), (1,3)\}$$

$$\therefore \qquad (1,1) \notin R_2$$

⇒ R2is not reflexive

Now,
$$(1,3) \in R_2$$

$$\Rightarrow$$
 (3,1) $\in R_2$

⇒ R₂ is symmetric

Again,
$$(3,1) \in R_2$$
 and $(1,3) \in R_2$ but $(3,3) \notin R_1$

 \therefore R_2 is not transitive

(iii)
$$R_3 = \{(1,3)(3,3)\}$$

$$\therefore \qquad \left(1,1\right) \notin R_3$$

⇒ R3is not reflexive

Now,
$$(1,3) \in R_3$$
 but $(3,1) \in R_3$

 \Rightarrow R_3 is not symmetric

Again, It is clear that R_3 is transitive

Relations Ex 1.1 Q5.

Reflexivity: Let $a \in R$

$$\Rightarrow$$
 $(a,a) \notin R$

.. R is not reflexive

Symmetric: Let aRb

:. R is not Symmetric

Transitive: Let aRb and bRc

$$\Rightarrow$$
 a-a> and b-c>0

$$\Rightarrow a-c>0$$

Relations Ex 1.1 Q5(ii)

We have, aRb iff 1+ab>0Let R be the set of real numbers

Reflexive: Let a∈ R

$$\Rightarrow$$
 1+ $a^2 > 0$

Symmetric: Let aRb

$$\Rightarrow$$
 1+ab > 0

$$\Rightarrow$$
 1+ba>0

Transitive: Let aRb and bRc

$$\Rightarrow$$
 1+ab > 0 and 1+bc > 0

Relations Ex 1.1 Q5(iii)

We have, aRb if $|a| \le b$

Reflexivity: Let $a \in R$

⇒ R is not reflexive

Symmetric: Let aRb

⇒ R is not symmetric

Transitive: Let aRb and bRc

$$\Rightarrow$$
 $|a| \le b$ and $|b| \le c$

$$\Rightarrow$$
 $|a| \le |b| \le c$

Relations Ex 1.1 Q6.

Let $A = \{1, 2, 3, 4, 5, 6\}.$

A relation R is defined on set A as:

$$R = \{(a, b): b = a + 1\}$$

Therefore,
$$R = \{(1, 2), (2, 3), (3, 4), (4, 5), (5, 6)\}$$

We find $(a, a) \notin R$, where $a \in A$.

For instance, (1, 1), (2, 2), (3, 3), (4, 4), (5, 5), $(6, 6) \notin R$

Therefore, R is not reflexive.

It can be observed that $(1, 2) \in R$, but $(2, 1) \notin R$.

Therefore, R is not symmetric.

Now,
$$(1, 2)$$
, $(2, 3) \in \mathbf{R}$

Therefore, R is not transitive

Hence, R is neither reflexive, nor symmetric, nor transitive.

Relations Ex 1.1 Q7.

$$R = \{(a, b): a \le b^3\}$$

It is observed that
$$\left(\frac{1}{2}, \frac{1}{2}\right) \notin R$$
 as $\frac{1}{2} > \left(\frac{1}{2}\right)^3 = \frac{1}{8}$.

Therefore, R is not reflexive.

Now,
$$(1, 2) \in R$$
 (as $1 < 2^3 = 8$)

But,
$$(2, 1) \notin R$$
 (as $2^3 > 1$)

Therefore, R is not symmetric.

We have

$$\left(3, \ \frac{3}{2}\right), \ \left(\frac{3}{2}, \ \frac{6}{5}\right) \in R \text{ as } 3 < \left(\frac{3}{2}\right)^3 \text{ and } \frac{3}{2} < \left(\frac{6}{5}\right)^3.$$

But
$$\left(3, \frac{6}{5}\right) \notin R \text{ as } 3 > \left(\frac{6}{5}\right)^3$$
.

Therefore, R is not transitive.

Hence, R is neither reflexive, nor symmetric, nor transitive.

Let A be a set.

Then $I_A = \{(a, a) : a \in A\}$ is the identity relation on A.

Hence, every identity relation on a set is reflexive by definition.

Converse:

Let $A = \{(a,b,c)\}$ be a set. Let $R = \{(a,a)(b,b)(c,c)(a,b)\}$ be a relation defined on A.

Clearly R is reflexive on set A, but it is not identity relation on set A as $(a,b) \in R$

Hence, a reflexive relation need not be identity relation.

Relations Ex 1.1 Q9

We have, $A = \{1, 2, 3, 4\}$

(i) $R = \{(1,1)(2,2)(3,3)(4,4)(1,2)\}$ is a relation on set A which is reflexive, transitive but not symmetric

(ii) $R = \{(2,3)(3,2)\}$ is a relation on set A which is symmetric but neither reflexive nor transitive

(iii) $R = \{(1,1)(2,2)(3,3)(4,4)(1,2)(2,1)\}$ is a relation on set A which is reflexive, symmetric and transitive

Relations Ex 1.1 Q10

We have, $R - \{(x, y); x, y \in N, 2x + y = 41\}$

Then Domain of R is $x \in N$, such that

$$2x + y = 41$$

$$\Rightarrow x = \frac{41 - y}{2}$$

Since $y \in N$, largest value that x can take corresponds to the smallest value that y can take.

$$x = \{1, 2, 3, \dots, 20\}$$

Range of R is $y \in N$ such that

$$2x + y = 41$$

$$y = 41 - 2x$$

Since, $x = \{1, 2, 3, \dots, 20\}$

$$y = \{39, 37, 35, 33, \dots, 7, 5, 3, 1\}$$

Since, $(2,2) \notin R,R$ is not reflexive.

Also, since $(1,39) \in R$ but $(39,1) \notin R$, R is not symmetric.

Finally, since, $(15,11) \in R$ and $(11,19) \in R$ but $(15,19) \notin R$

. R is not trasitive.

Relations Ex 1.1 Q11

No, it is not necessary that a relation which is symmetric and transitive is reflexive as well.

For Example,

Let
$$A = \{a, b, c\}$$
 be a set and

$$R_2 = \{(a, a)\}$$
 is a relation defined on A .

Clearly,

 R_2 is symmetric and transitive but not reflexive.

Relations Ex 1.1 Q12

It is given that an integer m is said to be relative to another integer n if m is a multiple of n.

In other words

$$R = \{(m,n); \quad m = kn, k \in z\}$$

Reflexivity: Let, $m \in Z$

$$\Rightarrow$$
 $m = 1.m$

$$\Rightarrow$$
 $(m,m) \in R$

R is reflexive

Transitive: Let $(a,b) \in R$ and $(b,c) \in R$

$$\Rightarrow$$
 $a = kb$ and $b = k'c$

$$\Rightarrow$$
 $a = kk'c$

$$\begin{bmatrix} \therefore & kk' \in Z \end{bmatrix}$$
$$\begin{bmatrix} \therefore & l = kk' \in Z \end{bmatrix}$$

$$\Rightarrow$$
 $(a,c) \in R$

R is transitive

Symmetric: Let $(a,b) \in R$

$$\Rightarrow$$
 $b = \frac{1}{b}$

but
$$\frac{1}{k}$$
 ∉ z if k ∈ z

R is not symmetric

Relations Ex 1.1 Q13

We have,

relation $R = " \ge "$ on the set R of all real numbers

Reflexivity: Let $a \in R$

Symmetric: Let $a,b \in R$

such that a≥b ⇒ b≥a

"≥" not symmetric

Transitivity: Let $a,b,c \in R$ and $a \ge b$ & $b \ge c$

```
(i) Let A = \{4, 6, 8\}.
Define a relation R on A as:
A = \{(4, 4), (6, 6), (8, 8), (4, 6), (6, 4), (6, 8), (8, 6)\}
Relation R is reflexive since for every a \in A, (a, a) \in R i.e., (4, 4), (6, 6), (8, 8) \in R.
Relation R is symmetric since (a, b) \in R \Rightarrow (b, a) \in R for all a, b \in R.
Relation R is not transitive since (4, 6), (6, 8) \in R, but (4, 8) \notin R.
Hence, relation R is reflexive and symmetric but not transitive.
(ii ) Define a relation R in R as:
R = \{a, b\}: a^3 \ge b^3\}
Clearly (a, a) \in R as a^3 = a^3.
                                                                                                  a = a.
Therefore, R is reflexive.
Now, (2, 1) \in R (as 2^3 \ge 1^3)
But, (1, 2) ∉ R (as 13 < 23)
Therefore, R is not symmetric.
Now, Let (a, b), (b, c) \in \mathbb{R}.
\Rightarrow a^3 \ge b^3 and b^3 \ge c^3
\Rightarrow a^3 \ge c^3
\Rightarrow (a, c) \in R
Therefore, R is transitive.
Hence, relation R is reflexive and transitive but not symmetric.
Hence, relation R is transitive but not reflexive and symmetric.
(iv)Let A = \{5, 6, 7\}.
Define a relation R on A as R = \{(5, 6), (6, 5)\}.
Relation R is not reflexive as (5, 5), (6, 6), (7, 7) \notin R.
Now, as (5, 6) ∈ R and also (6, 5) ∈ R, R is symmetric.
\Rightarrow (5, 6), (6, 5) ∈ R, but (5, 5) ∉ R
Therefore, R is not transitive.
Hence, relation R is symmetric but not reflexive or transitive.
(v)Consider a relation R in R defined as:
R = \{(a, b): a < b\}
For any a \in \mathbb{R}, we have (a, a) \notin \mathbb{R} since a cannot be strictly less than a itself. In fact, a = a.
Therefore, R is not reflexive.
Now, (1, 2) \in R (as 1 < 2)
But, 2 is not less than 1.
Therefore, (2, 1) ∉ R
Therefore, R is not symmetric.
Now, let (a, b), (b, c) \in \mathbb{R}.
\Rightarrow a < b \text{ and } b < c
\Rightarrow a < c
\Rightarrow (a, c) \in R
Therefore, R is transitive.
Hence, relation R is transitive but not reflexive and symmetric.
Relations Ex 1.1 Q15
We have,
        A = \{1,2,3\} and R\{(1,2)(2,3)\}
Now,
        To make R reflexive, we will add(1,1)(2,2) and(3,3) to get
        R' = \{(1,2)(2,3)(1,1,)(2,2)(3,3)\} is reflexive
Again to make R' symmetric we shall add (3,2) and (2,1)
        R'' = \{(1,2)(2,3)(1,1)(2,2)(3,3)(3,2)(2,1)\} is reflexive and symmetric
Now.
        To make R'' transitive we shall add (1,3) and (3,1)
        R''' = \{(1,2)(2,3)(1,1)(2,2)(3,3)(3,2)(2,1)(1,3)(3,1)\}
        R''' is reflexive, symmetric and transitive
```

Relations Ex 1.1 Q16

We have, $A = \{1, 2, 3\}$ and $R = \{(1, 2), (1, 1), (2, 3)\}$

To make R transitive we shall add (1,3) only.

$$R' = \{(1,2)(1,1)(2,3)(1,3)\}$$

Relations Ex 1.1 Q17

A relation R in A is said to be reflexive if aRa for all a∈A

R is said to be transitive if aRb and bRc \Rightarrow aRc

for all $a, b, c \in A$.

Hence for R to be reflexive (b, b) and (c, c) must be there in the set R.

Also for R to be transitive (a, c) must be in R because (a, b) \in R and (b, c) \in R so (a, c) must be in R.

So at least 3 ordered pairs must be added for R to be reflexive and transitive.

Relations Ex 1.1 Q18

A relation R in A is said to be reflexive if aRa for all a \in A, R is symmetric if aRb \Rightarrow bRa, for all a, b \in A and it is said to be transitive if aRb and bRc \Rightarrow aRc for all $a, b, c \in A$.

 \bullet x > y, x, y \in N

 $(x,y) \in \{(2,1),(3,1),...,(3,2),(4,2),...\}$ This is not reflexive as (1,1),(2,2),...are absent.

This is not symmetric as (3,1) is present but (1,2) is absent. This is rot symmetric as (3,1) is present but (1,2) is absent. This is transitive as (3,2) \in R and (2,1) \in R also (3,1) \in R, similarly this property satisfies all cases.

• x + y = 10, x, y ∈ N

(x, y) ∈ {(1, 9), (9, 1), (2, 8), (8, 2), (3, 7), (7, 3), (4, 6), (6, 4), (5, 5)}

This is not reflexive as (1, 1),(2, 2)..... are absent.

This only follows the condition of symmetric set as $(1, 9) \in \mathbb{R}$ also $(9, 1) \in \mathbb{R}$ similarly other cases are also satisfy the condition. This is not transitive because $\{(1, 9), (9, 1)\} \in \mathbb{R}$ but (1, 1) is absent.

This is not transitive because (1, 9)(7, 1) fix but (1, 1) is absent. • xy is square of an integer, $x, y \in \mathbb{N}$ (x, y) $\in \{(1, 1), (2, 2), (4, 1), (1, 4), (3, 3), (9, 1), (1, 9), (4, 4), (2, 8), (8, 2), (16, 1), (1, 16)...$ This is reflexive as (1, 1), (2, 2)..... are present. This is also symmetric because if $a\mathbb{N} \Rightarrow b\mathbb{N} a$, for all $a, b\mathbb{N}$.

This is transitive also because if aRb and bRc \Rightarrow aRc for all a, b, c \in N.

• x + 4y = 10, x, y ∈ N

 $(x, y) \in \{(6, 1), (2, 2)\}$ This is not reflexive as (1, 1), (2, 2)....are absent.

This is not symmetric because (6,1) \in R but (1,6) is absent.

This is not transitive as there are only two elements in the set having no element common.

Ex 1.2

```
Relations Ex 1.2 Q1
We have,
R = \{(a,b): a-b \text{ is divisible by 3; a,b, } \in Z\}
To prove: R is an equivalence relation
Proff:
Reflexivity: Let a ∈ Z
       a - a = 0
       a - a is divisible by 3
       (a,a) \in R
       R is reflexive
Symmetric: Let a,b \in Z and (a,b) \in R
       a - b is divisible by 3
       a - b = 3p
                     For som e p ∈ Z
       b-a=3\times(-p)
       b-a\in R
       R is symmetric
Transitive: Let a,b,c \in Z and such that (a,b) \in R and (b,c) \in R
       a-b=3p and b-c=3q For some p,q\in Z
       a-c=3(p+q)
       a-c is divisible by 3
       (a,c) \in R
       R is transitive
```

Since, $\it R$ is reflexive, symmetric and transitive, so $\it R$ is equivalence relation.

```
TWe have,
R = \{(a,b): a-b \text{ is divisible by 2; a,b, } \in Z\}
 To prove: R is an equivalence relation
Proff:
Reflexivity: Let a \in Z
        a - a = 0
       a - a is divisible by 2
        (a,a) \in R
        R is reflexive
Symmetric: Let a,b \in Z and (a,b) \in R
       a - b is divisible by 2
                        For some p ∈ Z
        a-b=2p
       b-a=2\times(-p)
        b-a\in R
        R is symmetric
 Transitive: Let a,b, c \in Z and such that (a,b) \in R and (b,c) \in R
        a-b=2p and b-c=q For some p,q\in Z
        a-c=2(p+q)
        a-c is divisible by 2
 \Rightarrow
        (a,c) \in R
 \Rightarrow
        R is transitive
Relations Ex 1.2 Q3
We have,
R = \{(a,b): (a-b) \text{ is divisible by 5} \} \text{ on } Z.
```

We want to prove that R is an equivalence relation on Z.

Now,

Reflexivity: Let a∈ Z

⇒ a-a=0

 \Rightarrow a-a is divisible by 5.

: (a,a)∈R, soR is reflexive

Symmetric: Let $(a,b) \in R$

 \Rightarrow a-b = 5P For some $P \in Z$

 \Rightarrow $b-a=5\times(-P)$

⇒ b-a is divisible by 5

 \Rightarrow $(b,a) \in R$, so R is symmetric

Transitive: Let $(a,b) \in R$ and $(b,c) \in R$

 \Rightarrow a-b=5p and b-c=5q For some p,q \in Z

 \Rightarrow a-c=5(p+q)

 \Rightarrow a-c is divisible by 5.

⇒ R is transitive.

Thus, $\ensuremath{\mathcal{R}}$ being reflexive,symmetric and transitive on Z.

Hence, R is equivalence relation on Z

Relations Ex 1.2 Q4

 $\mathcal{R} = \left\{ \left(a, b \right) \colon \ a\text{-b is divisible by n} \right\} \text{ on } \mathcal{Z}.$

Now,

Reflexivity: Let $a \in Z$

- \Rightarrow $a-a=0\times n$
- ⇒ a a is divisible by n
- ⇒ (a, a) ∈ R
- ⇒ R is reflexive

Symmetric: Let $(a,b) \in R$

- \Rightarrow a-b=np For some $p \in Z$
- \Rightarrow b-a=n(-p)
- \Rightarrow b a is divisible by n
- \Rightarrow $(b,a) \in R$
- ⇒ R is symmetric

Transitive: Let $(a,b) \in R$ and $(b,c) \in R$

- \Rightarrow a-b=xp and b-c=xq For some p, $q \in Z$
- \Rightarrow a-c=n(p+q)
- \Rightarrow a-c is divisible by n
- \Rightarrow $(a,c) \in R$
- ⇒ R is transitive

Thus, ${\it R}$ being reflexive, symmetric and transitive on ${\it Z}$.

Hence, R is an equivalence relation on Z

Relations Chapter 1 Ex 1.2 Q5

```
We have, Z be set of integers and
R = \{(a,b): a,b \in \mathbb{Z} \text{ and } a+b \text{ is even } \} be a relation on \mathbb{Z}.
We want to prove that {\cal R} is an equivalence relation on {\cal Z}.
Now,
Reflexivity: Let a \in Z
                                         [if a is even ⇒ a+a is even]
        a+a is even
                                         [if a is odd ⇒ a+a is even]
        (a,a) \in R
        R is reflexive
Symmetric: Let a,b \in Z and (a,b) \in R
        a+b is even
        b + a is even
\Rightarrow
        (b,a) \in R
        R is symmetric
\Rightarrow
Transitivity: Let (a,b) \in R and (b,c) \in R For some a,b,c \in Z
        a+b is even and b+c is even
                                         [if b is odd, then a and c must be odd \Rightarrow a+c is even,
        a+c is even
                                         If b is even, then a and c must be even \Rightarrow a+c is even
        (a,c) \in R
        R is transitive
```

Hence, R is an equivalence relation on Z

```
Let Z be set of integers
R = \{(m,n): m-n \text{ is divisible by } 13\} be a relation on Z.
Now,
Reflexivity: Let m \in Z
       m - m = 0
       m-m is divisible by 13
       (m,m) \in R,
       R is reflexive
Symmetric: Let m, n \in \mathbb{Z} and (m, n) \in \mathbb{R}
       m-n=13.p For some p \in Z
       n-m=13\times(-p)
       n-m is divisible by 13
       (n-m) \in R,
\Rightarrow
so
       R is symmetric
Transitivity: Let (m,n) \in R and (n,q) \in R For some m,n,q \in Z
       m-n=13p and n-q=13s For some p,s \in Z
       m-q=13(p+s)
\Rightarrow
       m-q is divisible by 13
       (m,q) \in R
       R is transitive
Hence, R is an equivalence relation on Z
Relations Ex 1.2 Q7
 (x, y) R (u, v) \Leftrightarrow xv = yu
 TPT Reflexive
                            \therefore xy = yx
                                     (x, y) R (x, y)
 TPT
          Symmetric
                            Let
                                     (x, y) R (u, v)
 TPT
          (u, v) R (x, y)
 Given xv = yu
 \Rightarrow yu = xv
 \Rightarrow uy = vx
          (u, v) R (x, y)
                   Let (x, y) R (u, v) and (u, v) R (p, q) ......(i)
 Transitive
 TPT
          (x, y) R (p, q)
          xq = yp
 from (1) xv = yu \& uq = vp
 xvuq = yuvp
 xq = yp
          R is transitive
  ÷.
```

since R is reflexive symmetric & transitive all means it is an equivalence relation.]

```
We have, A = \{x \in z : 0 \le x \le 12\} be a set and
R = \{(a,b): a=b\} be a relation on A
Now,
Reflexivity: Let a ∈ A
        (a,a) \in R
        {\it R} is reflexive
Symmetric: Let a,b \in A and (a,b) \in R
        a = b
        b = a
        (b,a) \in R
        R is symmetric
Transitive: Let a, b & c ∈ A
and Let (a,b) \in R and (b,c) \in R
        a = b and b = c
\Rightarrow
        a = c
        (a,c) \in R
        R is transitive
Since R is being relfexive, symmetric and transitive, so
\ensuremath{\mathcal{R}} is an equivalance relation.
```

Also, we need to find the set of all elements related to 1. Since the relation is given by, R={(a,b):a=b}, and 1 is an element of A, $R=\{(1,1):1=1\}$

Thus, the set of all elements related to 1 is 1.

```
(i) We have, L is the set of lines.
R = \{(L_1, L_2): L_1 \text{ is parallel to } L_2\} be a relation on L
Now,
Reflexivity: Let L_1 \in L
Since a line is always parallel to itself.
        (L_1, L_2) \in R
        R is reflexive
Symmetric: Let L_1, L_2 \in L and (L_1, L_2) \in R
        L_1 is parallel to L_2
       L_2 is parallel to L_1
        \{L_1,L_2\}\in R
     R is symmetric
Transitive: Let L_1, L_2 and L_3 \in L
                                          such that (L_1, L_2) \in R and (L_2, L_3) \in R
        L_1 is parallel to L_2 and L_2 is parallel to L_3
        L_1 is parallel to L_3
\Rightarrow
        \{L_1,L_3\}\in R
\Rightarrow
        R is transitive
Since, R is reflexive, symmetric and transitive, so R is an equivalence relation.
(ii) The set of lines parallel to the line y = 2x + 4 is
```

```
y = 2x + c For all c \in R
```

Where R is the set of real numbers.

Relations Ex 1.2 Q10

```
R = \{(P_1, P_2): P_1 \text{ and } P2 \text{ have same the number of sides}\}
R is reflexive since (P_b, P_i) \in R as the same polygon has the same number of sides with
itself.
Let (P_1, P_2) \in R.
\Rightarrow P<sub>1</sub> and P<sub>2</sub>have the same number of sides.
⇒ P₂ and P₁ have the same number of sides.
\Rightarrow (P_2 P_1) \in R
∴R is symmetric.
Now,
Let (P_1, P_2), (P_2, P3) \in R.
\Rightarrow P<sub>1</sub> and P<sub>2</sub> have the same number of sides. Also, P<sub>2</sub> and P3 have the same number of
\Rightarrow P<sub>1</sub> and P3 have the same number of sides.
\Rightarrow (P<sub>1</sub>, P3) \in R
∴R is transitive.
Hence, R is an equivalence relation.
The elements in Airelated to the right-angled triangle (T) with sides 3, 4, and 5 are
those polygons which have 3 sides (since T is a polygon with 3 sides).
Hence, the set of all elements in A related to triangle T is the set of all triangles.
```

Let A be set of points on plane.

Let $R = \{(P,Q): OP = OQ\}$ be a relation on A where O is the origin.

To prove R is an equivalence relation, we need to show that R is reflexive, symmetric and transitive on A.

Now,

Reflexivity: Let $p \in A$

Since
$$OP = OP \Rightarrow (P, P) \in R$$

⇒ R is reflexive

Symmetric: Let $(P,Q) \in R$ for $P,Q \in A$

Then OP = OQ

- \Rightarrow OQ = OP
- \Rightarrow $(Q,P) \in R$
- ⇒ R is symmetric

Transitive: Let $(P,Q) \in R$ and $(Q,S) \in R$

- \Rightarrow OP = OQ and OQ = OS
- \Rightarrow OP = OS
- \Rightarrow $(P,S) \in R$
- ⇒ R is transitive

Thus, R is an equivalence relation on A

Relations Ex 1.2 Q12

Given $A=\{1,2,3,4,5,6,7\}$ and $R=\{(a,b):both a and b are either odd or even number\}$

Therefore,

 $\begin{aligned} R &= &\{(1,1),(1,3),(1,5),(1,6),(3,3),(3,5),(3,7),(5,5),(5,7),(7,7),(7,5),(7,3),(5,3),(6,1),(5,1),(3,1),\\ &(2,2),(2,4),(2,6),(4,4),(4,6),(6,6),(6,4),(6,2),(4,2)\} \end{aligned}$

Form the relation Rit is seen that Ris symmetric, reflecive and transitive also. Therefore Ris an equivalent relation.

From the relation R it is seen that $\{1,3,5,7\}$ are related with each other only and $\{2,4,6\}$ are related with each other

Relations Ex 1.2 Q13

$$S = \left\{ \left(a, b \right) : \ a^2 + b^2 = 1 \right\}$$

Now,

Reflexivity: Let $a = \frac{1}{2} \in \mathbb{R}$

Then, $a^2 + a^2 = \frac{1}{4} + \frac{1}{4} = \frac{1}{2} \neq$

⇒ (a,a) ∉ S

S is not reflexive

Hence, S in not an equivalenve relation on R

We have, $\,\,$ Z be set of integers and $\rm Z_0$ be the set of non-zero integers.

$$R = \{(a,b)(c,d): ad = bc\}$$
 be a relation on $z \times z_0$

Now,

Reflexivity: $(a,b) \in Z \times Z_0$

- ⇒ ab = ba
- \Rightarrow $((a,b),(a,b)) \in R$
- ⇒ R is reflexive

Symmetric: Let $((a,b),(c,d)) \in R$

- ⇒ ad = bc
- ⇒ cd = da
- \Rightarrow $((c,d),(a,b)) \in R$
- ⇒ R is symmetric

Transitive: Let $(a,b),(c,d) \in R$ and $(c,d),(e,f) \in R$

- \Rightarrow ad = bc and cf = de
- $\Rightarrow \frac{a}{b} = \frac{c}{d} \text{ and } \frac{c}{d} = \frac{e}{f}$
- $\Rightarrow \frac{\partial}{\partial x} = \frac{e}{x}$
- \Rightarrow af = be

We have, $\,\,$ Z be set of integers and $\,$ Z $_{0}$ be the set of non-zero integers.

$$R = \{(a,b)(c,d): ad = bc\}$$
 be a relation on Z and Z_0 .

Now,

Reflexivity: $(a,b) \in Z \times Z_0$

- ⇒ ab = ba
- \Rightarrow $((a,b),(a,b)) \in R$
- ⇒ R is reflexive

Symmetric: Let $((a,b),(c,d)) \in R$

- ⇒ ad = bc
- ⇒ cd = da
- \Rightarrow $((c,d),(a,b)) \in R$
- ⇒ R is symmetric

Transitive: Let $(a,b),(c,d) \in R$ and $(c,d),(e,f) \in R$

- \Rightarrow ad = bc and cf = de
- $\Rightarrow \qquad \frac{a}{b} = \frac{c}{d} \text{ and } \frac{c}{d} = \frac{e}{f}$
- $\Rightarrow \frac{\partial}{\partial x} = \frac{\partial}{\partial x}$
- \Rightarrow af = be
- \Rightarrow $(a,b)(e,f) \in R$
- ⇒ R is transitive

Hence, R is an equivalence relation on $Z \times Z_0$

 ${\cal R}$ and ${\cal S}$ are two symmetric relations on set ${\cal A}$

(i) To prove: $R \cap S$ is symmetric Let $(a,b) \in R \cap S$

$$\Rightarrow$$
 $(a,b) \in R$ and $(a,b) \in S$

$$\Rightarrow$$
 $(b,a) \in R$ and $(b,a) \in S$ $[\because R \text{ and } S \text{ are symmetric}]$

$$\Rightarrow$$
 $(b,a) \in R \cap S$

$$\Rightarrow$$
 $R \land S$ is symmetric

To prove: $R \cup S$ is symmetric.

Let $(a,b) \in R \cup S$

$$\Rightarrow$$
 $(a,b) \in R$ or $(a,b) \in S$

$$\Rightarrow$$
 $(b,a) \in R$ or $(b,a) \in S$ $[\forall R \text{ and } S \text{ are symmetric}]$

$$\Rightarrow$$
 $(b,a) \in R \cup S$

$$\Rightarrow$$
 $R \cup S$ is symmetric

(ii) R and S are two relations on A such that R is reflexive.

To prove: $R \cup S$ is reflexive

Suppose $R \cup S$ is not reflexive.

This means that there is an $a \in R \cup S$ such that $\{a, a\} \notin R \cup S$

Since $a \in R \cup S$,

If
$$a \in R$$
, then $(a, a) \in R$ $[\because R \text{ is reflexive}]$

$$\Rightarrow$$
 $(a,a) \in R \cup S$

Hence, $R \cup S$ is reflexive

Relations Ex 1.2 Q16.

We will prove this by means of an example.

Let $A = \{a, b, c\}$ be a set and

$$R = \{(a, a)(b, b)(c, c)(a, b)(b, a)\}$$
 and

$$S = \{(a, a)(b, b)(c, c)(b, c)(c, b)\}$$
 are two relations on A

Clearly R and S are transitive relation on A

Now,
$$R \cup S = \{(a, a)(b, b)(c, c)(a, b)(b, a)(b, c)(c, b)\}$$

Here,
$$(a,b) \in R \cup S$$
 and $(b,c) \in R \cup S$

but
$$(a,c) \notin R \cup S$$

 $R \cup S$ is not transitive