

```

26  ●  SELECT *
27      FROM orders
28      WHERE purch_amt > 2000;

```

Result Grid   Filter Rows: Edit:    Export					
	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	81004	2750.80	2025-03-05	4101	6101
	81006	4325.60	2025-03-05	4102	6101
	81008	3580.90	2025-04-11	4101	6101
	81010	2180.45	2025-05-20	4106	6104
	81012	5120.75	2025-06-08	4102	6101
●	NULL	NULL	NULL	NULL	NULL

```
29  ●  SELECT *
30      FROM orders
31      WHERE ord_date = '2025-04-11';
```

Result Grid

 Filter Rows:

Edit:  Export/Im

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	81007	1295.35	2025-04-11	4105	6104
	81008	3580.90	2025-04-11	4101	6101
⬤	NULL	NULL	NULL	NULL	NULL

```
32 • SELECT *
33 FROM orders
34 WHERE salesman_id = 6101;
```

Result Grid



Filter Rows:

Edit:



Export/1

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	81002	1850.40	2025-02-18	4102	6101
	81004	2750.80	2025-03-05	4101	6101
	81006	4325.60	2025-03-05	4102	6101
	81008	3580.90	2025-04-11	4101	6101
	81012	5120.75	2025-06-08	4102	6101
●	NULL	NULL	NULL	NULL	NULL

```
35 • SELECT *
36 FROM orders
37 ORDER BY purch_amt DESC;
```

Result Grid

  Filter Rows:

Edit:    Export/Imp

	ord_no	purch_amt	ord_date	customer_id	salesman_id
	81012	5120.75	2025-06-08	4102	6101
	81006	4325.60	2025-03-05	4102	6101
	81008	3580.90	2025-04-11	4101	6101
	81004	2750.80	2025-03-05	4101	6101
	81010	2180.45	2025-05-20	4106	6104
	81002	1850.40	2025-02-18	4102	6101
	81007	1295.35	2025-04-11	4105	6104
	81011	875.30	2025-06-08	4104	6102
	81005	640.75	2025-02-18	4104	6102

```
38 • SELECT *
39 FROM orders
40 ORDER BY ord_date ASC;
```

Result Grid



Filter Rows:

Edit:



Export/Import:



	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	81001	325.75	2025-01-12	4101	6102
	81003	72.90	2025-01-12	4103	6103
	81002	1850.40	2025-02-18	4102	6101
	81005	640.25	2025-02-18	4104	6102
	81004	2750.80	2025-03-05	4101	6101
	81006	4325.60	2025-03-05	4102	6101
	81007	1295.35	2025-04-11	4105	6104
	81008	3580.90	2025-04-11	4101	6101
	81000	05.50	2025-05-20	4102	6102

orders 6 ▼

```
41 • SELECT SUM(purch_amt) AS total_revenue
42 FROM orders;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Conte

	total_revenue
▶	23113.95

```
43 • SELECT AVG(purch_amt) AS average_order
44 FROM orders;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:

	average_order
▶	1926.162500

```
45 • SELECT MAX(purch_amt) AS highest_order
46 FROM orders;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	highest_order
	5120.75


```
47 • SELECT MIN(purch_amt) AS lowest_order
48 FROM orders;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Conte

	lowest_order
▶	72.90

```
49 • SELECT COUNT(*) AS total_orders  
50 FROM orders;
```

Result Grid



Filter Rows:

Export:



Wrap Cell C

	total_orders
▶	12

```
51 • SELECT salesman_id,  
52         SUM(purch_amt) AS total_sales  
53 FROM orders  
54 GROUP BY salesman_id;
```

Result Grid



Filter Rows:

Export:



	salesman_id	total_sales
▶	6102	1841.30
	6101	17628.45
	6103	168.40
	6104	3475.80

```
54 GROUP BY salesman_id;  
55 • SELECT customer_id,  
56         SUM(purch_amt) AS total_purchase  
57 FROM orders  
58 GROUP BY customer_id;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	salesman_id	total_sales
▶	6102	1841.30
	6101	17628.45
	6103	168.40
	6104	3475.80

```
59 • SELECT customer_id,  
60         MAX(purch_amt) AS highest_purchase  
61 FROM orders  
62 GROUP BY customer_id;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	customer_id	highest_purchase
▶	4101	3580.90
	4102	5120.75
	4103	95.50
	4104	875.30
	4105	1295.35
	4106	2180.45

```
63 • SELECT salesman_id,  
64         SUM(purch_amt) AS total_sales  
65 FROM orders  
66 GROUP BY salesman_id  
67 HAVING SUM(purch_amt) > 3000;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



salesman_id	total_sales
6101	17628.45
6104	3475.80

```
68 • SELECT customer_id,  
69        SUM(purch_amt) AS total_purchase  
70 FROM orders  
71 GROUP BY customer_id  
72 HAVING SUM(purch_amt) > 2500;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	customer_id	total_purchase
▶	4101	6657.45
	4102	11296.75


```
73 • SELECT customer_id,  
74         COUNT(*) AS total_orders  
75 FROM orders  
76 GROUP BY customer_id  
77 HAVING COUNT(*) > 1;
```

Result Grid



Filter Rows:

Export:



Wrap

	customer_id	total_orders
▶	4101	3
	4102	3
	4103	2
	4104	2


```
78 • SELECT customer_id,  
79          SUM(purch_amt) AS total_purchase  
80 FROM orders  
81 GROUP BY customer_id  
82 HAVING SUM(purch_amt) > 1000  
83 ORDER BY total_purchase DESC;
```

Result Grid  Filter Rows: Export:  Wrap Cell Content:		
	customer_id	total_purchase
▶	4102	11296.75
	4101	6657.45
	4106	2180.45
	4104	1515.55
	4105	1295.35

```
84 • SELECT customer_id,  
85         MAX(purch_amt) AS max_purchase  
86 FROM orders  
87 GROUP BY customer_id  
88 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	customer_id	max_purchase
▶	4101	3580.90
	4102	5120.75
	4106	2180.45

```
89 • SELECT salesman_id,  
90         COUNT(*) AS total_orders  
91     FROM orders  
92     GROUP BY salesman_id  
93     HAVING COUNT(*) >= 2;
```

Result Grid



Filter Rows:

Export:



Wrap

	salesman_id	total_orders
▶	6102	3
	6101	5
	6103	2
	6104	2

```
94 • SELECT ord_date,  
95         MAX(purch_amt) AS highest_purchase  
96 FROM orders  
97 GROUP BY ord_date  
98 HAVING MAX(purch_amt) > 2000;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	ord_date	highest_purchase
▶	2025-03-05	4325.60
	2025-04-11	3580.90
	2025-05-20	2180.45
	2025-06-08	5120.75