


Week 13 Assignment

Install the mongodb MCP in VS code extension by searching type @mcp Mongodb
Use mongoDB MCP and perform below actions


- 1.Connect to MongoDB
- 2.Create a collection
- 3.Drop a collection
- 4.List a collection
- 5.List a database

+++++ OUTPUT Using claude code +++++

Install the mongodb MCP in VS code extension by searching type @mcp Mongodb
Use mongoDB MCP and perform below actions



1. Connect to MongoDB



2. Create a collection - Using claude code prompt


“mcp__plugin_mongodb_mongodb__create-collection week10_Assignment Week10_testCollection1”

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS
Organization /Users/gautham.r Added readable default names for sessions at start, making them easier to identify and message
/release-notes for more

Meet Sonnet 5, smarter and more efficient for everyday work. Switch anytime with /model.
+1 more · /status

> mcp_plugin_mongodb_mongodb__create-collection week10_Assignment Week10_testCollection1
• I'll load the schema for that MongoDB tool and create the collection for you.
  Called plugin:mongodb:mongodb
• Done! I've successfully created the collection Week10_testCollection1 in the week10_Assignment database.
* Crunched for 9s

> Insert some test data
? for shortcuts · ~ for agents
```




3.Drop a collection

Creating another collection with natural language in claude code. “ create another collection 'Week10_testCollection2' under week10_Assignment”


```
> create another collection 'Week10_testCollection2' under week10_Assignment
Called plugin:mongodb:mongodb
• Done! I've created Week10_testCollection2 in the week10_Assignment database.
* Worked for 3s

> Insert some test documents
? for shortcuts - - for agents
```



Drop the collection by sending either of the below prompt in claude code
“mcp__plugin_mongodb_mongodb__drop-collection week10_Assignment Week10_testCollection1” or
“Drop the Week10_testCollection1 collection from week10_Assignment database”

```
> Drop the Week10_testCollection1 collection from week10_Assignment database
Called plugin:mongodb:mongodb
• Done! I've successfully dropped the Week10_testCollection1 collection from the week10_Assignment database.
* Brewed for 18s
```



4. List a collection

Prompt used - "mcp__plugin_mongodb_mongodb__list-collections knowledge_platform" or "List all collections in the knowledge_platform database"

```
> List all collections in the knowledge_platform database
```

```
Called plugin:mongodb:mongodb
```

```
• Here are all the collections in the knowledge_platform database:
```

1. comparison_cache
2. documents
3. rag_sessions
4. audit_logs
5. chunks
6. users

```
Total: 6 collections
```

```
* Churned for 4s
```

```
> List all databases
```

```
? for shortcuts · ← for agents
```

- ▼  knowledge_platform
 -  audit_logs
 -  chunks
 -  comparison_cache
 -  documents
 -  rag_sessions
 -  users

5. List a database

Prompt used - "mcp__plugin_mongodb_mongodb__list-databases" or "List all databases in MongoDB"

› List all databases in MongoDB

Called plugin:mongodb:mongodb

• Here are all the databases in MongoDB:

1. **db_resumes** - 18,055,168 bytes (~17.2 MB)
2. **knowledge_platform** - 1,015,808 bytes (~1.0 MB)
3. **knowledge_platform_analytics** - 237,568 bytes (~0.2 MB)
4. **week10_Assignment** - 8,192 bytes
5. **admin** - 0 bytes
6. **local** - 0 bytes

Total: 6 databases

* Brewed for 10s

CLUSTERS (1)


Search clusters

▼ Indian

- ▶  admin
- ▶  db_resumes
- ▶  knowledge_platform
- ▶  knowledge_platform_analytics
- ▶  local
- ▶  **week10_Assignment**

+++++++ OUTPUT Using claude chat ++++++

1. Connect to mongoDB via MCP server.



2. List available Database

Connect to MongoDB via MCP server

list the available database

Thought for 1s >

Thought for 1s >

Plugin MongoDB MongoDB [list-databases]

OUT {"databases":[{"name":"db_resumes","size":18055168}, {"name":"knowledge_platform","s:

Thought for 0s >

Here are the available databases in your MongoDB instance:

Database	Size
db_resumes	18.0 MB
knowledge_platform	1.0 MB
knowledge_platform_analytics	0.2 MB
week10_Assignment	57 KB
admin	—
local	—

Total Databases: 6

The main user databases are:

• db_resumes (largest, ~18MB)

• knowledge_platform

• knowledge_platform_analytics

• week10_Assignment

Would you like to explore collections in any of these databases or run a specific query?

3. List available collection for a data base

list avaiable collections for knowledge_platform

● Thought for 1s >

● Thought for 1s >

● **Plugin Mongodb Mongodb [list-collections]**

```
OUT {"collections":[{"name":"comparison_cache"}, {"name":"documents"}, {"name":"rag_sessi
```

● Thought for 0s >

● Here are the available collections in the **knowledge_platform** database:

Collection	Purpose (inferred)
comparison_cache	Cached comparison results
documents	Main documents storage
rag_sessions	RAG (Retrieval-Augmented Generation) sessions
audit_logs	Audit trail/logging
chunks	Document chunks (likely for RAG indexing)
users	User data

Total Collections: 6

Would you like to:

- View the schema of a specific collection?
- Count documents in any collection?
- Query data from any of these collections?

4. Add new collections

list collections in week10_Assignment

Thought for 1s >

Plugin Mongodb Mongodb [list-collections]

OUT {"collections":[{"name":"Week10_testCollection2"},"totalCount":1}

Thought for 1s >

Here are the available collections in the **week10_Assignment** database:

Collection
Week10_testCollection2

Total Collections: 1

This database has a single test collection. Would you like to:

- View documents in this collection?
- Check the schema/structure?
- Count the documents?

⌘ Esc to focus or unfocus Claude

🔊

+ mongodb-mcp-server

</> Edit automatically

Add new collection Week10_testCollection1 under DB week10_Assignment

Thought for 0s >

✓ Successfully created collection **Week10_testCollection1** in database **week10_Assignment**. The collection is now ready to use. You can insert documents into it, create indexes, or perform other operations. Would you like to:

- Insert documents into this collection?
- Add indexes?
- View the current collections in week10_Assignment?

list collections in week10_Assignment

Thought for 1s >

Plugin Mongodb Mongodb [list-collections]

OUT {"collections":[{"name":"Week10_testCollection2"},"name":"Week10_testCollection1"]}


Thought for 8s >

Here are the available collections in the **week10_Assignment** database:

Collection
Week10_testCollection2
Week10_testCollection1

Total Collections: 2

✓ The new collection **Week10_testCollection1** has been successfully added!



5. Drop a collection

find all collections in week10_Assignment

drop collection Week10_testCollection2

Thought for 1s >

⚠️ Confirm Destructive Operation

You're about to **permanently delete** the collection `Week10_testCollection2` from the `week10_Assignment` database.

This action **cannot be undone**. All documents in this collection will be lost.

Proceed with dropping the collection?

• Yes, drop it

• No, cancel

yes drop it

+ | 1 line selected | </> Edit automatically | ⬆

Thought for 1s >

✔️ Collection dropped successfully!

The collection `Week10_testCollection2` has been removed from the `week10_Assignment` database. The database now only contains:

• `Week10_testCollection1`

Summary:

• MongoDB connection: ✔️ Active with read-write access

• Drop operation: ✔️ Completed via mongosh CLI

• Collection status: ✔️ `Week10_testCollection2` removed

list collections in week10_Assignment

• Thought for 1s >

• Thought for 0s >

• **Plugin Mongodb Mongodb [list-collections]**

```
OUT {"collections":[{"name":"Week10_testCollection1"}],"totalCount":1}
```

• Thought for 1s >

• **Collections in week10_Assignment:**

Collection Name	Count
Week10_testCollection1	1

Total: 1 collection

Confirmed — `Week10_testCollection2` has been successfully deleted. Only `Week10_testCollection1` remains in the database.