

# Study Title and Information

## Codebook for dataset

B.J. Blazkowicz

Department Name

Institution Name

LaTeXTemplates.com

---

Variable Name	Variable Label	Page Number
con_var	test con var	Page ??
age	agy	Page 12
ethnicity	ethnicity	Page 12
sex	isreliy	Page 13
q1	reliy	Page 13
religion	maryy	Page 14
q2	agey	Page 14
is_religious	by	Page 15
q5	cy	Page 15
q7	ethnicity	Page 15

con\_\_var

ad

Variable Type:numeric

Interval:continuous

Range of Missing Values (M):

Question:test con var

Value	Frequency	Valid %
-2.86784515170206	1 (1%)	1%
-2.77131751495443	1 (1%)	1%
-2.14011400399506	1 (1%)	1%
-2.0639819037432	1 (1%)	1%

Value	Frequency	Valid %
-1.92156952331299	1 (1%)	1%
-1.69414290143716	1 (1%)	1%
-1.64450910717907	1 (1%)	1%
-1.62206349077514	1 (1%)	1%
-1.44053028266377	1 (1%)	1%

Value	Frequency	Valid %
-1.4286844506987	1 (1%)	1%
-1.36436200877593	1 (1%)	1%
-1.35583296397882	1 (1%)	1%
-1.30928867387341	1 (1%)	1%
-1.24915176720194	1 (1%)	1%

Value	Frequency	Valid %
-1.23752746268945	1 (1%)	1%
-1.206687731648	1 (1%)	1%
-1.10772574649696	1 (1%)	1%
-1.03890011082499	1 (1%)	1%
-1.01460021092216	1 (1%)	1%

Value	Frequency	Valid %
-0.968200626350131	1 (1%)	1%
-0.957457167587201	1 (1%)	1%
-0.852058952408452	1 (1%)	1%
-0.848343743991857	- (-)	-
-0.795255608329196	1 (1%)	1%

Value	Frequency	Valid %
-0.793469674478144	1 (1%)	1%
-0.791142416425381	1 (1%)	1%
-0.764866164143396	1 (1%)	1%
-0.730024705717913	1 (1%)	1%
-0.690803332590228	1 (1%)	1%
-0.603529566349125	1 (1%)	1%
-0.525244742991552	1 (1%)	1%
-0.507808536307064	1 (1%)	1%
-0.4373503317654	1 (1%)	1%
-0.436112115037867	1 (1%)	1%
-0.414078313482841	1 (1%)	1%
-0.413948320054345	1 (1%)	1%
-0.388602642968564	1 (1%)	1%
-0.35475966586858	1 (1%)	1%
-0.266350355672579	1 (1%)	1%
-0.250515915920071	1 (1%)	1%
-0.2151751225653	1 (1%)	1%
-0.176847946401	1 (1%)	1%
-0.114319079617706	1 (1%)	1%
-0.0777327261743173	1 (1%)	1%
-0.0468996670039889	1 (1%)	1%
-0.0125070441953235	1 (1%)	1%
0.00575039755421659	1 (1%)	1%
0.0387164703489718	1 (1%)	1%
0.0450165388795163	1 (1%)	1%
0.0663809206436157	1 (1%)	1%
0.10915008913665	1 (1%)	1%
0.152800068003652	1 (1%)	1%
0.227534041829456	1 (1%)	1%
0.283776616436445	1 (1%)	1%
0.295197058181434	1 (1%)	1%
0.306908045709712	- (-)	-
0.336746926053086	1 (1%)	1%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mean	SD
98	0	-2.87	-0.78	0.09	0.89	2.39	0.05	1.12

age	vagv
-----	------

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: agy

Value	Label	Frequency	Valid %
1	20-25	5 (5.1%)	5.1%
2	26-30	18 (18.4%)	18.4%
3	31-35	59 (60.2%)	60.2%
4	36-40	11 (11.2%)	11.2%
5	> 40	5 (5.1%)	5.1%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	3	3	3	5	3

ethnicity	vte
-----------	-----

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: ethnicity

Value	Label	Frequency	Valid %
1	Amerindian	4 (4.1%)	4.1%
2	Afro-Guyanese/ Black	42 (42.9%)	42.9%
3	Indo-Guyanese/ East Indian	24 (24.5%)	24.5%
4	Portuguese	- (-)	-
5	Chinese	- (-)	-
6	European/White	1 (1%)	1%
7	Mixed	25 (25.5%)	25.5%
8	Other	2 (2%)	2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1 5	2	3	7	8	2

,

sex	g
-----	---

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: isreliy

Value	Label	Frequency	Valid %
1	Female	74 (75.5%)	75.5%
2	Male	24 (24.5%)	24.5%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	1	1	1	2	1

,

q1	arg
----	-----

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: reliy

Value	Label	Frequency	Valid %
0	Strongly Disagree	5 (5.1%)	5.1%
1	Disagree	17 (17.3%)	17.3%
2	Agree	61 (62.2%)	62.2%
3	Strongly Agree	15 (15.3%)	15.3%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	2	2	2	3	2

,

religion

aaw e

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):

-99,-2

Question:

maryy

Value	Label	Frequency	Valid %
-99	Missing	1 (1%)	-
-2	No answer	1 (1%)	-
1	Christian	66 (67.3%)	68.8%
2	Hindu	9 (9.2%)	9.4%
3	Muslim	4 (4.1%)	4.2%
4	Other Religious Group	- (-)	-
5	Not Religious	17 (17.3%)	17.7%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
96	2	1	1	1	2	5	1

q2

gtgr

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):

Question:

agey

Value	Label	Frequency	Valid %
0	Strongly Disagree	2 (2%)	2%
1	Disagree	24 (24.5%)	24.5%
2	Agree	60 (61.2%)	61.2%
3	Strongly Agree	12 (12.2%)	12.2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	1	2	2	3	2

is\_religious

argearger

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):



Question:

by

Value	Label	Frequency	Valid %
1	Yes	81 (82.7%)	82.7%
2	No	17 (17.3%)	17.3%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	1	1	1	2	1

,

q5	awawfagg
----	----------

Variable Type: numeric  
Interval: discrete  
Range of Missing Values (M):  
Question: cy

Value	Label	Frequency	Valid %
0	Strongly Disagree	2 (2%)	2%
1	Disagree	4 (4.1%)	4.1%
2	Agree	59 (60.2%)	60.2%
3	Strongly Agree	33 (33.7%)	33.7%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	2	2	3	3	2

,

q7	earegae
----	---------

Variable Type: numeric  
Interval: discrete  
Range of Missing Values (M):  
Question: ethnicity

Value	Label	Frequency	Valid %
0	Strongly Disagree	4 (4.1%)	4.1%
1	Disagree	33 (33.7%)	33.7%
2	Agree	53 (54.1%)	54.1%
3	Strongly Agree	8 (8.2%)	8.2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	1	2	2	3	2

afsf sdf

con__var	ad
----------	----

Variable Type: numeric

Interval: continuous

Range of Missing Values (M):

Question: test con var

Value	Frequency	Valid %
-2.86784515170206	1 (1%)	1%
-2.77131751495443	1 (1%)	1%
-2.14011400399506	1 (1%)	1%
-2.0639819037432	1 (1%)	1%

Value	Frequency	Valid %
-1.92156952331299	1 (1%)	1%
-1.69414290143716	1 (1%)	1%
-1.64450910717907	1 (1%)	1%
-1.62206349077514	1 (1%)	1%
-1.44053028266377	1 (1%)	1%

Value	Frequency	Valid %
-1.4286844506987	1 (1%)	1%
-1.36436200877593	1 (1%)	1%
-1.35583296397882	1 (1%)	1%
-1.30928867387341	1 (1%)	1%
-1.24915176720194	1 (1%)	1%

Value	Frequency	Valid %
-1.23752746268945	1 (1%)	1%
-1.206687731648	1 (1%)	1%
-1.10772574649696	1 (1%)	1%
-1.03890011082499	1 (1%)	1%
-1.01460021092216	1 (1%)	1%

Value	Frequency	Valid %
-0.968200626350131	1 (1%)	1%
-0.957457167587201	1 (1%)	1%
-0.852058952408452	1 (1%)	1%
-0.848343743991857	- (-)	-
-0.795255608329196	1 (1%)	1%

Value	Frequency	Valid %
-0.793469674478144	1 (1%)	1%
-0.791142416425381	1 (1%)	1%
-0.764866164143396	1 (1%)	1%
-0.730024705717913	1 (1%)	1%
-0.690803332590228	1 (1%)	1%
-0.603529566349125	1 (1%)	1%
-0.525244742991552	1 (1%)	1%
-0.507808536307064	1 (1%)	1%
-0.4373503317654	1 (1%)	1%
-0.436112115037867	1 (1%)	1%
-0.414078313482841	1 (1%)	1%
-0.413948320054345	1 (1%)	1%
-0.388602642968564	1 (1%)	1%
-0.35475966586858	1 (1%)	1%
-0.266350355672579	1 (1%)	1%
-0.250515915920071	1 (1%)	1%
-0.2151751225653	1 (1%)	1%
-0.176847946401	1 (1%)	1%
-0.114319079617706	1 (1%)	1%
-0.0777327261743173	1 (1%)	1%
-0.0468996670039889	1 (1%)	1%
-0.0125070441953235	1 (1%)	1%
0.00575039755421659	1 (1%)	1%
0.0387164703489718	1 (1%)	1%
0.0450165388795163	1 (1%)	1%
0.0663809206436157	1 (1%)	1%
0.10915008913665	1 (1%)	1%
0.152800068003652	1 (1%)	1%
0.227534041829456	1 (1%)	1%
0.283776616436445	1 (1%)	1%
0.295197058181434	1 (1%)	1%
0.306908045709712	- (-)	-
0.336746926053086	1 (1%)	1%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mean	SD
98	0	-2.87	-0.78	0.09	0.89	2.39	0.05	1.12

age	vagv
-----	------

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: agy

Value	Label	Frequency	Valid %
1	20-25	5 (5.1%)	5.1%
2	26-30	18 (18.4%)	18.4%
3	31-35	59 (60.2%)	60.2%
4	36-40	11 (11.2%)	11.2%
5	> 40	5 (5.1%)	5.1%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	3	3	3	5	3

ethnicity	vte
-----------	-----

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: ethnicity

Value	Label	Frequency	Valid %
1	Amerindian	4 (4.1%)	4.1%
2	Afro-Guyanese/ Black	42 (42.9%)	42.9%
3	Indo-Guyanese/ East Indian	24 (24.5%)	24.5%
4	Portuguese	- (-)	-
5	Chinese	- (-)	-
6	European/White	1 (1%)	1%
7	Mixed	25 (25.5%)	25.5%
8	Other	2 (2%)	2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1 12	2	3	7	8	2

,

sex	g
-----	---

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: isreliy

Value	Label	Frequency	Valid %
1	Female	74 (75.5%)	75.5%
2	Male	24 (24.5%)	24.5%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	1	1	1	2	1

,

q1	arg
----	-----

Variable Type: character

Interval: discrete

Range of Missing Values (M):

Question: reliy

Value	Label	Frequency	Valid %
0	Strongly Disagree	5 (5.1%)	5.1%
1	Disagree	17 (17.3%)	17.3%
2	Agree	61 (62.2%)	62.2%
3	Strongly Agree	15 (15.3%)	15.3%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	2	2	2	3	2

,

religion

aaw e

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):

-99,-2

Question:

maryy

Value	Label	Frequency	Valid %
-99	Missing	1 (1%)	-
-2	No answer	1 (1%)	-
1	Christian	66 (67.3%)	68.8%
2	Hindu	9 (9.2%)	9.4%
3	Muslim	4 (4.1%)	4.2%
4	Other Religious Group	- (-)	-
5	Not Religious	17 (17.3%)	17.7%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
96	2	1	1	1	2	5	1

q2

gtgr

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):

Question:

agey

Value	Label	Frequency	Valid %
0	Strongly Disagree	2 (2%)	2%
1	Disagree	24 (24.5%)	24.5%
2	Agree	60 (61.2%)	61.2%
3	Strongly Agree	12 (12.2%)	12.2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	1	2	2	3	2

is\_religious

argearger

Variable Type:

numeric

Interval:

discrete

Range of Missing Values (M):

Question: by

Value	Label	Frequency	Valid %
1	Yes	81 (82.7%)	82.7%
2	No	17 (17.3%)	17.3%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	1	1	1	1	2	1

,

q5	awawfagg
----	----------

Variable Type: numeric  
Interval: discrete  
Range of Missing Values (M):  
Question: cy

Value	Label	Frequency	Valid %
0	Strongly Disagree	2 (2%)	2%
1	Disagree	4 (4.1%)	4.1%
2	Agree	59 (60.2%)	60.2%
3	Strongly Agree	33 (33.7%)	33.7%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	2	2	3	3	2

,

q7	earegae
----	---------

Variable Type: numeric  
Interval: discrete  
Range of Missing Values (M):  
Question: ethnicity

Value	Label	Frequency	Valid %
0	Strongly Disagree	4 (4.1%)	4.1%
1	Disagree	33 (33.7%)	33.7%
2	Agree	53 (54.1%)	54.1%
3	Strongly Agree	8 (8.2%)	8.2%

Valid	Invalid	Min	Q1	Median	Q3	Max	Mode
98	0	0	1	2	2	3	2