


Assignment Task

Spring Boot Project – College


Entity package



```
1 package com.klef.soa.entity;
2
3 import java.time.LocalDate;
4
5 @Entity
6 @Table(name = "college_table")
7 @Data
8 public class College
9 {
10     @Id
11     @GeneratedValue(strategy = GenerationType.IDENTITY)
12     @Column(name = "cid")
13     private long collegeId;
14
15     @Column(name = "name", length = 100, nullable = false)
16     private String name;
17
18     @Column(name = "ctype", length = 100, nullable = false)
19     private String type;
20
21     @Column(name = "status", nullable = false)
22     private boolean status;
23
24     @Column(nullable = false)
25     private String location;
26
27     @CreationTimestamp
28     private LocalDateTime createdAt;
29
30     @UpdateTimestamp
31     private LocalDateTime updatedAt;
32
33 }
```

Minimum pool size: undefined/unknown
Maximum pool size: undefined/unknown
2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] org.hibernate.orm.core : HHH000489: No JTA platform available (see Hibernate.org)
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable
2026-08-14T16:37:34.604+05:30 WARN 15740 --- [SpringBootProject] [restartedMain] jpaBaseConfigurationJpaWebConfiguration : spring.jpa.open-in-view is enabled by de
2026-08-14T16:37:34.921+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 2028 (http) with
2026-08-14T16:37:34.926+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] c.klef.soa.SpringBootProjectApplication : Started SpringBootProjectApplication in
Project is running.....

Repository package



```
1 package com.klef.soa.repository;
2
3 import java.util.List;
4
5 @Repository
6 public interface CollegeRepository extends JpaRepository<College, Long> {
7
8     Show AOT-generated Implementation, Query, etc...
9     List<College> findByName(String name);
10
11     Show AOT-generated Implementation, Query, etc...
12     List<College> findByType(String type);
13
14 }
```

2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] org.hibernate.orm.core : HHH000489: No JTA platform available (see
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable
2026-08-14T16:37:34.604+05:30 WARN 15740 --- [SpringBootProject] [restartedMain] jpaBaseConfigurationJpaWebConfiguration : spring.jpa.open-in-view is enabled by de
2026-08-14T16:37:34.921+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 2028 (http) with
2026-08-14T16:37:34.926+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] c.klef.soa.SpringBootProjectApplication : Started SpringBootProjectApplication in
Project is running.....
2026-08-14T16:39:29.632+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clo
2026-08-14T16:49:57.893+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clo

Service package

```
1 package com.klef.soa.service;
2
3 import java.util.List;
4
5
6
7 public interface CollegeService {
8
9     College addCollege(College c);
10    College updateCollege(College c);
11    String deleteCollegeById(long collegeId);
12    List<College> displayAllColleges();
13    College displayCollegeById(long collegeId);
14    List<College> displayCollegeByName(String name);
15    List<College> displayCollegeByType(String type);
16 }
17
```

Console Output:

```
2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] org.hibernate.orm.com : HH0000489: No JTA platform available (see
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable
2026-08-14T16:37:34.421+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] jpaBaseConfigurationJpaWebConfiguration : spring.jpa.open-in-view is enabled by de
2026-08-14T16:37:34.426+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with v
2026-08-14T16:37:34.426+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] com.klef.soa.SpringBootProjectApplication : Started SpringBootProjectApplication in
Project is running.....!!!
2026-08-14T16:39:29.632+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation or clost
2026-08-14T16:49:57.893+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation or clost
```


```
1 package com.klef.soa.service;
2
3 import java.util.List;
4
5
6
7 @Service
8 public class CollegeServiceImpl implements CollegeService {
9
10    @Autowired
11    private CollegeRepository collegerepo;
12
13    @Override
14    public College addCollege(College c) {
15        return collegerepo.save(c);
16    }
17
18    @Override
19    public College updateCollege(College c) {
20        College college = collegerepo.findById(c.getCollegeId()).orElse(null);
21
22        if (college != null) {
23            college.setName(c.getName());
24            college.setType(c.getType());
25            college.setStatus(c.getStatus());
26            college.setLocation(c.getLocation());
27
28            return collegerepo.save(college);
29        }
30
31        return null;
32    }
33
34    @Override
35    public String deleteCollegeById(long collegeId) {
36
37    }
38
39    @Override
40    public List<College> displayAllColleges() {
41
42    }
43
44    @Override
45    public College displayCollegeById(long collegeId) {
46
47    }
48
49    @Override
50    public List<College> displayCollegeByName(String name) {
51
52    }
53
54    @Override
55    public List<College> displayCollegeByType(String type) {
56
57    }
58 }

```


Console Output:

```
2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] org.hibernate.orm.com : HH0000489: No JTA platform available (see
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable
2026-08-14T16:37:34.421+05:30 INFO 15740 --- [SpringBootProject] [ restartedMain] jpaBaseConfigurationJpaWebConfiguration : spring.jpa.open-in-view is enabled by de
```


Controller package



Configuration package



applications.properties




The screenshot shows the Eclipse IDE with the `applications.properties` file open in the editor. The file contains the following configuration:

```
spring.application.name=SpringBootProject
server.port=2028
#connection properties
spring.datasource.driver-class-name=com.mysql.cj.jdbc.Driver
spring.datasource.url=jdbc:mysql://localhost:3306/soataskdb
spring.datasource.username=root
spring.datasource.password=root
#hibernate properties
spring.jpa.database-platform=org.hibernate.dialect.MySQLDialect
spring.jpa.hibernate.ddl-auto=update
spring.jpa.show-sql=true
spring.jpa.properties.hibernate.format_sql=true
```

The console output shows the application starting successfully. The output includes the following log messages:

```
2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] org.hibernate.orm.core : HHH000489: No JTA platform available (see https://hibernate.org/ for details)
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for dialect 'org.hibernate.dialect.MySQLDialect'
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.d.j.r.query.QueryEntityManagerFactory : Hibernate is in classpath; If applicable, spring.jpa.open-in-view is enabled by default.
2026-08-14T16:37:34.604+05:30 WARN 15740 --- [SpringBootProject] [restartedMain] jpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
2026-08-14T16:37:34.921+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 2028 (http) with 'org.apache.catalina.core.StandardEngine'
2026-08-14T16:37:34.926+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] c.klef.soa.SpringBootProjectApplication : Started SpringBootProjectApplication in 1.111 seconds
2026-08-14T16:39:29.632+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clock
2026-08-14T16:49:57.893+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clock
```

Project is Running



The screenshot shows the Eclipse IDE with the `SpringBootApplication.java` file open in the editor. The file contains the following code:

```
package com.klef.soa;

import org.springframework.boot.SpringApplication;

@SpringBootApplication
public class SpringBootApplication {



    public static void main(String[] args) {
        SpringApplication.run(SpringBootApplication.class, args);
        System.out.println("Project is running...!!!");
    }
}
```

The console output shows the application starting successfully. The output includes the following log messages:

```
2026-08-14T16:37:34.267+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] org.hibernate.orm.core : HHH000489: No JTA platform available (see https://hibernate.org/ for details)
2026-08-14T16:37:34.332+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for dialect 'org.hibernate.dialect.MySQLDialect'
2026-08-14T16:37:34.396+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.d.j.r.query.QueryEntityManagerFactory : Hibernate is in classpath; If applicable, spring.jpa.open-in-view is enabled by default.
2026-08-14T16:37:34.604+05:30 WARN 15740 --- [SpringBootProject] [restartedMain] jpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
2026-08-14T16:37:34.921+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 2028 (http) with 'org.apache.catalina.core.StandardEngine'
2026-08-14T16:37:34.926+05:30 INFO 15740 --- [SpringBootProject] [restartedMain] c.klef.soa.SpringBootProjectApplication : Started SpringBootProjectApplication in 1.111 seconds
2026-08-14T16:39:29.632+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clock
2026-08-14T16:49:57.893+05:30 WARN 15740 --- [SpringBootProject] [1-1:housekeeper] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Thread starvation on clock
```

OUTPUT SCREENSHOTS

Swagger dashboard



Swagger UI interface showing the API endpoint `localhost:2028/swagger-ui/index.html#/college-controller/displayCollegeById`. The input field for `collegedId` (integer, required) is set to `1`. The `Execute` button is highlighted.

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:2028/college/display/collegedId=1' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:2028/college/display/collegedId=1
```

Server response

Code **Details**

200

Response body

```
{
  "collegedId": 1,
  "createddt": "2026-08-05T19:02:50.002595",
  "location": "Guntur, Vijayawada",
  "name": "KLU",
  "status": true,
  "type": "Deemed to be University",
  "updateddt": "2026-08-05T19:02:50.003617"
}
```

Download

displaybyType

Swagger UI interface showing the API endpoint `localhost:2028/swagger-ui/index.html#/college-controller/displayCollegeByType`. The input field for `type` (string, required) is set to `Deemed to be University`. The `Execute` button is highlighted.

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:2028/college/displayBy/Type?type=Deemed:20to:20ba:20University' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:2028/college/displayBy/Type?type=Deemed:20to:20ba:20University
```

Server response

Code **Details**


200

Response body

```
{
  "collegedId": 1,
  "createddt": "2026-08-05T19:02:50.002595",
  "location": "Guntur, Vijayawada",
  "name": "KLU",
  "status": true,
  "type": "Deemed to be University",
  "updateddt": "2026-08-05T19:02:50.003617"
}
```

Download

deletebyid



The image shows a Swagger UI interface for a REST API endpoint named `deletebyid`. The interface is displayed in a web browser window with the address `localhost:2028/swagger-ui/index.html#/college-controller/deleteCollegeById`.

Endpoint Details:

- Name:** `colleged` (marked as required)
- Description:** `integer($int64)` (path)
- Path:** `/college/delete/{id}`

Form: A text input field contains the value `2`. Below the input are two buttons: `Execute` (highlighted in blue) and `Clear`.

Responses:

Curl:

```
curl -X 'DELETE' \
  'http://localhost:2028/college/delete/2' \
  -H 'accept: */*'
```

Request URL:

```
http://localhost:2028/college/delete/2
```

Server response:

Code	Details
200	Response body <pre>College Deleted Successfully</pre> Response headers <pre>connection: keep-alive</pre>

The interface also includes a `Download` button for the response body.