

```

EXAMINE VARIABLES=CRTScore BY Group
/PLOT BOXPLOT STEMLEAF
/COMPARE GROUPS
/PERCENTILES(5,10,25,50,75,90,95) HAVERAGE
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.

```

Table 22-4 Variance and Standard Deviation, Groups A and B

Explore

Group

Case Processing Summary

		Valid		Cases Missing		Total	
Group		N	Percent	N	Percent	N	Percent
CRTScore	Group A	8	100.0%	0	0.0%	8	100.0%
	Group B	8	100.0%	0	0.0%	8	100.0%

Descriptives

Group		Statistic	Std. Error
CRTScore	Group A	Mean	17.2500
		95% Confidence Interval for Lower Bound	15.5338
		Mean Upper Bound	18.9662
		5% Trimmed Mean	17.2778
		Median	18.0000
		Variance	4.214
		Std. Deviation	2.05287
		Minimum	14.00
		Maximum	20.00
		Range	6.00
		Interquartile Range	3.50
		Skewness	-.446
		Kurtosis	-.901
	Group B	Mean	17.2500
		95% Confidence Interval for Lower Bound	12.0243

	Mean	Upper Bound	22.4757	
	5% Trimmed Mean		17.1111	
	Median		18.0000	
	Variance		39.071	
	Std. Deviation		6.25071	
	Minimum		9.00	
	Maximum		28.00	
	Range		19.00	
	Interquartile Range		10.25	
	Skewness		.295	.752
	Kurtosis		-.098	1.481

Percentiles

			Percentiles			
		Group	5	10	25	50
Weighted Average(Definition 1)	CRTScore	Group A	14.0000	14.0000	15.2500	18.0000
		Group B	9.0000	9.0000	11.0000	18.0000
Tukey's Hinges	CRTScore	Group A			15.5000	18.0000
		Group B			12.0000	18.0000

Percentiles

				Percentiles	
		Group	75	90	95
Weighted Average(Definition 1)	CRTScore	Group A	18.7500	.	.
		Group B	21.2500	.	.
Tukey's Hinges	CRTScore	Group A	18.5000		
		Group B	20.5000		

CRTScore

