



Temperature Probe & Interface Cable

Certification



CE Mark

CE 0123 CE
CE Certificate
No: G110 06 06 66456 005



FDA 510(k)
No. : K121427



No.:2210215

Compliance with

BS EN12470-5:2001
EN 60601-1:1990
ISO10993-1,5,10:2003E

Compatibility

Major brands Temperature monitoring system

Content

- 1. Reusable Temp. Probe 117
- 1.1 Reusable Temp. Probe 118
- 1.2 Temp. Adapter Cable for reusable probe 121

- 2. Disposable Temp. Probe 123
- 2.1 Disposable Temp. Probe 124
- 2.2 Temp. Adapter Cable for disposable probe 125



① Reusable Temp. Probe

Compatible with major patient monitor brands

Air Shielded(AS)
Datex-Ohmeda(DX)
Marquette e0(MQ)
Philips(HP)

Spacelabs(SL)
Siemens(SM)
YSI(YSI)

Features

Accurate measurement
Quick response
Low noise signal transfer
Fully compatible with OEM technology
12 month warranty

Specification


Probe type	General purpose; Skin
Cable length	3.0m/1.5m;unless requirement applied
Cable diameter	2.60mm(Skin purpose) 4.00mm(General purpose)
Resister type	NTC/YSI400/2.252K@25
Cable Material	TPU jacket ,Light gray
Connector	Golden plated pins

1.1 Reusable Temp. Probe



Reference Number Rule Description

TSM2-15AS

T Temperature probe
SM Factory/model (See others left)
2 Dual channel(Default is single channel)
15 1.5m cable length(Default:=3.0m)
A Adult(P= Pediatric)
S Skin(G=general purpose)



OEM & Models	Unimed REF#	OEM PEF#	Application	Cable length	Monitor end plug	Price code
Air Shield						
	TAS-15AS		Adult skin	1.5m		C3
	TAS-15PS		Pediatric skin	1.5m		C4
	TAS-15AG		Adult general	1.5m		C3
	TAS-15PG		Pediatric general	1.5m		C4
Artema-S&W						
	TSW-AS		Adult skin	3.0m		C3
	TSW-PS		Pediatric skin	3.0m		C4
	TSW-AG		Adult general	3.0m		C3
	TSW-PG		Pediatric general	3.0m		C4
Biolight						
V6 Vital Si gn AnyView A2/A3/A5/A6/A8	TBLT-AS		Adult skin	3.0m		C3
	TBLT-PS		Pediatric skin	3.0m		C4
	TBLT-AG		Adult general	3.0m		C3
	TBLT-PG		Pediatric general	3.0m		C4
GE Marquette						
Ea gle, Tram, Solar, Mac-lab Cath lab	TMQ-AS		Adult skin	3.0m		C3
	TMQ-PS		Pediatric skin	3.0m		C4
	TMQ-AG		Adult general	3.0m		C3
	TMQ-PG		Pediatric general	3.0m		C4
	TMQ2-AS	Dual temp	Adult skin(2)	3.0m		D1
	TMQ2-AS/AG	Dual temp	Adult skin & general	3.0m		D1

OEM & Models	Unimed REF#	OEM PEF#	Application	Cable length	Monitor end plug	Price code
Philips						
All	THP-AS	21078A	Adult skin	3.0m		C3
	THP-PS		Pediatric skin	3.0m		C4
	THP-AG	21075A	Adult general	3.0m		C3
	THP-PG		Pediatric general	3.0m		C4
Mindray						
T5/T8 DPM 6,DPM 7	TMR-AS	0011-30-37393	Adult skin	3.0m		C3
	TMR-PS	0011-30-37395	Pediatric skin	3.0m		C4
	TMR-AG	0011-30-37392	Adult general	3.0m		C3
	TMR-PG	0011-30-37394	Pediatric general	3.0m		C4
Datascope Passport V, V12, V21	TDT-AS	040-000057-00	Adult skin	3.0m		C4
	TDT-PS	040-000058-00	Pediatric skin	3.0m		C5
	TDT-AG	040-000055-00	Adult general	3.0m		C4
	TDT-PG	040-000056-00	Pediatric general	3.0m		C5
Siemens/Drager						
	TSM-15AS	4329822(1.5m) 5204669(3.0M)	Adult skin	1.5m 3.0m		C4
	TSM-AS					
	TSM-15PS		Pediatric skin	1.5m		C5
	TSM-PS			3.0m		
	TSM-15AG	4329889(1.5m) 5204644(3.0m)	Adult general	1.5m 3.0m		C4
	TSM-AG					
	TSM-15PG	4329848(1.5m)	Pediatric general	1.5m		C5
	TSM-PG	5204651(3.0m)		3.0m		
Spacelabs						
	TSL-AS		Adult skin	3.0m		C7
	TSL-PS		Pediatric skin	3.0m		C8
	TSL-AG		Adult general	3.0m		C7
	TSL-PG		Pediatric general	3.0m		C8
	TSL2-AS		Adult skin(2)	3.0m		D3
	TSL2-AS/AG		Adult skin & general	3.0m		D3
YSI						
	T2252-AS	409B	Adult skin 成人体表	3.0m		B6
	T2252-PS	429	Pediatric skin	3.0m		B7
	T2252-AG	401	Adult general	3.0m		B6
	T2252-PG	402	Pediatric general	3.0m		B7
	T700-AS	709B	Adult skin	3.0m		C3
	T700-PS	729	Pediatric skin	3.0m		C4
	T700-AG	701	Adult general	3.0m		C3
	T700-PG	702	Pediatric general	3.0m		C4

OEM & Models	Unimed REF#	OEM PEF#	Application	Cable length	Monitor end plug	Price code
10K@25						
	T10-AS		Adult skin	3.0m		B6
	T10-PS		Pediatric skin	3.0m		B7
	T10-AG		Adult general			B6
	T10-PG		Pediatric general	3.0m		B7


OEM & Models	Unimed REF#	OEM PEF#	Application	Cable length	Monitor end plug	Price code
Ohmeda						
	TOH-AS		Adult skin	3.0m		C4
	TOH-AG		Adult general	3.0m		C4

OEM & Models	Unimed REF#	OEM PEF#	Application	Cable length	Monitor end plug	Price code
Air Temperature						
	T100-GP		For air Temp. measurement	3.0m		C4

Unimed REF#	Descriptions & Application	PCS /Per box	Price code
T004-16	Disposable temperature probe cover Used with reusable skin temp. probe to fixed the probe onto the skin and reflect the ambient light to ensure the accurate measurement.	16	A5



The probe cover package not includes the reusable probe. Separated order required.



1.2 Temp. Adapter Cable for reusable probe


Reference Number Rule Description

TSM-AD/2	
T	Temperature probe
SM	Factory/model (See other on previous page)
2	Dual channel(Default is single channel)
AD	Adapter, used with reusable YSI probes



	Unimed REF#	Application	Cable length	Monitor end plug	Probe end Connector	Price code
Artema-S&W						
	TSW-AD	Used with reusable YSI400 compatible probes	0.3m			C3
Biolight						
V6 Vital Sign AnyView A2/A3/A5/A6/A8	TBLT-AD	Used with reusable YSI400 compatible probes	0.3m			C3
GE Marquette						
Eagle, Tram, Solar, Mac-lab Cath lab	TMQ-AD	Used with reusable YSI400 compatible probes	0.3m			C3
	TMQ400-AD/2 402015-004	Used with reusable YSI400 compatible probes	0.3m			C4
	TMQ700-AD/2 402015-004	Used with reusable YSI700 compatible probes	0.3m			C4

OEM & Models	Unimed REF#	Application	Cable length	Monitor end plug	Probe end Connector	Price code
Philips Medical						
All	THP-AD 989803163281	Used with reusable YSI400 compatible probes	0.3m			C3
Mindray						
T5/T6/T8 DPM 6, DPM 7	TMR-AD	Used with reusable YSI400 compatible probes	0.3m			C3
Datascope Passport V, V12, V21	TDT-AD	Used with reusable YSI400 compatible probes	0.3m			C3
Nihon Kohden						
JT-900P	TNK-AD/2	Used with reusable YSI400 compatible probes	0.3m	NA		NA
Siemens/Drager						
	TSM-AD 5198333	Used with reusable YSI400 compatible probes	0.3m			C3
	TSM-AD/2 5592154	Used with reusable YSI400 compatible probes	0.3m			NA
Spacelabs						
	TSL-AD	Used with reusable YSI400 compatible probes	0.3m			C5
90496, 91496	TSL-AD/2 700-0031-00	Used with reusable YSI400 or YSI700 compatible probes	0.3m			D5
90496 / 91496 306655-002 / 306644-001	CO-SL-AD 700-0027-00	CO adapter cable	0.3m			D3
Ohmeda						
	TOH-AD		0.3m			NA



② Disposable Temp. Probe

Compatible with major patient monitor brands

Air Shielded(AS)	Mindray-Datascope(DT)
Drager(DG)	Philips(HP)
Marquette(MQ)	YSI400(YSI)
Mindray(MR)	Ohmeda(OH)

Features

- Single patient use
- Rectangle and Skin purpose
- Accurate measurement
- Quick response
- Low noise signal transfer
- Fully compatible with OEM technology

Specification


Probe type	General purpose; Skin
Cable length	0.75m/0.9m/3.0m; unless requirement applied
Resister type	NTC/YSI400/2.252K@25
Cable Material	PVC jacket ,white
Connector	Golden plated pins

2.1 Disposable Temp. Probe

Reference Number Rule Description

TMQ-DAG-20	
T	Temperature probe
MQ	Factory/model (See left)
D	Disposable Probe
A	Adult(P= Pediatric)
G	General purpose (S=Skin)
20	20 pcs per box (10=10pcs/box)

OEM Technology	REF#	OEM REF#	Application	Cable length	Probe adapter	Adapter cable	Package	Price
GE Healthcare , 400 series	TMQ-D-20	M1024222	Skin	75cm/90cm		THP-30-PH & See the next page of adapter cable	20	D5
	TMQ-DAG-20	M1024229	General	75cm/90cm				
Philips Medical 400 series	THP-D-20	21091A	Skin	75cm/90cm		THP-30-PH & See the next page of adapter cable	20	D5
	THP-DAG-20	21090A,M1837A	General	75cm/90cm				
Drager/Siemens 400 series	TDG-D-20		Skin	75cm/90cm		NA	20	D5
	TDG-DAG-20		General	75cm/90cm				
Siemens/Drager	TSM16-DAS-10	MP00995(1.6m)	Adult Skin	160cm 300cm		No need	10	D4
	TSM30-DAS-10	MP00996(3.0m)						
	TSM16-DPS-10	MP00997(1.6m)	Pediatric Skin	160cm 300cm				
	TSM30-DPS-10	MP00998(3.0m)						
	TSM16-DAG-10	MP00991(1.6m)	Adult General	160cm 300cm				
	TSM30-DAG-10	MP00992(3.0m)						
	TSM16-DPG-10	MP00993(1.6m)	Pediatric General	160cm 300cm				
	TSM30-DPG-10	MP00994(3.0m)						
Airshielded	TAS30-DAS-10		Skin	300cm		No need	10	D4
	TAS30-DAG-10		General			No need	10	D4
Philips Medical	TPM30-DAS-10		Skin	300cm		No need	10	D4
	TPM30-DAG-10		General					
Mindray T5/T8	TMR30-DAS-10		Skin	300cm		No need	10	D4
	TMR30-DAG-10		General					
Mindray - Datascope	TDT30-DAS-10		Skin	300cm		No need	10	D4
	TDT30-DAG-10		General					
Ohmeda,10K	TOH30-DAS-10		Skin	300cm		No need	10	NA
	TOH30-DAG-10		General					
Biolight	TBLT30-DAS-10		Skin	300cm		No need	10	D4
	TBLT30-DAG - 10		General					
Spacelabs	TSL30-DAS-10		Skin	300cm		No need	10	D4
	TSL30-DAG-10		General					
YSI400	TYSI30-DAS-10		Skin	300cm		No need	10	D4
	TYSI30-DAG - 10		General					
Artema/S&W	TSW30-DAS-10		Skin	300cm		No need	10	D4
	TSW30-DAG - 10		General					






2.2 Temp. Adapter Cable for disposable probe

Reference Number Rule Description

THP-30-AD	
T	Temperature Adapter Cable
HP	Factory/model (See others on the previous page)
30	3.0m cable length
AD	used with YSI 400 series disposable probe(PH: Philips disposable probe)

OEM & Models	Probe end Conn	UNIMED REF#	Probe end Conn	UNIMED REF#	Cable length	Monitor end plug	Price code
	For 400 Disposable		For Philips Disposable				
Artema-S&W							
		TSW-30-AD		TSW-30-PH	3.0m		C3
Biolight							
		TBLT-30-AD		TBLT-30-PH	3.0m		C3
GE Marquette							
Eagle, Tram, Solar, Mac-lab Cath lab		TMQ-30-AD 2021701-001		TMQ-30-PH	3.0m		C3
Philips Medical							
All		THP-30-AD		THP-30-PH (21082A),3.0m (21082B),1.5m	3.0m		C3

OEM & Models	Probe end Conn	UNIMED REF#	Probe end Conn	UNIMED REF#	Cable length	Monitor end plug	Price code	
	For 400 Disposable		For Philips Disposable					
Mindray								
T5/T8 DPM 6, DPM 7			TMR-30-AD		TMR-30-PH	3.0m		C3
Passport								
V, V12, V21			TDT-30-AD 040-000091-00		TDT-30-PH	3.0m		C3
Siemens								
			TSM-30-AD		TSM-30-PH	3.0m		C3
Spacelabs								
			TSL-30-AD		TSL-30-PH	3.0m		C5
YSI 400								
			TYSI-30-AD (165640),1.3m (165641),2.8m (9445-801),3.6m		TYSI-30-PH (989803162591),3.0m (989803162601),1.5m	3.0m		B8





Multi-Parameter Patient Cable

Certification



CE Mark

510(K) clearance
No. : K082959

No.:2210215

Compliance with

ANSI/AAMI EC53:1998
EN 60601-1:1990
ISO10993-1,5,10:2003E

Compatibility

Major brands of multi-parameter monitoring system

REF#	Used with the OEM and models	Descriptions	Cable plug	Package	Price code
SM-STE5 (3368391), 2.5m	Siemens/Drager Infinity 6000 / 7000 / 9000 Drager Infinity Gamma/Gamma XL/Gamma X XL Delta/Delta XL Kappa/Kappa XLT Vista/Vista XL	Multimed 5 Pod patient cable, 2.5m or 1.5m 5-lead ECG, VS/Siemens Spo2/Temp/Resp. AHA & IEC		1pcs	D8
SM15-STE5 (5950192), 1.5m					
SM-STE6 (5191221)	Siemens/Drager Infinity 6000 7000 9000 Drager Infinity Gamma/Gamma XL/Gamma X XL Delta/Delta XL	Multimed 6 Pod patient cable, 2.5m 6-lead ECG, VS/Siemens Spo2/Temp/Resp. AHA & IEC		1pcs	D9
SM-STE12 (5589663)	Drager Infinity Delta/Delta XL Kappa/Kappa XLT	Multimed 12 Pod patient cable, 3.0m 12-lead ECG, VS/Siemens Spo2/AUX. AHA & IEC		1pcs	NA
SM-MX5 (5590539)	Drager Infinity Gamma/Gamma XL/Gamma X XL Delta/Delta XL Kappa/Kappa XLT Vista/Vista XL	NeoMed Pod Patient cable, 2.5m ECG/Resp/Spo2 Dual Temp/FiO2 AHA & IEC		1pcs	D9
DG-STE6 (MS20093)	Drager Infinity Gamma/Gamma XL/Gamma X XL Delta/Delta XL Kappa/Kappa XLT Vista/Vista XL	Multimed Plus patient cable, 2.5m Spo2/Temp 6-lead ECG/Resp. AHA & IEC		1pcs	D9
DG-STE6-OR (MS20094)	Drager Infinity Gamma/Gamma XL/Gamma X XL Delta/Delta XL Kappa/Kappa XLT Vista/Vista XL	Multimed Plus OR patient cable, 2.5m Spo2/Temp 6-lead ECG/Resp. AHA & IEC		1pcs	NA
SM-STE6 Y05-T091	Unimed compatible multi-parameter patient cable like SM-STE5.	The holder of the multi-parameter cable yoke to fix onto the pole or wall on bedside.		1pcs	C2
Y05-T092	Siemens/Drager original multi-parameter patient cable. Siemens/Drager	The purpose is the Same as above		1pcs	C6



Veterinary VitalSign Monitoring Cables & Accessories



Certification



Compliance with

ISO9919-2005
ANSI/AAMI EC53:1998
EN 60601-1:1990
ISO10993-1,5,10:2003E



① SpO2 Sensor & Accessories

Sensor Type	Sensor REF#	Holder REF#	Unit Price	
Rectal/Reflect		REF# Y04-E050	\$9.90	
Fig.A	U800V series 1.1m/3.0m cable length Compatible with all major brands like Nellcor, BCI, Nonin...	U800V系列 1.1m/3.0m线缆 兼容所有主要品牌如Nellcor, BCI, Nonin...	Fig.B	
Lingual clip	Holder 1 REF# Fig.D	Holder 2 REF# Fig.E	Holder 3 REF# Fig.F	
Fig.C	U800 Multi-Site series 1.1m/3.0m cable length Compatible with all major brands like	Size: Small Size: Medium L: 58mm W: 16mm \$2.90	Size: Large L: 68mm W: 32mm \$4.90	\$5.90

Contact Unimed sales representative for the REF# per the oximeter to be used.

② ECG adapter

Universal Vet ECG adapter

Used with standard ECG leads with following electrodes
Snap end;Grabber;3mm needle or 4mm banana end electrode

Ref to fig.	REF#	Package	Price code
Fig.G	UVC-05-10 UVC-05	10pcs/bag 1 pcs	D1 A7