



EXPERIMENT-23



Weka Explorer

Preprocess Classify **Cluster** Associate Select attributes Visualize

Open file... Choose **None**

Filter: Choose **None**

Current relation: Relation: None Instances: None

Attributes: All

Clusterer: Choose **EM** -I 100 -N -1 -X 10 -max -1 -ll-cv 1.0E-6 -ll-iter 1.0E-6 -M 1.0E-6 -K 10 -num-slots 1 -S 100

Cluster mode: ☒ Use training set ☐ Supplied test set Set... ☐ Percentage split % 66 ☐ Classes to clusters evaluation (Nom) class ☒ Store clusters for visualization

Ignore attributes: Start Stop

Result list (right-click for options): 18:04:36 - EM

Cluster output:

```

mass
  mean      34.6052  29.458  31.9674
  std. dev.   7.6535   8.1157   7.0137

pedi
  mean      0.642  0.4023  0.3789
  std. dev.  0.4342  0.2257  0.2266

age
  mean      36.6656  23.9583  38.9112
  std. dev.  10.7088   2.5897  12.6593

class
  tested_negative  108.1931  236.1879  158.619
  tested_positive  142.6434   19.676  108.6807
  [total]          250.8365  255.8639  267.2997

Time taken to build model (full training data) : 1.21 seconds

=== Model and evaluation on training set ===

Clustered Instances

0    228 ( 30%)
1    203 ( 26%)
2    337 ( 44%)

Log likelihood: -24.97229

```

Log x 0

Weka Explorer

Preprocess Classify **Cluster** Associate Select attributes Visualize

Open file... Choose **None**

Filter: Choose **None**

Current relation: Relation: None Instances: None

Attributes: All

Clusterer: Choose **EM**

Cluster mode: ☒ Use training set ☐ Supplied test set ☐ Percentage split ☐ Classes to clusters evaluation (Nom) class ☒ Store clusters for visualization

Start Stop

Result list (right-click for options): 18:04:36 - EM

Weka Clusterer Visualize: 18:04:36 - EM (pima_diabetes)

X: Instance_number (Num) Y: preg (Num)
 Colour: Cluster (Nom) Select Instance

Reset Clear Open Save Jitter

Plot: pima_diabetes_clustered

Class colour: cluster0 cluster1 cluster2

Log x 0

