

ML-RapidMvmtFundsAllActivity_RMFAIOR

2016-01-31

COMPLETED

Job 2b46c9d5...

CTE WATERFALL

Each CTE was executed as an Oracle view in sequence. The first empty CTE is the failure point.

CTE 1 c_lndr_vw	ROWS 1	✓ PASS
CTE 2 wire_vw	ROWS 21,760	✓ PASS
CTE 3 mi_vw	ROWS 1,692	✓ PASS

ROOT CAUSE ANALYSIS

ROOT CAUSE ANALYSIS

CTE "final_query" returns 0 rows

CTE 'final_query' returns 0 rows. Failure type: UNKNOWN. All individual filters passed but CTE still returns 0 rows. Likely a combination of conditions or a data availability issue.

FAILURE TYPE	UNKNOWN
LIKELY CAUSE	All individual filters passed but CTE still returns 0 rows. Likely a combination of conditions or a data availability issue.

Data Availability Analysis

Even removing the inner HAVING clause still returns 0 rows. The source tables/views contain no data for the current date window. Check each UNION ALL branch below for which data source is missing.

UNION ALL BRANCH ANALYSIS

Branch #1

ML_RapidMvmtFundsAll_AC_Wi

wire_vw

0 rows

Source table row counts

wire_vw: 21,760

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('N' = 'Y' or a.jrsdcn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') -----

WHERE condition analysis (rows when this condition is removed)

✓

w.INTRL_ORIG_ACCT_FL = 'Y'

without: 0 rows

and a.mantas_acct_holldr_type_cd in ('CR')

and a.acct_efctv_risk_nb < -2

✗

('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))

without: 3,939 rows

and a.mantas_acct_bus_type_cd in ('RBK','RBR')

Branch #2

wire_vw

0 rows

Source table row counts

wire_vw: 21,760

fccmatomic.ACCT: 17,802

All WHERE conditions individually are necessary; the combined JOIN is too restrictive — no rows survive all filters.

WHERE condition analysis (rows when this condition is removed)

✓

w.INTRL_SCND_ORIG_ACCT_FL = 'Y'

without: 0 rows

✓

((w.INTRL_ORIG_ACCT_FL = 'Y' and COALESCE(w.ORIG_ACCT_ID,'-') <

without: 0 rows

w.SCND_ORIG_ACCT_ID) or w.INTRL_ORIG_ACCT_FL < 'Y')

and a.mantas_acct_holldr_type_cd in ('CR')

and a.acct_efctv_risk_nb < -2

✓

('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))

without: 0 rows

and a.mantas_acct_bus_type_cd in ('RBK','RBR')

Branch #3

wire_vw

0 rows

Source table row counts

wire_vw: 21,760

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('N' = 'Y' or a.jrsdcn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') -----

WHERE condition analysis (rows when this condition is removed)

	w.INTRL_BENEF_ACCT_FL = 'Y'	without: 0 rows
	((w.INTRL_ORIG_ACCT_FL = 'Y' and COALESCE(w.ORIG_ACCT_ID,'-') <> w.BENEF_ACCT_ID) or w.INTRL_ORIG_ACCT_FL <> 'Y')	without: 0 rows
	((w.INTRL_SCND_ORIG_ACCT_FL = 'Y' and COALESCE(w.SCND_ORIG_ACCT_ID,'-') <> w.BENEF_ACCT_ID) or COALESCE(w.INTRL_SCND_ORIG_ACCT_FL,'-') <> 'Y') and a.mantas_acct_holldr_type_cd in ('CR') and a.acct_efctv_risk_nb <> -2	without: 0 rows
	('N' = 'Y' or a.jrscdn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') ----- -----	without: 3,936 rows

Branch #4

ML_RapidMvmtFundsAll_AC_Wi4

wire_vw

0 rows

Source table row counts

wire_vw: 21,760

fccmatomic.ACCT: 17,802

All WHERE conditions individually are necessary; the combined JOIN is too restrictive — no rows survive all filters.

WHERE condition analysis (rows when this condition is removed)

	w.INTRL_SCND_BENEF_ACCT_FL = 'Y'	without: 0 rows
	((w.INTRL_ORIG_ACCT_FL = 'Y' and COALESCE(w.ORIG_ACCT_ID,'-') <> w.SCND_BENEF_ACCT_ID) or w.INTRL_ORIG_ACCT_FL <> 'Y')	without: 0 rows
	((w.INTRL_SCND_ORIG_ACCT_FL = 'Y' and COALESCE(w.SCND_ORIG_ACCT_ID,'-') <> w.SCND_BENEF_ACCT_ID) or COALESCE(w.INTRL_SCND_ORIG_ACCT_FL,'-') <> 'Y')	without: 0 rows
	((w.INTRL_BENEF_ACCT_FL = 'Y' and COALESCE(w.BENEF_ACCT_ID,'-') <> w.SCND_BENEF_ACCT_ID) or w.INTRL_BENEF_ACCT_FL <> 'Y') and a.mantas_acct_holldr_type_cd in ('CR') and a.acct_efctv_risk_nb <> -2	without: 0 rows
	('N' = 'Y' or a.jrscdn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') ----- -----	without: 0 rows

Branch #5

mi transaction records

mi_vw

0 rows

Source table row counts

mi_vw: 1,692

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('N' = 'Y' or a.jrscdn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') -----

WHERE condition analysis (rows when this condition is removed)

✓

```
mi.INTRL_REM_ACCT_FL = 'Y'
--20039324, 34237111
and mi.MANTAS_ISSUE_DATE > (select Min_Dt from clndr_vw) and
mi.MANTAS_ISSUE_DATE ≤ (select Max_Dt from clndr_vw)
and a.mantas_acct_holldr_type_cd in ('CR')
and a.acct_efctv_risk_nb <> -2
```

without: 0 rows

✗

```
('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))
and a.mantas_acct_bus_type_cd in ('RBK','RBR')
-----
-----
```

without: 254 rows

Branch #6

BENEF

[mi_vw](#)

0 rows ✗

Source table row counts

mi_vw: 1,692

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('N' = 'Y' or a.jrsdcn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') -----

WHERE condition analysis (rows when this condition is removed)

✓

```
mi.INTRL_BENEF_ACCT_FL = 'Y'
```

without: 0 rows

✓

```
((mi.INTRL_REM_ACCT_FL = 'Y' and COALESCE(mi.REM_ACCT_ID,'-') <>
mi.BENEF_ACCT_ID) or mi.INTRL_REM_ACCT_FL <> 'Y')
--20039324, 34237111
and mi.MANTAS_POST_DT > (select Min_Dt from clndr_vw) and
mi.MANTAS_POST_DT ≤ (select Max_Dt from clndr_vw)
and a.mantas_acct_holldr_type_cd in ('CR')
and a.acct_efctv_risk_nb <> -2
```

without: 0 rows

✗

```
('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))
and a.mantas_acct_bus_type_cd in ('RBK','RBR')
-----
-----
```

without: 266 rows

Branch #7

Scnd Benef

[mi_vw](#)

0 rows ✗

Source table row counts

mi_vw: 1,692

fccmatomic.ACCT: 17,802

All WHERE conditions individually are necessary; the combined JOIN is too restrictive — no rows survive all filters.

WHERE condition analysis (rows when this condition is removed)

✓

```
mi.INTRL_SCND_BENEF_ACCT_FL = 'Y'
```

without: 0 rows

✓

```
((mi.INTRL_REM_ACCT_FL = 'Y' and COALESCE(mi.REM_ACCT_ID,'-') <>
mi.SCND_BENEF_ACCT_ID) or mi.INTRL_REM_ACCT_FL <> 'Y')
```

without: 0 rows

✓

```
((mi.INTRL_BENEF_ACCT_FL = 'Y' and COALESCE(mi.BENEF_ACCT_ID,'-') <>
mi.SCND_BENEF_ACCT_ID) or mi.INTRL_BENEF_ACCT_FL <> 'Y')
```

without: 0 rows

```
--20039324, 34237111
and mi.MANTAS_POST_DT > (select Min_Dt from clndr_vw) and
mi.MANTAS_POST_DT ≤ (select Max_Dt from clndr_vw)
and a.mantas_acct_holldr_type_cd in ('CR')
and a.acct_efctv_risk_nb <> -2
```



```
('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))
and a.mantas_acct_bus_type_cd in ('RBK','RBR')
```

without: 0 rows

```
-----
-----
```

Branch #8 **10/15/2004**
fccmatomic.CASH_TRXN

0 rows ✖

Source table row counts

fccmatomic.CASH_TRXN: 3,722

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('Y' = 'Y' or c.SRC_SYS_CD IN ('Inactive')) and
c.MANTAS_TRXN_PURP_CD = 'GENERAL' and c.MANTAS_TRXN_PRDCT_CD in ('DEBIT-CARD',

WHERE condition analysis (rows when this condition is removed)



```
('Y' = 'Y' or c.SRC_SYS_CD IN ('Inactive'))
and c.MANTAS_TRXN_PURP_CD = 'GENERAL'
and c.MANTAS_TRXN_PRDCT_CD in ('DEBIT-CARD', 'SVC',
'CREDIT-CARD', 'CURRENCY', 'PHYS')
--20039324, 34237111
and c.TRXN_EXCTN_DT > (select Min_Dt from clndr_vw) and
c.TRXN_EXCTN_DT ≤ (select Max_Dt from clndr_vw)
and c.DATA_DUMP_DT > (select Min_Dt from clndr_vw) and
c.DATA_DUMP_DT ≤ (select Max_Dt from clndr_vw)
and a.mantas_acct_holldr_type_cd in ('CR')
and a.acct_efctv_risk_nb <> -2
```

without: 243 rows



```
('N' = 'Y' or a.jrsdcn_cd in ('AMEA'))
and a.mantas_acct_bus_type_cd in ('RBK','RBR')
```

without: 254 rows



```
('Y' = 'Y' or COALESCE(c.unrltd_party_fl, 'Y') <> 'N')
and c.CXL_PAIR_TRXN_INTRL_ID is null
```

without: 0 rows

```
-----
-----
```

Branch #9 **(b.clndr_dt - a.acct_open_dt) d_AGE,**
fccmatomic.BACK_OFFICE_TRXN

0 rows ✖

Source table row counts

fccmatomic.BACK_OFFICE_TRXN: 1,098

fccmatomic.ACCT: 17,802

WHERE condition eliminates all rows: ('Y' = 'Y' or bo.SRC_SYS_CD IN ('Inactive')) --20039324, 34237111 and
bo.EXCTN_DT > (select Min_Dt from clndr_vw) a

WHERE condition analysis (rows when this condition is removed)



```
bo.MANTAS_TRXN_PRDCT_CD in ('JOURNAL')
and bo.MANTAS_TRXN_PURP_CD = 'GENERAL'
```

without: 0 rows

and bo.CXL_PAIR_TRXN_INTRL_ID is null		
✖	('Y' = 'Y' or bo.SRC_SYS_CD IN ('Inactive')) --20039324, 34237111 and bo.EXCTN_DT > (select Min_Dt from clndr_vw) and bo.EXCTN_DT ≤ (select Max_Dt from clndr_vw) and bo.DATA_DUMP_DT > (select Min_Dt from clndr_vw) and bo.DATA_DUMP_DT ≤ (select Max_Dt from clndr_vw) and a.mantas_acct_holdr_type_cd in ('CR') and a.acct_efctv_risk_nb <> -2	without: 315 rows
✔	('N' = 'Y' or a.jrsdcn_cd in ('AMEA')) and a.mantas_acct_bus_type_cd in ('RBK','RBR') --21034264	without: 0 rows
✔	('Y' = 'Y' or COALESCE(bo.TRSTD_TRXN_FL, 'N') = 'N')	without: 0 rows
✔	('Y' = 'Y' or bo.unrltd_party_cd is not null)	without: 0 rows

SOURCE TABLE / VIEW ROW COUNTS

TABLE / VIEW	ROWS
clndr_vw	1
min_dt: 2016-01-17 max_dt: 2016-01-31 freq_dt: 2016-01-24	
wire_vw	21,760
fccmatomic.ACCT	17,802
mi_vw	1,692
fccmatomic.CASH_TRXN	3,722
fccmatomic.BACK_OFFICE_TRXN	1,098
fccmatomic.KDD_cal	415