UID EX 9

AIM:

The aim is to design input forms that validate data, such as email and phone number, and

display error messages using HTML/CSS and JavaScript with Validator.js

PROCEDURE:

Step 1:

Setting Up the HTML Form Start by creating an HTML form with input fields for the email and phone number.

login.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Form Validation</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="container">
<form id="myForm">
<label for="email">Email:</label>
<input type="email" id="email" name="email" required>
<span id="emailError" class="error"></span>


<label for="phone">Phone Number:</label>
<input type="text" id="phone" name="phone" required>
<span id="phoneError" class="error"></span>


<button type="submit">Submit</button>
</form>
</div>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>
<script src="script.js"></script>
</body>
</html>
```

Step 2:

Styling the Form with CSS Next, add some basic styling to make the form look nice.

```
# style.css > .error
body {
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    margin: 0;
}

.container {
    background-color: white;
    padding: 20px;
    border-radius: 5px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

form {
    display: flex;
    flex-direction: column;
}

label {
    margin-bottom: 5px;
}

input {
    margin-bottom: 10px;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 3px;
}

button {
```

```
33
34  button {
35      padding: 10px;
36      background-color: #28a745;
37      color: white;
38      border: none;
39      border-radius: 3px;
40      cursor: pointer;
41  }
42
43  button:hover {
44      background-color: #218838;
45  }
46
47  .error {
48      color: red;
49      font-size: 0.875em;
50  }
```

Step 3:

Adding JavaScript for Validation Finally, add JavaScript to validate the input fields using Validator.js and display error messages

```
JS script.js > ...
1   document.getElementById('myForm').addEventListener('submit', function (e) {
2       e.preventDefault();
3       let email = document.getElementById('email').value;
4       let phone = document.getElementById('phone').value;
5       let emailError = document.getElementById('emailError');
6       let phoneError = document.getElementById('phoneError');
7       // Clear previous error messages
8       emailError.textContent = '';
9       phoneError.textContent = '';
10      // Validate email
11      if (!validator.isEmail(email)) {
12          emailError.textContent = 'Please enter a valid email address.';
13      }
14      // Validate phone number
15      if (!validator.isMobilePhone(phone, 'any')) {
16          phoneError.textContent = 'Please enter a valid phone number.';
17      }
18      // If no errors, submit the form (for demonstration purposes, we'll just log the values)
19      if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
20          console.log('Email:', email);
21          console.log('Phone:', phone);
22      }
23  });
```

OUTPUT:

For valid email and phone no. :



Error message for invalid email:



Error message for invalid phone no. :