

## SIMATS ENGINEERING

### MCQ Test

**COURSE NAME:** Software Testing

**COURSE CODE:** CSA37

### COURSE OUTCOME COVERED

**CO1:** Apply software testing principles to enhance the effectiveness of software quality assurance and improve defect detection strategies.

Assessment Tool Weightage: 20%

### **Code of Conduct:**

*I \_\_P . Lakshmi Gayathri Navaneetha\_ (192321169) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.*

*I understand that any violation of academic integrity rules will result in disciplinary action.*

*P. Gayathri*

**Signature of the student:**

### **RUBRICS FOR CALCULATION:**

| Criteria                 | Weightage (%) | Level 4 (Exemplary)                                                   | Level 3 (Proficient)                         | Level 2 (Developing)                               | Level 1 (Beginning)                                |
|--------------------------|---------------|-----------------------------------------------------------------------|----------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Conceptual Understanding | 30%           | Demonstrates thorough understanding; answers all questions accurately | Shows good understanding with few errors     | Partial understanding; several incorrect responses | Lacks understanding; majority of answers incorrect |
| Accuracy of Answers      | 25%           | All answers are correct                                               | Most answers are correct with minor mistakes | Some correct answers; frequent errors              | Mostly incorrect answers                           |
| Application of Knowledge | 20%           | Correctly applies concepts to problem-based questions                 | Applies concepts with minor errors           | Limited ability to apply concepts                  | Unable to apply concepts                           |
| Time Management          | 15%           | Completes quiz well within time efficiently                           | Completes on time with minor delays          | Requires extra time or rushes through questions    | Unable to complete within given time               |
| Question Interpretation  | 10%           | Interprets all questions correctly and responds appropriately         | Misinterprets a few questions                | Often misinterprets questions                      | Unable to understand questions                     |

**1. A team applies systematic test design techniques during development. This reflects:**

- A) Debugging
- B) Testing as an engineering activity
- C) Maintenance
- D) Deployment

**Answer: B) Testing as an engineering activity**

**2. If a project skips defined testing processes, what is the likely outcome?**

- A) Faster delivery with high quality
- B) Increased defects in production
- C) Reduced testing cost only
- D) Improved documentation

**Answer: B) Increased defects in production**

**3. Selecting test cases based on requirements demonstrates:**

- A) Random testing
- B) Process-driven testing
- C) Ad hoc testing
- D) Maintenance testing

**Answer: B) Process-driven testing**

**4. Applying equivalence partitioning is an example of:**

- A) Debugging
- B) Test design technique
- C) Coding standard
- D) Deployment activity

**Answer: B) Test design technique**

**5. A tester identifies missing requirements during testing. This shows:**

- A) Coding error
- B) Process gap
- C) User error
- D) Hardware issue

**Answer: B) Process gap**

**6. Following a structured testing lifecycle ensures:**

- A) Random defect detection
- B) Improved software quality
- C) Less documentation
- D) No defects

**Answer: B) Improved software quality**

**7. Which activity best represents testing as a process?**

- A) Writing code
- B) Executing test cases systematically
- C) Deploying software
- D) User training

**Answer: B) Executing test cases systematically**

**8. A tester reuses test cases from a repository. This supports:**

- A) Efficiency in testing
- B) Increased coding errors
- C) Reduced coverage
- D) Random testing

**Answer: A) Efficiency in testing**

**9. If defects are tracked and analyzed, it improves:**

- A) Coding speed
- B) Software quality process
- C) Deployment time
- D) User interface

**Answer: B) Software quality process**

**10. Applying boundary value analysis helps to:**

- A) Increase documentation
- B) Detect edge-case defects
- C) Reduce execution time
- D) Avoid testing

**Answer: B) Detect edge-case defects**

**11. A tester validates system behavior against requirements. This is:**

- A) Verification
- B) Validation
- C) Debugging
- D) Coding

**Answer: B) Validation**

**12. Detecting defects before release reduces:**

- A) Development effort
- B) Maintenance cost
- C) Coding standards
- D) Testing scope

**Answer: B) Maintenance cost**

**13. Applying testing principles ensures:**

- A) Zero defects guarantee
- B) Early defect detection
- C) No testing needed
- D) Faster coding

**Answer: B) Early defect detection**

**14. Which principle suggests testing all inputs is impossible?**

- A) Exhaustive testing
- B) Exhaustive testing is impossible
- C) Early testing
- D) Defect clustering

**Answer: B) Exhaustive testing is impossible**

**15. A tester focuses on frequently failing modules. This uses:**

- A) Random testing
- B) Defect clustering principle
- C) Regression testing
- D) Smoke testing

**Answer: B) Defect clustering principle**

**16. If testing starts early in SDLC, it helps:**

- A) Reduce defects cost
- B) Increase coding errors
- C) Delay project
- D) Skip documentation

**Answer: A) Reduce defects cost**

**17. A tester designs test cases independently from developers. This ensures:**

- A) Bias
- B) Objectivity
- C) Delay
- D) Redundancy

**Answer: B) Objectivity**

**18. A tester reviews requirements for errors. Role performed is:**

- A) Developer
- B) Tester
- C) Manager
- D) User

**Answer: B) Tester**

**19. Reporting defects clearly is part of:**

- A) Coding
- B) Tester's responsibility
- C) Deployment
- D) Maintenance

**Answer: B) Tester's responsibility**

**20. A tester collaborates with developers to fix bugs. This shows:**

- A) Isolation
- B) Teamwork
- C) Delay
- D) Redundancy

**Answer: B) Teamwork**

**21. A requirement ambiguity causes defects. Origin is:**

- A) Coding
- B) Requirements phase
- C) Testing phase
- D) Deployment

**Answer: B) Requirements phase**

**22. Incorrect algorithm implementation leads to:**

- A) Requirement defect
- B) Design defect
- C) Coding defect
- D) Testing defect

**Answer: C) Coding defect**

**23. Missing validation checks are example of:**

- A) Design defects
- B) Coding defects
- C) Requirement defects
- D) Deployment defects

**Answer: B) Coding defects**

**24. Poor UI design causing confusion is:**

- A) Coding defect
- B) Design defect
- C) Requirement defect
- D) Hardware defect

**Answer: B) Design defect**

**25. A system crash due to memory leak is:**

- A) Requirement defect
- B) Coding defect
- C) Design defect
- D) Documentation defect

**Answer: B) Coding defect**

**26. Classifying defects based on severity helps:**

- A) Ignore defects
- B) Prioritize fixing
- C) Delay release
- D) Increase cost

**Answer: B) Prioritize fixing**

**27. A critical defect impacts:**

- A) Minor feature
- B) Core functionality
- C) UI color
- D) Documentation

**Answer: B) Core functionality**

**28. A minor defect example is:**

- A) System crash
- B) Login failure
- C) Typo error
- D) Data loss

**Answer: C) Typo error**

**29. Defect classification helps testers to:**

- A) Ignore bugs
- B) Organize defects
- C) Skip testing
- D) Increase errors

**Answer: B) Organize defects**

**30. A defect repository is used to:**

- A) Store code
- B) Store test cases
- C) Store defect details
- D) Store UI designs

**Answer: C) Store defect details**

**31. Reusing defect data helps in:**

- A) Predicting issues
- B) Increasing bugs
- C) Reducing tests
- D) Skipping phases

**Answer: A) Predicting issues**

**32. A defect repository improves:**

- A) Code complexity
- B) Testing efficiency
- C) User interface
- D) Deployment speed

**Answer: B) Testing efficiency**

**33. Logging defects with details ensures:**

- A) Confusion
- B) Traceability
- C) Delay
- D) Redundancy

**Answer: B) Traceability**

**34. A tester uses past defect data to design tests. This is:**

- A) Random testing
- B) Experience-based testing
- C) Debugging
- D) Deployment

**Answer: B) Experience-based testing**

**35. Incorrect login validation is an example of:**

- A) Functional defect
- B) Performance defect
- C) Security defect
- D) UI defect

**Answer: A) Functional defect**

**36. Slow response time is a:**

- A) Functional defect
- B) Performance defect
- C) UI defect
- D) Coding standard

**Answer: B) Performance defect**

**37. Unauthorized data access indicates:**

- A) UI defect
- B) Security defect
- C) Functional defect
- D) Design defect

**Answer: B) Security defect**

**38. Missing button functionality is:**

- A) Functional defect
- B) Security defect
- C) Performance defect
- D) Hardware defect

**Answer: A) Functional defect**

**39. Poor alignment in UI is:**

- A) Functional defect
- B) UI defect
- C) Security defect
- D) Design defect

**Answer: B) UI defect**

**40. Applying testing principles avoids:**

- A) Coding
- B) Redundant tests
- C) Deployment
- D) Maintenance

**Answer: B) Redundant tests**

**41. A tester validates outputs using expected results. This is:**

- A) Debugging
- B) Test execution
- C) Coding
- D) Maintenance

**Answer: B) Test execution**

**42. If defects are not tracked, it leads to:**

- A) Better quality
- B) Poor traceability
- C) Faster delivery
- D) No impact

**Answer: B) Poor traceability**

**43. Applying test process ensures:**

- A) Random results
- B) Structured testing
- C) No defects
- D) No planning

**Answer: B) Structured testing**

**44. Test case design based on requirements ensures:**

- A) Low coverage
- B) High coverage
- C) No defects
- D) Less effort

**Answer: B) High coverage**

**45. Early testing reduces:**

- A) Defect cost
- B) Code size
- C) UI design
- D) Deployment time

**Answer: A) Defect cost**

**46. A tester identifies repeated defects. This indicates:**

- A) Good design
- B) Poor process
- C) No issue
- D) Perfect testing

**Answer: B) Poor process**

**47. Reviewing test results helps:**

- A) Ignore defects
- B) Improve quality
- C) Skip testing
- D) Reduce effort

**Answer: B) Improve quality**

**48. A tester applies regression testing to:**

- A) Add features
- B) Ensure fixes work
- C) Deploy software
- D) Design UI

**Answer: B) Ensure fixes work**

**49. Identifying root cause of defects helps:**

- A) Increase bugs
- B) Prevent recurrence
- C) Delay testing
- D) Skip coding

**Answer: B) Prevent recurrence**

**50. A test plan ensures:**

- A) Random execution
- B) Organized testing
- C) No testing
- D) No defects

**Answer: B) Organized testing**

**51. Applying defect classification improves:**

- A) Testing cost
- B) Fix prioritization
- C) Coding errors
- D) UI design

**Answer: B) Fix prioritization**

**52. A tester uses historical defect trends. This helps in:**

- A) Ignoring defects
- B) Risk-based testing
- C) Deployment
- D) Coding

**Answer: B) Risk-based testing**

**53. Testing ensures product meets:**

- A) Developer needs
- B) User requirements
- C) Tester goals
- D) Manager plans

**Answer: B) User requirements**

**54. A defect due to wrong requirement interpretation is:**

- A) Coding defect
- B) Requirement defect
- C) UI defect
- D) Hardware defect

**Answer: B) Requirement defect**

**55. Applying process standards ensures:**

- A) Poor quality
- B) Consistent quality
- C) No testing
- D) Random output

**Answer: B) Consistent quality**

**56. A tester documents defects clearly. This helps:**

- A) Developers fix quickly
- B) Increase errors
- C) Delay release
- D) Reduce quality

**Answer: A) Developers fix quickly**

**57. A defect repository is analyzed to:**

- A) Increase cost
- B) Improve testing strategy
- C) Skip testing
- D) Reduce quality

**Answer: B) Improve testing strategy**

**58. A tester applies black-box testing. This focuses on:**

- A) Internal code
- B) External behavior
- C) Hardware
- D) Deployment

**Answer: B) External behavior**

**59. Defects found in testing phase indicate:**

- A) Perfect design
- B) Earlier phase issues
- C) No issues
- D) Hardware problems

**Answer: B) Earlier phase issues**

**60. Applying structured testing improves:**

- A) Random results
- B) Product reliability
- C) Coding errors
- D) Deployment delay

**Answer: B) Product reliability**

