


000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{\frac{1}{20} + \frac{1}{20}} = \frac{1}{\frac{1}{10} + \frac{1}{10}}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{20} + \frac{1}{20} = \frac{1}{R_p} + \frac{1}{R_2}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$


$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

5

masses. In modern periodic table all isotopes were placed in a separate slot.

(4)



R_3 and R_4 are in series

So their total resistance

$$R_p = 10\Omega + 10\Omega = 20\Omega$$

$$R_p = 20\Omega$$

R_p and R_2 are in parallel

$$\text{So resistance} = \frac{1}{\frac{1}{20} + \frac{1}{20}} = \frac{1}{\frac{1}{10} + \frac{1}{10}}$$

$$\frac{1}{R_k} = \frac{1}{20} + \frac{1}{20} = \frac{2}{20}$$

$$R_k = \frac{20}{2} = 10\Omega$$

R_k , R_1 and R_5 are in series

So, total equivalent resistance = $R_k + R_1 + R_5$

$$10\Omega + 10\Omega + 20\Omega = 40\Omega$$

000000

15

By Ohm Law $V = IR$

$$6 = I \times 60$$

$$I = \frac{6}{60}$$

$$I = \frac{1}{10} \text{ A}$$

or 0.1 Ampere

15

(a) Leishmania is the name of organism in which binary fission takes place under fixed orientation.

The disease caused by this organism is Kala-azar.

(b) 2 advantages of plants ~~the~~ producing through vegetative reproduction are

(1) New Plants are genetically similar to parent plant. Plants grown by this method show early flowering.

(2) It is used method to grow plants which do not bear seeds.

000000

15

By Ohm Law $V = IR$

$$6 = I \times 60$$

$$I = \frac{6}{60}$$

$$I = \frac{1}{10} \text{ A}$$

or 0.1 Ampere

15

(a) Leishmania is the name of organism in which binary fission takes place under fixed orientation.

The disease caused by this organism is Kala-azar.

(b) 2 advantages of plants ~~the~~ producing through vegetative reproduction are

(1) New Plants are genetically similar to parent plant. Plants grown by this method show early flowering.

(2) It is used method to grow plants which do not bear seeds.

000000

15

By Ohm Law $V = IR$

$$6 = I \times 60$$

$$I = \frac{6}{60}$$

$$I = \frac{1}{10} \text{ A}$$

or 0.1 Ampere

15

(a) Leishmania is the name of organism in which binary fission takes place under fixed orientation.

The disease caused by this organism is Kala-azar.

(b) 2 advantages of plants ~~the~~ producing through vegetative reproduction are

(1) New Plants are genetically similar to parent plant. Plants grown by this method show early flowering.

(2) It is used method to grow plants which do not bear seeds.

000000

15

By Ohm Law $V = IR$

$$6 = I \times 60$$

$$I = \frac{6}{60}$$

$$I = \frac{1}{10} \text{ A}$$

or 0.1 Ampere

15

(a) Leishmania is the name of organism in which binary fission takes place under fixed orientation.

The disease caused by this organism is Kala-azar.

(b) 2 advantages of plants ~~the~~ producing through vegetative reproduction are

(1) New Plants are genetically similar to parent plant. Plants grown by this method show early flowering.

(2) It is used method to grow plants which do not bear seeds.