

SKILL2 K. GAYATHRI SRIVALLI 2520080010

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflows_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

```

1 -- 0. CLEANUP (Ensures a fresh, clean execution)
2 DROP DATABASE IF EXISTS gayathri_2520080010;
3
4 -- 1. CREATE DATABASE AND TABLE
5 CREATE DATABASE gayathri_2520080010;
6 USE gayathri_2520080010;
7
8 CREATE TABLE orders (
9     ord_no INT PRIMARY KEY,
10    purch_amt DECIMAL(10,2),
11    ord_date DATE,
12    customer_id INT,
13    salesman_id INT
14 );

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, customer_id INT, salesman_id INT)	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VALUES ((70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, 5005), (70002, 65.26, '2012-10-05', 3002, 5001), (70004, 110.50, '2012-08-17', 3009, 5003), (70007, 948.50, '2012-09-10', 3005, 5002), (70005, 2400.60, '2012-07-27', 3007, 5001), (70008, 5760.00, '2012-09-10', 3002, 5001), (70010, 1983.43, '2012-10-10', 3004, 5006), (70003, 2400.40, '2012-10-10', 3009, 5003), (70012, 250.45, '2012-06-27', 3008, 5002), (70011, 75.29, '2012-08-17', 3003, 5007), (70013, 3045.60, '2012-04-25', 3002, 5001);	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflows_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

```

16 -- 2. INSERT DATA
17 INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VALUES
18 (70001, 150.50, '2012-10-05', 3005, 5002),
19 (70009, 270.65, '2012-09-10', 3001, 5005),
20 (70002, 65.26, '2012-10-05', 3002, 5001),
21 (70004, 110.50, '2012-08-17', 3009, 5003),
22 (70007, 948.50, '2012-09-10', 3005, 5002),
23 (70005, 2400.60, '2012-07-27', 3007, 5001),
24 (70008, 5760.00, '2012-09-10', 3002, 5001),
25 (70010, 1983.43, '2012-10-10', 3004, 5006),
26 (70003, 2400.40, '2012-10-10', 3009, 5003),
27 (70012, 250.45, '2012-06-27', 3008, 5002),
28 (70011, 75.29, '2012-08-17', 3003, 5007),
29 (70013, 3045.60, '2012-04-25', 3002, 5001);

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, customer_id INT, salesman_id INT)	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VALUES ((70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, 5005), (70002, 65.26, '2012-10-05', 3002, 5001), (70004, 110.50, '2012-08-17', 3009, 5003), (70007, 948.50, '2012-09-10', 3005, 5002), (70005, 2400.60, '2012-07-27', 3007, 5001), (70008, 5760.00, '2012-09-10', 3002, 5001), (70010, 1983.43, '2012-10-10', 3004, 5006), (70003, 2400.40, '2012-10-10', 3009, 5003), (70012, 250.45, '2012-06-27', 3008, 5002), (70011, 75.29, '2012-08-17', 3003, 5007), (70013, 3045.60, '2012-04-25', 3002, 5001);	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookfloww_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

```

31 -- 3(1). WHERE CLAUSE - Orders over 2000
32 • SELECT *
33 FROM orders
34 WHERE purch_amt > 2000;
35
36 -- 3(2). WHERE CLAUSE - Specific date
37 • SELECT *
38 FROM orders
39 WHERE ord_date = '2012-09-10';
40
41 -- 3(3). WHERE CLAUSE - Specific salesman
42 • SELECT *
43 FROM orders
44 WHERE salesman_id = 5001;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookfloww_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

```

46 -- 4. ORDER BY - Purchase amount descending
47 • SELECT *
48 FROM orders
49 ORDER BY purch_amt DESC;
50
51 -- 5. ORDER BY - Order date ascending
52 • SELECT *
53 FROM orders
54 ORDER BY ord_date;
55
56 -- 6. SUM()
57 • SELECT SUM(purch_amt) AS total_revenue
58 FROM orders;
59

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

Limit to 1000 rows

```

58 FROM orders;
59
60 -- 7. AVG()
61 • SELECT AVG(purch_amt) AS average_order
62 FROM orders;
63
64 -- 8. MAX()
65 • SELECT MAX(purch_amt) AS highest_order
66 FROM orders;
67
68 -- 9. MIN()
69 • SELECT MIN(purch_amt) AS lowest_order
70 FROM orders;
71

```

SQLAdditions

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2))	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VALUES (1, 1000, '2012-09-10', 1, 1)	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12*

Limit to 1000 rows

```

73 • SELECT COUNT(*) AS total_orders
74 FROM orders;
75
76 -- 11. GROUP BY - Total sales by salesman
77 • SELECT salesman_id,
78 SUM(purch_amt) AS total_sales
79 FROM orders
80 GROUP BY salesman_id;
81
82 -- 12. GROUP BY - Total purchase by customer
83 • SELECT customer_id,
84 SUM(purch_amt) AS total_purchase
85 FROM orders
86 GROUP BY customer_id;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2))	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VALUES (1, 1000, '2012-09-10', 1, 1)	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflows_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* x

Limit to 1000 rows

```

85 FROM orders
86 GROUP BY customer_id;
87
88 -- 13. GROUP BY + MAX()
89 • SELECT customer_id,
90     MAX(purch_amt) AS highest_purchase
91 FROM orders
92 GROUP BY customer_id;
93
94 -- 14. GROUP BY + HAVING - Salesman total > 3000
95 • SELECT salesman_id,
96     SUM(purch_amt) AS total_sales
97 FROM orders
98 GROUP BY salesman_id

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflows_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* x

Limit to 1000 rows

```

100
101 -- 15. GROUP BY + HAVING - Customer total > 2500
102 • SELECT customer_id,
103     SUM(purch_amt) AS total_purchase
104 FROM orders
105 GROUP BY customer_id
106 HAVING SUM(purch_amt) > 2500;
107
108 -- 16. GROUP BY + HAVING - Customer order count > 1
109 • SELECT customer_id,
110     COUNT(*) AS total_orders
111 FROM orders
112 GROUP BY customer_id
113 HAVING COUNT(*) > 1;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* x

Limit to 1000 rows

```

112 GROUP BY customer_id
113 HAVING COUNT(*) > 1;
114
115 -- 17. GROUP BY + HAVING + ORDER BY
116 • SELECT customer_id,
117       SUM(purch_amt) AS total_purchase
118 FROM orders
119 GROUP BY customer_id
120 HAVING SUM(purch_amt) > 1000
121 ORDER BY total_purchase DESC;
122
123 -- 18. BETWEEN + HAVING
124 • SELECT customer_id,
125       MAX(purch_amt) AS max_purchase

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* x

Limit to 1000 rows

```

130 -- 19. COUNT + HAVING - Salesman with more than 2 orders
131 • SELECT salesman_id,
132       COUNT(*) AS total_orders
133 FROM orders
134 GROUP BY salesman_id
135 HAVING COUNT(*) > 2;
136
137 -- 20. MAX + GROUP BY + HAVING - Highest purchase per date > 2000
138 • SELECT ord_date,w
139       MAX(purch_amt) AS highest_purchase
140 FROM orders
141 GROUP BY ord_date
142 HAVING MAX(purch_amt) > 2000;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
55	21:23:16	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.093 sec
56	21:23:22	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.015 sec
57	21:23:22	USE gayathri_2520080010	0 row(s) affected	0.000 sec
58	21:23:27	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(1...	0 row(s) affected	0.047 sec
59	21:23:37	INSERT INTO orders (ord_no, purch_amt, ord_date, customer_id, salesman_id) VA...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.016 sec
60	21:23:42	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
61	21:23:51	SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
62	21:23:58	SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec