

ASSIGNMENT NO.6: Data Manipulation and Table Management

Questions:


Q1) Create a MySQL database named CollegeDB and create two tables: Course and Student.


Course Table :-

Column name	Data type	constraint
CourseID	INT	PRIMARY KEY
CourseName	VARCHAR(50)	NOT NULL
Fees	DECIMAL(10,2)	NOT NULL

Student Table :-


Student Table	Data Type	Constraint
StudentID	INT	PRIMARY KEY
StudentName	VARCHAR(50)	NOT NULL
Age	INT	
City	VARCHAR(30)	
CourseID	INT	FOREIGN KEY






Q2) Insert at least 4 records into the Course table and 6 records into the Student table.

Make sure every student has a valid CourseID from the Course table







Q3) Write a MySQL query to insert one new student record into the Student table. The record should include:

Field
StudentID
StudentName
Age
City
CourseID

MySQL query:-

```
INSERT INTO Student
(StudentID, StudentName, Age, City, CourseID)
VALUES
(7, 'Pooja Deshmukh', 20, 'Pune', 104);
```





Q4) Write a MySQL query to update the city of a student using StudentID. Example requirement:

Change Required


Update the city of
StudentID 2 to Mumbai


MySQL query:-

UPDATE Student

SET City = 'Mumbai'

WHERE StudentID = 2;





Q5) Write a MySQL query to update the fees of a course using CourseID.

Example requirement:

Change Required

Update the fees of CourseID 101 to 47000

MySQL query:-

UPDATE Course


SET Fees = 47000.00


WHERE CourseID = 101;

-- Check updated course

SELECT * FROM Course

WHERE CourseID = 101;






Q6) Write a MySQL query to delete one student record using StudentID. Also write one line explaining why the WHERE clause is important while using DELETE.

MySQL query:-

```
DELETE FROM Student
WHERE StudentID = 6;
```

```
-- Display final Student table
SELECT * FROM Student;
```



The first screenshot shows the phpMyAdmin interface with the 'Student' table selected in the 'collegedb' database. A SQL query has been executed: `DELETE FROM Student WHERE StudentID = 6;`. The status bar indicates '1 row deleted. (Query took 0.0054 seconds.)'.

The second screenshot shows the same interface after the query. The status bar indicates 'Showing rows 0 - 5 (6 total, Query took 0.0007 seconds.)'. The table data is displayed as follows:

	StudentID	StudentName	Age	City	CourseID
☐	1	Rahul Sharma	20	Mumbai	101
☐	2	Priya Patil	19	Mumbai	102
☐	3	Aman Verma	21	Nashik	103
☐	4	Sneha Joshi	20	Mumbai	101
☐	5	Karan Mehta	22	Thane	102
☐	7	Pooja Deshmukh	20	Pune	104

□ The WHERE clause is important because it ensures that only the specified student record is deleted. Without the WHERE clause, all records in the Student table could be deleted.