

```
s = "hello world"
print(s.upper())

s = "Python Programming"
print(s.lower())

s = "hello python learners"
print(s.capitalize())

s = "welcome to python"
print(s.title())

s = " Python String Functions "
print(s.strip())

s = "Hello World "
print(s.rstrip())

s = " Learn Python"
print(s.lstrip())

s = "apple banana grape"
print(s.split())

lst = ['Python', 'is', 'fun']
print(" ".join(lst))
```

```
lst = ['A', 'B', 'C']
print("-".join(lst))

s = "I love Python programming"
print(s.find("Python"))

s = "Hello World"
print(s.rfind("o"))

s = "I love Java"
print(s.replace("Java", "Python"))

s = "Hello World"
print(s.startswith("Hello"))

s = "example.txt"
print(s.endswith(".txt"))

s = "Hello, how are you?"
print(s.count("o"))

s = "programming"
print(s.index("r"))

s = "python"
# print(s.index("z")) # ValueError

s = "experience"
print(s.rfind("e"))
```

```
s = "experience"
print(s.find("e"))

s = "Python"
print(s.isalpha())

s = "12345"
print(s.isdigit())

s = "Python123"
print(s.isalnum())

s = " "
print(s.isspace())

s = "12345"
print(s.isnumeric())

print("{} is {}".format("Python", "fun"))

s = "python-programming-language"
print(s.partition("-"))

s = "one-two-three"
print(s.rpartition("-"))

s = "PYTHON"
print(s.casefold())

s = "42"
print(s.zfill(5))
```

```
s = "HELLO"  
print(s.isupper())  
  
s = "hello"  
print(s.islower())  
  
s = "Python Programming"  
print(s.istitle())  
  
s = "banana"  
print("".join(sorted(s)))  
  
s = "Data Science"  
print(len(s))  
  
s = "The Kiran Academy"  
print("".join(sorted(s, reverse=True)))
```

Output:-

```
PS C:\Users\gayat\AppData\Local\Programs\Microsoft
HELLO WORLD
python programming
Hello python learners
Welcome To Python
Python String Functions
Hello World
Learn Python
['apple', 'banana', 'grape']
Python is fun
A-B-C
7
7
I love Python
True
True
3
1
9
0
True
True
True
True
True
Python is fun!
('python', '-', 'programming-language')
('one-two', '-', 'three')
python
00042
True
True
True
aaabnn
12
yrmniheedcaaTKA
```