

Practical No. 2

Name: Gayatri Hemant Pawar

Roll No: 272

Batch:-S3

Code:-

```
#include<iostream>
#include<cstring>
#include<algorithm> using
namespace std; struct Node
{
char data;
Node* next;
};
class Stack
{
Node* top; public:
Stack()
{
top=NULL;
}
void push(char x)
{
Node* temp=new Node;
temp->data=x; temp-
>next=top; top=temp;
}
char pop()
{
if(top==NULL)
return '#';
```

```

Node* temp=top; char
ch=temp->data;
top=top->next; delete
temp; return ch;
}
char peek()
{
if(top==NULL)
return '#'; return
top->data;
}
bool isEmpty()
{ return top==NULL;
}
};
int priority(char op)
{
if(op=='^') return 3;
if(op=='*' || op=='/')
return 2; if(op=='+'
|| op=='-') return 1;
return 0;
}
bool operand(char ch)
{
if((ch>='A'&&ch<='Z')||(ch>='a'&&ch<='z')||(ch>='0'&&ch<='9'))
return true; return false;
}
string infixToPostfix(string exp)

```

```

{
Stack s; string result="";
for(int
i=0;i<exp.length();i++)
{
char ch=exp[i]; if(operand(ch))
result+=ch; else if(ch=='(')
s.push(ch); else if(ch==')')
while(!s.isEmpty() &&
s.peek()!='(') result+=s.pop();
s.pop();
}
else
{
while(!s.isEmpty() &&
priority(s.peek())>=priority(ch))
{
result+=s.pop();
}
s.push(ch);
}
}
while(!s.isEmpty())
result+=s.pop(); return
result;
}
string infixToPrefix(string exp)
{

```

```

reverse(exp.begin(),exp.end()); for(int
i=0;i<exp.length();i++)
{
if(exp[i]=='(')
exp[i]=')'; else
if(exp[i]==')')
exp[i]='(';
}
string postfix=infixToPostfix(exp);
reverse(postfix.begin(),postfix.end());
return postfix;
}
int main()
{
string exp; cout<<"Enter Infix Expression :
"; cin>>exp; cout<<"\nPostfix :
"<<infixToPostfix(exp); cout<<"\nPrefix :
"<<infixToPrefix(exp); return 0;
}

```

Output:-

Enter Infix Expression : A+B*C

Postfix : ABC*+

Prefix : +A*BC

...Program finished with exit code 0