LAB-09
Spark

```
bmscecse@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ spark-shell
25/05/20 15:32:30 WARN Utils: Your hostname, bmscecse-HP-Elite-Tower-800-G9-Desktop-PC resolves to a loopback address: 127.0.1.1
; using 10.124.2.8 instead (on interface eno1)
25/05/20 15:32:30 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by org.apache.spark.unsafe.Platform (file:/opt/spark/jars/spark-unsafe_2.12-3.0.3.jar) to con
structor java.nio.DirectByteBuffer(long,int)
WARNING: Please consider reporting this to the maintainers of org.apache.spark.unsafe.Platform
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
25/05/20 15:32:30 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes wh
ere applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
Spark context Web UI available at http://10.124.2.8:4040
Spark context available as 'sc' (master = local[*], app id = local-1747735361481).
Spark session available as 'spark'.
Welcome to
      ____              __
     / __/__  ___ _____/ /__
    _\ \/ _ \/ _ `/ __/  '_/
   /___/ .__/\_,_/_/ /_/\_\   version 3.0.3
      /_/

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 11.0.26)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val textFile = sc.textFile("/home/bmscecse/Desktop/sparkdata.txt")
textFile: org.apache.spark.rdd.RDD[String] = /home/bmscecse/Desktop/sparkdata.txt MapPartitionsRDD[1] at textFile at <console>:2
4

scala>

scala> val counts = textFile
counts: org.apache.spark.rdd.RDD[String] = /home/bmscecse/Desktop/sparkdata.txt MapPartitionsRDD[1] at textFile at <console>:24

scala>   .flatMap(line => line.split(" "))
res0: org.apache.spark.rdd.RDD[String] = MapPartitionsRDD[2] at flatMap at <console>:26

scala>   .map(word => (word, 1))
```

```
scala> val data = sc.textFile("sparkdata.txt")
data: org.apache.spark.rdd.RDD[String] = sparkdata.txt MapPartitionsRDD[1] at textFile at <console>:25

scala> val splitdata = data.flatMap(line => line.split(" "))
splitdata: org.apache.spark.rdd.RDD[String] = MapPartitionsRDD[2] at flatMap at <console>:26

scala> val mapdata = splitdata.map(word => (word, 1))
mapdata: org.apache.spark.rdd.RDD[(String, Int)] = MapPartitionsRDD[3] at map at <console>:26

scala> val reducedata = mapdata.reduceByKey(_ + _)
reducedata: org.apache.spark.rdd.RDD[(String, Int)] = ShuffledRDD[4] at reduceByKey at <console>:26

scala> reducedata.collect.foreach(println)
(,1)
(hello,2)
(world,1)
(spark,1)
```

```
scala> val textFile = sc.textFile("/home/bmscecse/Desktop/WC.txt")
textFile: org.apache.spark.rdd.RDD[String] = /home/bmscecse/Desktop/WC.txt MapPartitionsRDD[31] at textFile at <console>:31

scala> val words = textFile.flatMap(line => line.split(" "))
words: org.apache.spark.rdd.RDD[String] = MapPartitionsRDD[32] at flatMap at <console>:32

scala>

scala> val pairs = words.map(word => (word, 1))
pairs: org.apache.spark.rdd.RDD[(String, Int)] = MapPartitionsRDD[33] at map at <console>:32

scala>

scala> val counts = pairs.reduceByKey(_ + _)
counts: org.apache.spark.rdd.RDD[(String, Int)] = ShuffledRDD[34] at reduceByKey at <console>:32

scala> val countsArray = counts.collect()  // This is Array[(String, Int)]
countsArray: Array[(String, Int)] = Array((,1), (hello,6), (world,1), (spark,1))

scala> val sorted = ListMap(countsArray.sortWith(_._2 > _._2): _*)
sorted: scala.collection.immutable.ListMap[String,Int] = ListMap(hello -> 6, "" -> 1, world -> 1, spark -> 1)

scala> for ((k, v) <- sorted) {
     |   if (v > 4) println(s"$k, $v")
     | }
hello, 6

scala>
```