


## TP01 : PRISE EN MAIN DE CSS HTML VALIDATOR

### PREMIER FICHIER HTML

1. Installer l'application **CSE-HTML-Validator**. Il vous permettra de créer, de valider et de pré visualiser vos fichiers HTML.
2. Créer un fichier HTML 5 : **File → New from Template → HTML5**




3. Décrire la structure générée.

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title></title>
</head>


<body>

</body>
</html>
```


4. Ecrire « Hello World ! » entre les balises **<body>** et **</body>**.
5. Valider le code HTML : **Validate → Errors and warnings only**




6. Pré-visualiser la page HTML : cliquer sur l'onglet « **Preview** ».



7. Afficher les « inserters » : cliquer sur l'onglet « **Preview** » puis « **Inserters** » ; ensuite sélectionner le langage.



8. Vous pouvez insérer rapidement des balises en utilisant les boutons **A** à **W** situés sur la barre en haut.



9. Vous pouvez insérer des caractères spéciaux, des attributs et des listes en utilisant respectivement les boutons **Ent**, **Att** et **Inst**.



Ent	Att	Inst	A	B
Arrows				
Greek				
Latin 1				
Mathematical				
Other				
Special				
(&) - &amp;				
(©) - &copy;				
(€) - &euro;				
(>) - &gt;				
(<) - &lt;				
( ) - &nbsp;				
(") - &quot;				
(&) - &reg;				
(™) - &trade;				

Att	Inst	A	B	C	D	E	F
accesskey=" "							
class=" "							
data- = ""							
id=" "							
lang=" "							
name=" "							
role=" "							
style=" "							
title=" "							
alt=" "							
href=" "							
src=" "							
Form Events							
Keyboard Events							
Mouse Events							
Other Events							
Other HTML5+ Global							

Inst	A	B	C	D	E	F	FR	H
Instant ol list								
Instant ul list								
Instant list items								
Instant td cells								
Instant th cells								
Instant tr, one td per line								