

Anaconda Toolboxv4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project>Create a New NotebookMy Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[125]: import pandas as pd
data={
    'name': ["gayathri", "Bavan", "Prathu"],
    'Rollno': [16, 8, 27]}
df=pd.DataFrame(data, index=['std1', 'std2', 'std3'])
print(df)
df['marks']=[98, 97, 96]
print(df)
std4=pd.DataFrame([{"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, std4])
print(df)
students=pd.DataFrame([{"name": "harshini", "Rollno": 18, "marks": 85},
                        {"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, students])
print(df)
print(df.marks)
print(df[['Rollno', 'marks']])
df.sort_values('marks', inplace=True)
print(df['marks'].std())
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

?

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

28°C Mostly sunny

Search

9:33 AM 6/2/2026

Anaconda Toolboxv4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project >

Create a New Notebook >

My Projects >

Code Snippets

Manage Code Snippets >

Anaconda AI Assistant

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[124]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
df.sort_values('marks',inplace=True)
print(df['marks'].median())
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

?

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project >

Create a New Notebook >

My Projects >

 **Code Snippets**

Manage Code Snippets >

 **Anaconda AI Assistant**

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Python [conda env:base] * Anaconda Toolbox

```
[123]: import pandas as pd
data={
    'name': ["gayathri", "Bavan", "Prathu"],
    'Rollno': [16, 8, 27]}
df=pd.DataFrame(data, index=['std1', 'std2', 'std3'])
print(df)
df['marks']=[98, 97, 96]
print(df)
std4=pd.DataFrame([{"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, std4])
print(df)
students=pd.DataFrame([{"name": "harshini", "Rollno": 18, "marks": 85},
                        {"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, students])
print(df)
print(df.marks)
print(df[['Rollno', 'marks']])
df.sort_values('marks', inplace=True)
print(df['marks'].mean())
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Anaconda Toolboxv4.20.0

Anaconda
Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[122]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
df.sort_values('marks',inplace=True)
print(df['marks'].min())
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.



Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.


To enable the following extensions,
create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).



Home

Day2

Home

Day3

localhost:8890/notebooks/Workspace/Day3.ipynb?

Anaconda Toolboxv4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Code

Python [conda env:base] * Anaconda Toolbox

```
[119]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
df.sort_values('marks',ascending=False,inplace=True)
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

Summarize

Star

Share

Chat

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant

4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

28°C

Mostly sunny

Search

9:33 AM

6/2/2026

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Code

Python [conda env:base] * Anaconda Toolbox

25%	16.500000	85.000000
50%	18.500000	90.500000
75%	19.000000	96.750000
max	27.000000	98.000000

```
[97]: #select specific row

[99]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
print(df.loc[1])
print(df.iloc[1])

name Rollno
std1 gayathri 16
std2 Bavan 8
std3 Prathu 27

name Rollno marks
std1 gayathri 16 98
std2 Bavan 8 97
std3 Prathu 27 96

name Rollno marks
std1 gayathri 16 98
```

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

28°C Mostly sunny 9:32 AM 6/2/2026

Anaconda Toolboxv4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project > Create a New Notebook > My Projects >

Code Snippets

Manage Code Snippets >

Anaconda AI Assistant

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[116]: import pandas as pd
data={
    'name': ["gayathri", "Bavan", "Prathu"],
    'Rollno': [16, 8, 27]}
df=pd.DataFrame(data, index=['std1', 'std2', 'std3'])
print(df)
df['marks']=[98, 97, 96]
print(df)
std4=pd.DataFrame([{"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, std4])
print(df)
students=pd.DataFrame([{"name": "harshini", "Rollno": 18, "marks": 85},
                        {"name": "varshini", "Rollno": 19, "marks": 85}])
df=pd.concat([df, students])
print(df)
print(df.marks)
print(df[['Rollno', 'marks']])
df=df.drop('marks', axis=1)

print(df)
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
	harshini	18	85
	varshini	19	85

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

?

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Python [conda env:base] * Anaconda Toolbox

```
[114]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
df.drop('std3',axis=0,inplace=True)

print(df)
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project

Create a New Notebook

My Projects

 **Code Snippets**

Manage Code Snippets

 **Anaconda AI Assistant**

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Code

Python [conda env:base] * Anaconda Toolbox

```
[89]: #to check datatype of all columns

[92]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
students=pd.DataFrame([{"name":"harshini","Rollno":18,"marks":85},
                        {"name":"varshini","Rollno":19,"marks":85}])
df=pd.concat([df,students])
print(df)
print(df.marks)
print(df[['Rollno','marks']])
print(df.dtypes)
```

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97
std3	Prathu	27	96
0	varshini	19	85

	name	Rollno	marks
std1	gayathri	16	98
std2	Bavan	8	97

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project

Create a New Notebook

My Projects

 **Code Snippets**

Manage Code Snippets

 **Anaconda AI Assistant**

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
std3 Prathu 27

[68]: #adding one extra columns

[69]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)

      name  Rollno
std1 gayathri    16
std2 Bavan      8
std3 Prathu    27

      name  Rollno  marks
std1 gayathri    16    98
std2 Bavan      8    97
std3 Prathu    27    96

[70]: #adding one extra rows

[72]: import pandas as pd
data={
    'name':["gayathri","Bavan","Prathu"],
    'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)
df['marks']=[98,97,96]
print(df)
std4=pd.DataFrame([{"name":"varshini","rollno":19,"marks":85}])
df=pd.concat([df,std4])
print(df)
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Anaconda Toolbox v4.20.0

Anaconda
Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project >

Create a New Notebook >

My Projects >

Code Snippets

Manage Code Snippets >

Anaconda AI Assistant

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
0 1.0 1.2
1 2.0 1.3
2 3.0 1.4
3 NaN 1.5
```

[65]: import pandas as pd
data=[
 ["gayathri",16],["Bavan",8],["Prathu",27]]

df=pd.DataFrame(data,columns=["name","Rollno"])
print(df)

	name	Rollno
0	gayathri	16
1	Bavan	8
2	Prathu	27

[67]: #list of dictionary

[66]: import pandas as pd
data={
 'name':["gayathri","Bavan","Prathu"],
 'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])
print(df)

	name	Rollno
std1	gayathri	16
std2	Bavan	8
std3	Prathu	27

[68]: #adding one extra columns

[69]: import pandas as pd
data={
 'name':["gayathri","Bavan","Prathu"],
 'Rollno':[16,8,27]}
df=pd.DataFrame(data,index=['std1','std2','std3'])

Anaconda Assistant
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox**    v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project >

Create a New Notebook >

My Projects >

 **Code Snippets**

Manage Code Snippets >

 **Anaconda AI Assistant**

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[10-20-30]

[48]: s1=pd.Series([10,20,30,30,20])
      print(s1.nunique())

3

[52]: import pandas as pd
      a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
      print(a[['A','C','E']])

A    1
C    3
E    5
dtype: int64

[53]: # Creating DataFrame

[56]: import pandas as pd
      #method1 : from dictionary
      data={
          'name':['gayathri',"Bavan","Prathu"],
          'Rollno':[16,8,27]}
      df=pd.DataFrame(data)
      print(df)

   name  Rollno
0 gayathri    16
1 Bavan      8
2 Prathu     27

[57]: # convert series into df

[59]: s1=pd.Series([1,2,3])
      s2=pd.Series([1.2,1.3,1.4,1.5])
      df=pd.DataFrame({'sno':s1,
                        'data':s2})
      print(df)
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

 Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project >

Create a New Notebook >

My Projects >

 **Code Snippets**

Manage Code Snippets >

 **Anaconda AI Assistant**

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

Python [conda env:base] * Anaconda Toolbox

```
name=pd.Series(['gayu','prathu','bavan'])
print(name.str.upper())

0    GAYU
1   PRATHU
2    BAVAN
dtype: object

[43]: import pandas as pd
name=pd.Series(['gayu','prathu','bavan'])
print(name.str.len())

0    4
1    6
2    5
dtype: int64

[44]: s1=pd.Series([10,20,30],index=['A','B','C'])
s2=pd.Series([500,60,70],index=['B','C','D'])
print(s1+s2)

A    NaN
B   520.0
C    90.0
D    NaN
dtype: float64

[45]: s1=pd.Series([10,20,30])
print(s1.count())

3

[47]: s1=pd.Series([10,20,30,30,20])
print(s1.unique())

[10 20 30]

[48]: s1=pd.Series([10,20,30,30,20])
print(s1.nunique())
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project

Create a New Notebook

My Projects

 **Code Snippets**

Manage Code Snippets

 **Anaconda AI Assistant**

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[35]: # Boolean Indexing

[37]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a[a>3])

D    4
E    5
dtype: int64

[38]: # Count Values

[39]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(len(a))

5

[41]: # individual value count

[40]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.value_counts())

1    1
2    1
3    1
4    1
5    1
Name: count, dtype: int64

[42]: import pandas as pd
name=pd.Series(['gayu','prathu','bavan'])
print(name.str.upper())

0    GAYU
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox**    v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project >

Create a New Notebook >

My Projects >

 **Code Snippets**

Manage Code Snippets >

 **Anaconda AI Assistant**

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help Trusted

Python [conda env:base] * Anaconda Toolbox

```
[28]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.max())

5

[29]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.min())

1

[30]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.mean())

3.0

[31]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.median())

3.0

[34]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print([pd.percentile(a,25)])

-----
AttributeError                                Traceback (most recent call last)
Cell In[34], line 3
      1 import pandas as pd
      2 a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
----> 3 print([pd.percentile(a,25)])
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

 Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project >

Create a New Notebook >

My Projects >

 **Code Snippets**

Manage Code Snippets >

 **Anaconda AI Assistant**

Chat-based Python Help >

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

Python [conda env:base] * Anaconda Toolbox

```
C      8
D      9
E     10
dtype: int64

[24]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.iloc[1])

2

[25]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.
      loc['A'])

1

[32]: # Statistical function

[26]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.sum())

15

[27]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.std())

1.5811388300841898

[28]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a.max())
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.


To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).



 Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project

Create a New Notebook

My Projects

 **Code Snippets**

Manage Code Snippets

 **Anaconda AI Assistant**

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

Python [conda env:base] * Anaconda Toolbox

```
[14]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.iloc[2:5])

2    3
3    4
4    5
dtype: int64

[15]: #creating index value

[17]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a)

A    1
B    2
C    3
D    4
E    5
dtype: int64

[20]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a
      ['E'])

5

[22]: # vectorised operation - non Loop required

[21]: import pandas as pd
a=pd.Series([1,2,3,4,5],index=['A','B','C','D','E'])
print(a+5)
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

 **Anaconda Toolbox** v4.20.0

 **Anaconda**
Your Toolbox for Python Projects

 **Anaconda Cloud**

Create a New Project

Create a New Notebook

My Projects

 **Code Snippets**

Manage Code Snippets

 **Anaconda AI Assistant**

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
print(a[1])
2

[8]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.loc[1])
2

[9]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.iloc[1])
2

[10]: #Slicing

[12]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a
      [1:3])

1 2
2 3
dtype: int64

[13]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.loc[1:3])

1 2
2 3
3 4
dtype: int64

[14]: import pandas as pd
a=pd.Series([1,2,3,4,5])
```

 **Anaconda Assistant**
AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

 **Anaconda Assistant** 4.18.0

Create Account

Already have an account? [Sign In](#)

 For more information, read our [Anaconda Assistant documentation](#).

 **Snipping Tool**

Screenshot copied to clipboard and saved
Select here to mark up and share.

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Day3 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

JupyterLab Python [conda env:base] * Anaconda Toolbox

```
[2]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a)

0    1
1    2
2    3
3    4
4    5
dtype: int64

[3]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.values)

[1 2 3 4 5]

[4]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.index)

RangeIndex(start=0, stop=5, step=1)

[5]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a.dtype)

int64

[6]: # accesing element

[7]: import pandas as pd
a=pd.Series([1,2,3,4,5])
print(a[1])

2
```

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? [Sign In](#)

For more information, read our [Anaconda Assistant documentation](#).