

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[2]: import pandas as pd
df=pd.read_excel("Data_Cleaning_50Plus_Records.xlsx")

#Rename Columns
df.rename(columns={
    'Student ID':'Student_ID',
    'Student Name ':'Student_Name',
    'Department ':'Department'
},inplace=True)
print(df.columns)
print(df.dtypes)
df['Student_ID']=df['Student_ID'].astype(str)
df['Age']=df['Age'].fillna(0)
df['Age']=df['Age'].astype(int)
print(df.dtypes)
#Detect Duplicates
duplicates=df.duplicated()
print(duplicates)

#Count Duplicates
print(df.duplicated().sum())
```

Index(['Student_ID', 'Student_Name', 'Department', 'Age', 'Salary', 'Email'], dtype='object')
Student_ID int64
Student_Name object
Department object
Age float64
Salary float64
Email object
dtypes: object
Student_ID object
Student_Name object
Department object

Breaking news

Bihar hospital fir...

Search

9:24 AM

6/4/2026

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
51 False
dtype: bool
0

[3]: # Dropping Duplicate Records
#before
print(df.shape)
#Remove Duplicates
df.drop_duplicates(inplace=True)
#After
print(df.shape)

(52, 6)
(52, 6)

[5]: #String Operation
#String Methods Work Only On Text Columns
#Remove Extra Spaces
df['Student_Name']=df['Student_Name'].str.strip()
#convert to Uppercase
df['Student_Name']=df['Student_Name'].str.upper()
print(df['Student_Name'].head())
#Convert to Title Case
df['Student_Name']=df['Student_Name'].str.title()
print(df['Student_Name'].head())

0 STUDENT1
1 STUDENT2
2 STUDENT3
3 STUDENT4
4 STUDENT5
Name: Student_Name, dtype: object
0 Student1
1 Student2
2 Student3
3 Student4
4 Student5
Name: Student_Name, dtype: object
```

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Breaking news: Bihar hospital fir...

Search

5:24 AM 6/4/2026

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
3 Student4
4 Student5
Name: Student_Name, dtype: object

[8]: #Replace Text
#Repalce department name
df['Department']=df['Department'].replace([
    'CSE':'Computer Science',
    'ECE':'Electronic and Communi Eng',
    'EEE':'Electrical and Electronic Eng',
    'IT':'Information Tech',
    'MECH':'Mechanical Eng'
])
print(df['Department'].head())

0      Information Tech
1  Electronic and Communi Eng
2  Electrical and Electronic Eng
3      Mechanical Eng
4      Computer Science
Name: Department, dtype: object

[10]: #String Length
df['Name_length']=df['Student_Name'].str.len()
print(df[['Student_Name','Name_length']].head())

Student_Name  Name_length
0      Student1           8
1      Student2           8
2      Student3           8
3      Student4           8
4      Student5           8

[12]: #Extract First Letter
df['First_Letter']=df['Student_Name'].str[0]
print(df[['Student_Name','First_Letter']].head())

Student_Name  First_Letter
0      Student1           S
1      Student2           S
```

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Breaking news: Israel, Hezbollah...

Search

5:24 AM 6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant


Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
[1]: import matplotlib.pyplot as plt
x=[1,2,3,4,5]
y=[10,20,30,40,50]
plt.plot(x,y)
plt.show()
```



```
[ ]: #Figure and Axes
#these are the most important concepts
#Figure-The entire chart window
#Axes-the area where the graph is drawn
```

News for you

Mohiya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

```
[ ]: #Figure and Axes
#these are the most important concepts
#Figure-The entire chart window
#Axes-the area where the graph is drawn

[14]: import matplotlib.pyplot as plt
fig, ax=plt.subplots()

ax.plot([1,2,3],[10,20,30])
#adding a Title
plt.title("Monthly Sales")
#adding x and y labels
plt.xlabel("Month")
plt.ylabel("Sales")
plt.show()

#changing line colours
plt.plot(x,y, color='white')
#changing line style
plt.plot(x,y, linestyle='-.')
```

Monthly Sales



Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

News for you

Mahviya Nagar Fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help


1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[18]:

#styles:
'-'
'--'
':'
#changing line width
plt.plot(x,y, linewidth=10)

[18]:

[<matplotlib.lines.Line2D at 0x1c7d1fc34d0>]



[19]:

#Adding Markers
plt.plot(x,y, marker='s')

[19]:

[<matplotlib.lines.Line2D at 0x1c7d1f17b10>]



News for you

Malyiya Nagar fl...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[19]: #Adding Markers

plt.plot(x,y, marker='s')

[19]: [matplotlib.lines.Line2D at 0x1c7d1f17b10]

50

45

40

35

30

25

20

15

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[20]: pip install seaborn

Requirement already satisfied: seaborn in c:\users\kprcas\anaconda3\lib\site-packages (0.12.2)

News for you

Mohiya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

Requirement already satisfied: six>1.5 in c:\users\kprcas\anaconda3\lib\site-packages (from python-dateutil>2.7->matplotlib<3.6.1,>=3.4->seaborn) (1.17.0)
Note: you may need to restart the kernel to use updated packages.

[]: # 'o' - circle
's' - Square
'^' - Triangle
'*' - Star

[27]: import seaborn as sns
import matplotlib.pyplot as plt
x=[1,2,3,4,5]
y=[10,20,30,40,50]
#Themes in seaborn
#Themes control the appearance of charts
#default Theme
sns.set_theme()
#dark Grid theme
sns.set_style("dark")
#Available Styles
#darkgrid
#whitegrid
sns.lineplot(x=x,y=y)
plt.show()



News for you

Mahviya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[31]: #Color pallete
#A pallete is a collection of colors
#view current pallete
sns.set_palette("pastel")#pastel,bright,colorblind,deep,muted,dark
sns.lineplot(
    x=[1,2,3,4,5],
    y=[10,20,30,40,50]
)
plt.show()
```



OneDrive

Turn On Windows Backup

Automatically save your Desktop, Documents, and Pictures to OneDrive so you can keep them protected and access them from anywhere.

Remind me again in:

1 Week

Let's get started

No thanks

2 cm of rain

Saturday

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[32]:

#Built-in Dataset support
#one of seaborn biggest advantages is built-in datasets
import seaborn as sns
print(sns.get_dataset_names())

['anagrams', 'anscombe', 'attention', 'brain_networks', 'car_crashes', 'diamonds', 'dots', 'dowjones', 'exercise', 'flights', 'fmri', 'geyser', 'glue', 'healthexp', 'iris', 'mpg', 'penguins', 'planets', 'seance', 'taxi', 'tips', 'titanic']

[34]:

#Load Titanic Dataset
import seaborn as sns
df=sns.load_dataset("titanic")
print(df.head())

survived pclass sex age sibsp parch fare embarked class \
0 0 3 male 22.0 1 0 7.2500 S Third
1 1 1 female 38.0 1 0 71.2833 C First
2 1 3 female 26.0 0 0 7.9250 S Third
3 1 1 female 35.0 1 0 53.1000 S First
4 0 3 male 35.0 0 0 8.0500 S Third

who adult_male deck embark_town alive alone
0 man True NaN Southampton no False
1 woman False C Cherbourg yes False
2 woman False NaN Southampton yes True
3 woman False C Southampton yes False
4 man True NaN Southampton no True

[61]:

#Line Chart
#A line chart connects data points with lines
#showing trends over time
#eg:
#Monthly sales, Temperature changes
import matplotlib.pyplot as plt

OneDrive

Turn On Windows Backup
Automatically save your Desktop, Documents, and Pictures to OneDrive so you can keep them protected and access them from anywhere.

Remind me again in:
1 Week

Let's get started No thanks

2 cm of rain
Saturday

Search

5:27 AM
6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[32]:

#Built-in Dataset support
#one of seaborn biggest advantages is built-in datasets
import seaborn as sns
print(sns.get_dataset_names())

['anagrams', 'anscombe', 'attention', 'brain_networks', 'car_crashes', 'diamonds', 'dots', 'dowjones', 'exercise', 'flights', 'fmri', 'geyser', 'glue', 'healthexp', 'iris', 'mpg', 'penguins', 'planets', 'seance', 'taxi', 'tips', 'titanic']

[34]:

#Load Titanic Dataset
import seaborn as sns
df=sns.load_dataset("titanic")
print(df.head())

survived pclass sex age sibsp parch fare embarked class \
0 0 3 male 22.0 1 0 7.2500 S Third \
1 1 1 female 38.0 1 0 71.2833 C First \
2 1 3 female 26.0 0 0 7.9250 S Third \
3 1 1 female 35.0 1 0 53.1000 S First \
4 0 3 male 35.0 0 0 8.0500 S Third \

who adult_male deck embark_town alive alone \
0 man True NaN Southampton no False \
1 woman False C Cherbourg yes False \
2 woman False NaN Southampton yes True \
3 woman False C Southampton yes False \
4 man True NaN Southampton no True \

[41]:
#Line Chart
#A line chart connects data points with lines
#showing trends over time
#eg:
#Monthly sales, Temperature changes
import matplotlib.pyplot as plt

OneDrive

Turn On Windows Backup
Automatically save your Desktop, Documents, and Pictures to OneDrive so you can keep them protected and access them from anywhere.

Remind me again in:
1 Week

Let's get started No thanks

2 cm of rain
Saturday

Search

5:28 AM
6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

Python [conda env:base]

Trusted

	who	adult_male	deck	embark_town	alive	alone
0	man	True	NaN	Southampton	no	False
1	woman	False	C	Cherbourg	yes	False
2	woman	False	NaN	Southampton	yes	True
3	woman	False	C	Southampton	yes	False
4	man	True	NaN	Southampton	no	True

```
[41]: #line Chart
#A line chart connects data points with lines
#showing trends over time
#eg:
#Monthly sales, Temperature changes
import matplotlib.pyplot as plt
months=['Jan','Feb','Mar','Apr']
sales=[100,150,200,250]
plt.title("Monthly Sales")
plt.xlabel("Months")
plt.ylabel("Sales")
plt.show()
```

Monthly Sales

Months	Sales
Jan	100
Feb	150
Mar	200
Apr	250

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter

Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help


File Edit View Run Kernel Settings Help

Python [conda env:base]

Anaconda Toolbox

```
[38]: import matplotlib.pyplot as plt
dept=['HR','IT','Sales']
employees=[20,30,40]
plt.bar(dept,employees)
plt.title("Employees by Department")
plt.xlabel("Department")
plt.ylabel("Count")
plt.show()
```

Employees by Department



Department	Count
HR	20
IT	30
Sales	40

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

10

5

0

HR

IT

Sales

Department

```
[43]: import matplotlib.pyplot as plt
labels=['Food', 'Rent', 'Travel', 'Other']
values=[40,30,20,10]
plt.pie(
    values,
    labels=labels,
    autopct='%1.1f%%'
)
plt.title("Monthly Expenses")
plt.show()
```

Monthly Expenses

Food

40.0%

Rent

30.0%

Other

10.0%

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

Rent 30.0%

Travel 20.0%

Other 10.0%

```
[45]: #ScatterPlot
#it uses dots to represent data points
import matplotlib.pyplot as plt
h=[2,4,6,8]
m=[40,50,60,70]
plt.scatter(h,m)
plt.title("Study Hours vs Marks")
plt.xlabel("Study Hours")
plt.ylabel("Marks")
plt.show()
```

Study Hours vs Marks

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox


55

50

[47]:

#Area chart
import matplotlib.pyplot as plt
x=[1,2,3,4,5]
y=[10,20,30,40,50]
plt.fill_between(x,y)
plt.title("Area Chart")
plt.show()

Area Chart



Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

2 cm of rain
Saturday

Search

5:28 AM
6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago


File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
[48]: #Box plot
#it is used to visualize the distribution of numerical data and identify outliers
#components of boxplot
#Min ---- Q1---[Median]---Q3---Max
#
# Lower whisker      Upper whisker
#minimum smallest value(excluding outliers)
# Q1(25%):First quartile
# median (50%):Middle Value
# Q3(75%): Third quartile
# Maximum:largest value(excluding outliers)
#Outliers: values far from the rest of the data ,shown as individual points

[50]: import matplotlib.pyplot as plt
salary=[25000,28000,30000,50000,60000,
        35000,38000,45000,49000,68000,100000]
plt.boxplot(salary)
plt.title("Salary Distribution")
plt.ylabel("Salary")
plt.show()
```

Salary Distribution



Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[51]: #heatmap
#it is uses colors to represent values in a table or matrix
#in data analysis heatmaps are commonly used to visualize correlations between numerical columns
#correlation values
#value meaning
#+1 strong positive relationship
#0 No relationship
#-1 Strong negative relationship

[53]: import seaborn as sns
import matplotlib.pyplot as plt
#load dataset
tips=sns.load_dataset("tips")
#Correlation matrix
corr=tips.corr(numeric_only=True)
#Heatmap
sns.heatmap(corr,annot=True)
plt.title("Correlation Heatmap")
plt.show()
```

Correlation Heatmap

	total_bill	tip	smoker
total_bill	1	0.68	0.6
tip	0.68	1	0.49
smoker	0.6	0.49	1

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:28 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

size

total_bill

tip

size

0.6

0.49

1

0.6

0.5

[55]: #Histogram using seaborn

sns.histplot(
data=tips,
x="total_bill",
bins=30
)
plt.title("Distribution of Total bill")
plt.show()

Distribution of Total bill

Count

25

20

15

10

5

0

0

5

10

15

20

25

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

total_bill

10 20 30 40 50

[]: KDE plot (Kernel Density Estimation)
#the plot is smooth version of histogram
#instead of bars it shows a smooth curve representing data distribution
#When to use? Understanding data distribution identifying peaks comparing distribution statistical analysis

[56]: sns.kdeplot(
data=tips,
x="total_bill"
)
plt.title("KDE Plot")
plt.show()

KDE Plot

Density

0.05
0.04
0.03
0.02
0.01

Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

2 cm of rain
Saturday

Search

5:29 AM
6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]


Trusted

total_bill

[58]:

```
#histogram +KDE Together
sns.histplot(
    data=tips,
    x="total_bill",
    kde=True
)
plt.title("Histogram with KDE")
plt.show()
```

Histogram with KDE



Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:29 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

total_bill

0 10 20 30 40 50

[60]:

import matplotlib.pyplot as plt
plt.figure(figsize=(9,2))
plt.plot([1,2,3,4],[10,20,30,40])
plt.title("Sales Trend")
plt.show()

Sales Trend

40
30
20
10
1.0 1.5 2.0 2.5 3.0 3.5 4.0

[65]:

#2 charts

import matplotlib.pyplot as plt

plt.figure(figsize=(8,4))

First Plot

plt.subplot(1,2,2)

plt.plot([1,2,3],[10,20,30])

plt.title("Line Chart")

Snipping Tool

Screenshot copied to clipboard and saved
Select here to mark up and share.

2 cm of rain
Saturday

Search

6/4/2026 5:29 AM

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter

Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

[66]: #2 charts

import matplotlib.pyplot as plt

plt.figure(figsize=(8,4))

First Plot

plt.subplot(1,2,2)

plt.plot([1,2,3], [10,20,30])

plt.title("Line Chart")

Second Plot

plt.subplot(1,2,1)

plt.bar(['A','B','C'], [5,8,6])

plt.title("Bar Chart")

plt.show()

Bar Chart

Line Chart

2 cm of rain

Saturday

5:29 AM

6/4/2026

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
[65]: #Example: Four Charts

import matplotlib.pyplot as plt

plt.figure(figsize=(10,8))

plt.subplot(2,2,1)

plt.plot([1,2,3], [10,20,30])

plt.title("Line")

plt.subplot(2,2,2)

plt.bar(['A','B','C'], [5,8,6])

plt.title("Bar")

plt.subplot(2,2,3)

plt.scatter([1,2,3], [4,8,6])

plt.title("Scatter")

plt.subplot(2,2,4)

plt.pie([30,40,30], labels=['A','B','C'])

plt.title("Pie")

plt.show()
```

Line

Bar

30.0

8

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

2 cm of rain

Saturday

Search

5:29 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (300) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
[67]: #plt.tight_layout
#Example: Four Charts

import matplotlib.pyplot as plt

plt.figure(figsize=(10,8))

plt.subplot(2,2,1)

plt.plot([1,2,3], [10,20,30])

plt.title("Line")

plt.subplot(2,2,2)

plt.bar(['A','B','C'], [5,8,6])

plt.title("Bar")

plt.subplot(2,2,3)

plt.scatter([1,2,3], [4,8,6])

plt.title("Scatter")

plt.subplot(2,2,4)

plt.pie([30,40,30], labels=['A','B','C'])

plt.title("Pie")

plt.tight_layout()
```

2 cm of rain

Saturday

Search

5:29 AM

6/4/2026

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter

Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[ ]:
[68]: #used to save charts as image files
#syntax
#plt.savefig("filename.
import matplotlib.pyplot as plt

plt.figure(figsize=(10,8))

plt.subplot(2,2,1)

plt.plot([1,2,3], [10,20,30])

plt.title("Line")

plt.subplot(2,2,2)

plt.bar(['A','B','C'], [5,8,6])

plt.title("Bar")

plt.subplot(2,2,3)

plt.scatter([1,2,3], [4,8,6])

plt.title("Scatter")

plt.subplot(2,2,4)

plt.pie([30,40,30], labels=['A','B','C'])

plt.title("Pie")
plt.savefig("sales_chart.png")

plt.show()
```

Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

28°C

Mostly sunny

Search

5:29 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

+

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter

Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

Line

Bar

```
[69]: plt.savefig(
      "chart.png",
      dpi=300
    )

<Figure size 640x480 with 0 Axes>
```

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

28°C Mostly sunny

Search

6/4/2026 5:29 AM

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[31]: #Color pallete
#A pallete is a collection of colors
#view current pallete
sns.set_palette("pastel")#pastel,bright,colorblind,deep,muted,dark
sns.lineplot(
    x=[1,2,3,4,5],
    y=[10,20,30,40,50]
)
plt.show()
```



OneDrive

Turn On Windows Backup

Automatically save your Desktop, Documents, and Pictures to OneDrive so you can keep them protected and access them from anywhere.

Remind me again in:

1 Week

Let's get started No thanks

2 cm of rain

Saturday

Search

5:27 AM

6/4/2026

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
[2]: import pandas as pd
df=pd.read_excel("Data_Cleaning_50Plus_Records.xlsx")

#Rename Columns
df.rename(columns={
    'Student ID':'Student_ID',
    'Student Name ':'Student_Name',
    'Department ':'Department'
},inplace=True)
print(df.columns)
print(df.dtypes)
df['Student_ID']=df['Student_ID'].astype(str)
df['Age']=df['Age'].fillna(0)
df['Age']=df['Age'].astype(int)
print(df.dtypes)
#Detect Duplicates
duplicates=df.duplicated()
print(duplicates)

#Count Duplicates
print(df.duplicated().sum())
```

Index(['Student_ID', 'Student_Name', 'Department', 'Age', 'Salary', 'Email'], dtype='object')
Student_ID int64
Student_Name object
Department object
Age float64
Salary float64
Email object
dtypes: object
Student_ID object
Student_Name object
Department object

Breaking news

Bihar hospital fir...

Search

9:24 AM

6/4/2026

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
51 False
dtype: bool
0

[3]: # Dropping Duplicate Records
#before
print(df.shape)
#Remove Duplicates
df.drop_duplicates(inplace=True)
#After
print(df.shape)

(52, 6)
(52, 6)

[5]: #String Operation
#String Methods Work Only On Text Columns
#Remove Extra Spaces
df['Student_Name']=df['Student_Name'].str.strip()
#convert to Uppercase
df['Student_Name']=df['Student_Name'].str.upper()
print(df['Student_Name'].head())
#Convert to Title Case
df['Student_Name']=df['Student_Name'].str.title()
print(df['Student_Name'].head())

0 STUDENT1
1 STUDENT2
2 STUDENT3
3 STUDENT4
4 STUDENT5
Name: Student_Name, dtype: object
0 Student1
1 Student2
2 Student3
3 Student4
4 Student5
Name: Student_Name, dtype: object
```

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Breaking news: Bihar hospital fir...

Search

5:24 AM 6/4/2026

Home

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5 Last Checkpoint: 23 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base]

Trusted

```
3 Student4
4 Student5
Name: Student_Name, dtype: object

[8]: #Replace Text
#Repalce department name
df['Department']=df['Department'].replace([
    'CSE':'Computer Science',
    'ECE':'Electronic and Communi Eng',
    'EEE':'Electrical and Electronic Eng',
    'IT':'Information Tech',
    'MECH':'Mechanical Eng'
])
print(df['Department'].head())

0      Information Tech
1  Electronic and Communi Eng
2  Electrical and Electronic Eng
3      Mechanical Eng
4      Computer Science
Name: Department, dtype: object

[10]: #String Length
df['Name_length']=df['Student_Name'].str.len()
print(df[['Student_Name','Name_length']].head())

Student_Name  Name_length
0      Student1           8
1      Student2           8
2      Student3           8
3      Student4           8
4      Student5           8

[12]: #Extract First Letter
df['First_Letter']=df['Student_Name'].str[0]
print(df[['Student_Name','First_Letter']].head())

Student_Name  First_Letter
0      Student1           S
1      Student2           S
```

Snipping Tool

Screenshot copied to clipboard and saved. Select here to mark up and share.

Breaking news: Israel, Hezbollah...

Search

5:24 AM 6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant


Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

```
[1]: import matplotlib.pyplot as plt
x=[1,2,3,4,5]
y=[10,20,30,40,50]
plt.plot(x,y)
plt.show()
```



```
[ ]: #Figure and Axes
#these are the most important concepts
#Figure-The entire chart window
#Axes-the area where the graph is drawn
```

News for you

Mohiya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

```
[ ]: #Figure and Axes
#these are the most important concepts
#Figure-The entire chart window
#Axes-the area where the graph is drawn

[14]: import matplotlib.pyplot as plt
fig, ax=plt.subplots()

ax.plot([1,2,3],[10,20,30])
#adding a Title
plt.title("Monthly Sales")
#adding x and y labels
plt.xlabel("Month")
plt.ylabel("Sales")
plt.show()

#changing line colours
plt.plot(x,y, color='white')
#changing line style
plt.plot(x,y, linestyle='-.')
```

Monthly Sales



Snipping Tool

Screenshot copied to clipboard and saved

Select here to mark up and share.

News for you

Malyiya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help


1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[18]:

#styles:
'-'
'--'
':'
#changing line width
plt.plot(x,y, linewidth=10)

[18]:

[<matplotlib.lines.Line2D at 0x1c7d1fc34d0>]



[19]:

#Adding Markers
plt.plot(x,y, marker='s')

[19]:

[<matplotlib.lines.Line2D at 0x1c7d1f17b10>]



News for you

Mohiyia Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) - gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[19]: #Adding Markers

plt.plot(x,y, marker='s')

[19]: [matplotlib.lines.Line2D at 0x1c7d1f17b10]

50

45

40

35

30

25

20

15

10

1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

[20]: pip install seaborn

Requirement already satisfied: seaborn in c:\users\kprcas\anaconda3\lib\site-packages (0.12.2)

News for you

Mohiya Nagar fil...

Search

5:27 AM

6/4/2026

Home

Day5-2

Day5

gayuaid016-ops/DataScience

Inbox (306) · gayuaid016@gmail.com

localhost:8888/notebooks/Workspace/Day5-2.ipynb?

Summarize

Chat

Anaconda Toolbox

v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

Jupyter Day5-2 Last Checkpoint: 22 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python [conda env:base] Anaconda Toolbox

Requirement already satisfied: six>=1.5 in c:\users\kprcas\anaconda3\lib\site-packages (from python-dateutil>=2.7->matplotlib!=3.6.1,>=3.4->seaborn) (1.17.0)
Note: you may need to restart the kernel to use updated packages.

[]: # 'o' - circle
's' - Square
'^' - Triangle
'*' - Star

[27]: import seaborn as sns
import matplotlib.pyplot as plt
x=[1,2,3,4,5]
y=[10,20,30,40,50]
#Themes in seaborn
#Themes control the appearance of charts
#default Theme
sns.set_theme()
#dark Grid theme
sns.set_style("dark")
#Available Styles
#darkgrid
#whitegrid
sns.lineplot(x=x,y=y)
plt.show()



News for you

Mahviya Nagar fil...

Search

5:27 AM

6/4/2026