





docker-mongo-node

miércoles, 6 de noviembre de 2019 16:34



version: '3'

#Declarar los servicios

#depends_on para ligar conexion entre contenedores

services:

catclientes:

container_name: apiclientes

image: api_clientes

```

build: .
ports:
  - '1500:1500'
depends_on:
  - mongo
mongo:
  container_name: mongoserver
  image: mongo
  ports:
    - '27017:27017'

```

```
PS C:\Proyectos\MVC-base-Express-Local> docker-compose up -d
```

```

PS C:\Proyectos\MVC-base-Express-Local> docker-compose up -d
Creating mongoserver ... done
Creating apiclientes ... done

```

```

PS C:\Proyectos\MVC-base-Express-Local> docker ps

```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS
bff44a82efc3	api_clientes	"node app.js"	About a minute ago	Up About a minute	0.0.0.0:1500->1500/tcp
5dbc37782b6a	mongo	"docker-entrypoint.s..."	About a minute ago	Up About a minute	0.0.0.0:27017->27017/tcp

```

PS C:\Proyectos\MVC-base-Express-Local> docker logs apiclientes
Server Inicializado en el puerto: 1500
Server mongodb Conectado...


```

The screenshot shows a web browser interface with two tabs. The active tab is titled 'GET localhost:1500'. Below the address bar, the method 'GET' is selected, and the URL 'localhost:1500' is entered. The 'Body' tab is selected in the response section, showing a single entry: '1 Servidor activo.... Porfavor use /api/customers'. Other tabs like 'Cookies', 'Headers (6)', and 'Test Results' are visible but not selected.


```

PS C:\Proyectos\MVC-base-Express-Local> docker logs apiclientes
Server Inicializado en el puerto: 1500
Server mongodb Conectado...
request a raiz del server de apis-----

```




```
PS C:\Proyectos\MVC-base-Express-Local> docker logs apiclientes
Server Inicializado en el puerto: 1500
Server mongodb Conectado...
request a raiz del server de apis-----
Clientes encontrados...
[]
```



```
PS C:\Proyectos\MVC-base-Express-Local> docker logs apiclientes
Server Inicializado en el puerto: 1500
Server mongodb Conectado...
request a raiz del server de apis-----
Clientes encontrados...
[]
{ _id: 5dc34ddebb45c618b53cf57d,
  id_cliente: 10001,
  cliente: 'Jorge Pedante',
  direccion: 'Calle XXXXX # 400 Col, YYYYY, CP 20040',
  telefono: '52-5527143789' }
```

GET localhost:1500/api/customers

Pretty Raw Preview Visualize BETA JSON 

```
1  []
2  {
3    "id_cliente": 10001,
4    "cliente": "Jorge Pedante",
5    "direccion": "Calle XXXXX # 400 Col, YYYYY, CP 20040",
6    "telefono": "52-5527143789"
7  }
8  []
```