

Cliente Exemplo S.A.

Score Justification

Detailed Methodology and Calculation Rationale

ASSESSMENT	AI Maturity Assessment
INDUSTRY	Not specified
ASSESSMENT DATE	2026-05-08
FRAMEWORK VERSION	1.0.0
GENERATED ON	2026-09-27
SCOPE	Not specified

Table of Contents

1. Executive Overview	.
1.1 Purpose of This Document	.
1.2 Summary of Final Scores	.
2. Scoring Methodology	.
2.1 Maturity Level Definitions	.
2.2 Scoring Guidelines	.
2.3 Weighted Average Calculation Formula	.
3. P1: Developer Productivity — Detailed Scores	.
4. P2: DevOps Lifecycle — Detailed Scores	.
5. P3: Application Platform — Detailed Scores	.
6. Overall Maturity Calculation	.
7. Key Evidence Sources	.
8. Conclusion	.

1. Executive Overview

This document provides a comprehensive explanation of the scoring methodology used in the Cliente Exemplo S.A. AI Maturity Assessment, including detailed justifications for each capability score and the weighted average calculations that determine pillar and overall maturity levels.

1.1 Purpose of This Document

- Provide full transparency on how each score was determined.
- Document the evidence base used for scoring decisions.
- Explain the weighted average calculation methodology.
- Justify the rationale behind each maturity level assignment.
- Enable stakeholders to understand and validate assessment results.

1.2 Summary of Final Scores

PILLAR	WEIGHTED AVG	MATURITY LEVEL	TARGET	GAP
P1: Developer Productivity	2.69	L3 Managed	L3.4	0.7
P2: DevOps Lifecycle	1.52	L2 Defined	L3.1	1.6
P3: Application Platform	1.92	L2 Defined	L3.3	1.4
OVERALL	1.99	L2 Defined	L3.3	1.3



2. Scoring Methodology

2.1 Maturity Level Definitions

The AI Maturity Framework uses a 5-level scale (L0-L4) to measure capability maturity. Each level has specific characteristics and evidence requirements.

LEVEL	NAME	DESCRIPTION	EVIDENCE REQUIRED
L0	Traditional	No structured approach. Manual processes dominate. No AI tooling adoption.	Observation of manual workflows, absence of automation tools
L1	AI-Assisted	Beginning to adopt AI tools. Pilots underway (<20% adoption). Basic automation exists.	License counts, pilot team lists, initial metrics
L2	AI-Enhanced	Significant AI adoption (50%+). Comprehensive automation. Self-service emerging.	Adoption dashboards, automated workflow logs, self-service portal
L3	AI-Optimized	Wide AI adoption (75%+). AI agents for complex tasks. Predictive capabilities.	AI usage reports, agent task logs, predictive analytics dashboards
L4	Agentic / Autonomous	Full AI integration. Multi-agent systems. Self-healing with minimal human intervention.	Autonomous operation logs, multi-agent coordination evidence, MTTR metrics

2.2 Scoring Guidelines

The following principles were applied consistently during scoring:


- Score based on EVIDENCE, not aspirations — always require proof.
- When capabilities span multiple levels, score at the LOWER level.
- Consider CONSISTENCY across teams — isolated excellence does not raise the org score.
- Platform Engineering [PE] capabilities indicate Agentic Platform Engineering readiness.
- Use half-points (e.g. 1.5) only when strong evidence supports partial progress.

2.3 Weighted Average Calculation Formula

Each capability has an assigned weight (2 or 3) based on its strategic importance. The Pillar score is calculated as:

Pillar Score = $\Sigma(\text{capability_score} \times \text{weight}) / \Sigma(\text{weights})$
Overall Score = average(pillar_scores)

3. P1: Developer Productivity — Detailed Scores



3.1 Pillar Summary

Total Capabilities	9
Sum of Weights	3.30
Weighted Sum of Scores	8.89
Weighted Average	2.69 (= weighted sum / 3.30)
Maturity Level	L3 Managed

3.2 Capability-by-Capability Justification

1.1 AI Coding Assistants

SCORE	WEIGHT	PE INDICATOR
L3 Managed	1.2 (Medium)	No

EVIDENCE COLLECTED

- P1-C1-Q1: Cobertura de 80%+ com métricas mostrando ganhos consistentes (~20% velocidade).
- P1-C1-Q2: Programa maduro com ~85% cobertura, dashboards Grafana ativos e revisão trimestral.
- P1-C1-Q3: Aproximadamente 45% de adoção, com workshops mensais e métricas iniciais.
- P1-C1-Q4: Adoção universal (>95%) com fine-tuning customizado e ganhos medidos >35%.
- P1-C1-Q5: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.

SCORING RATIONALE

Weighted mean of 5 of 5 questions: 3.04 (L3 Managed). Evidence was provided for 5 question(s), listed above.

PE 1.2 Developer Experience Platform

SCORE	WEIGHT	PE INDICATOR
L2 Defined	1.0 (Medium)	Yes

EVIDENCE COLLECTED

- P1-C2-Q1: Implantação em 35% dos serviços; documentação publicada no Confluence interno.
- P1-C2-Q2: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.
- P1-C2-Q3: Implantação em 35% dos serviços; documentação publicada no Confluence interno.
- P1-C2-Q4: Programa maduro com ~85% cobertura, dashboards Grafana ativos e revisão trimestral.

SCORING RATIONALE

Weighted mean of 4 of 6 questions: 2.49 (L2 Defined). Evidence was provided for 4 question(s), listed above.

1.3 Knowledge Management

SCORE	WEIGHT	PE INDICATOR
No answer	0.8 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

1.4 Code Review Automation

SCORE	WEIGHT	PE INDICATOR
L3 Managed	1.1 (Medium)	No

EVIDENCE COLLECTED

- P1-C4-Q1: Programa maduro com ~85% cobertura, dashboards Grafana ativos e revisão trimestral.
- P1-C4-Q2: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P1-C4-Q3: Cobertura de 80%+ com métricas mostrando ganhos consistentes (~20% velocidade).
- P1-C4-Q4: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.

SCORING RATIONALE

Weighted mean of 4 of 7 questions: 2.50 (L3 Managed). Evidence was provided for 4 question(s), listed above.

1.5 Developer Onboarding & Training

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

1.6 Inner Source & Collaboration

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.
--

1.7 Documentation Automation

SCORE	WEIGHT	PE INDICATOR
No answer	0.8 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.
--

1.8 Developer Productivity Measurement

SCORE	WEIGHT	PE INDICATOR
No answer	1.0 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.
--

1.9 Environment & Workspace Automation

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.3 Calculation Summary

Pillar Score = 8.89 / 3.30
= 2.69 → L3 Managed

4. P2: DevOps Lifecycle – Detailed Scores

P2: DevOps Lifecycle

L1.5 → **L3.1**

Gap +1.61



4.1 Pillar Summary

Total Capabilities	10
Sum of Weights	4.50
Weighted Sum of Scores	6.83
Weighted Average	1.52 (= weighted sum / 4.50)
Maturity Level	L2 Defined

4.2 Capability-by-Capability Justification

PE 2.1 CI/CD Pipeline Intelligence

SCORE	WEIGHT	PE INDICATOR
L2 Defined	1.2 (Medium)	Yes

EVIDENCE COLLECTED

- P2-C1-Q1: Aproximadamente 45% de adoção, com workshops mensais e métricas iniciais.
- P2-C1-Q2: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.
- P2-C1-Q3: Implantação em 35% dos serviços; documentação publicada no Confluence interno.
- P2-C1-Q4: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P2-C1-Q5: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.
- P2-C1-Q6: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.

SCORING RATIONALE

Weighted mean of 6 of 6 questions: 2.33 (L2 Defined). Evidence was provided for 6 question(s), listed above.

PE 2.2 Infrastructure as Code

SCORE	WEIGHT	PE INDICATOR
No answer	1.1 (Medium)	Yes

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

PE 2.3 Observability and Monitoring

SCORE	WEIGHT	PE INDICATOR
L2 Defined	1.0 (Medium)	Yes

EVIDENCE COLLECTED

- P2-C3-Q1: Programa maduro com ~85% cobertura, dashboards Grafana ativos e revisão trimestral.
- P2-C3-Q2: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P2-C3-Q3: Programa maduro com ~85% cobertura, dashboards Grafana ativos e revisão trimestral.
- P2-C3-Q4: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P2-C3-Q5: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.

SCORING RATIONALE

Weighted mean of 5 of 6 questions: 2.40 (L2 Defined). Evidence was provided for 5 question(s), listed above.

2.4 Security Integration (DevSecOps)

SCORE	WEIGHT	PE INDICATOR
L1 Developing	1.2 (Medium)	No

EVIDENCE COLLECTED

- P2-C4-Q1: Adoção esporádica por iniciativa de tech leads, sem KPIs definidos.
- P2-C4-Q2: Sem prática estabelecida — nenhuma ferramenta ou política implementada.
- P2-C4-Q3: Piloto isolado em 1 squad (~8% dos times); sem governança formal.
- P2-C4-Q4: Programa em fase exploratória; menos de 15% de cobertura medida.

SCORING RATIONALE

Weighted mean of 4 of 6 questions: 0.75 (L1 Developing). Evidence was provided for 4 question(s), listed above.

2.5 Release & Deployment Strategies

SCORE	WEIGHT	PE INDICATOR
No answer	1.1 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

2.6 Testing Automation

SCORE	WEIGHT	PE INDICATOR
No answer	1.1 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

2.7 Incident Management & SRE

SCORE	WEIGHT	PE INDICATOR
No answer	1.1 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

2.8 Artifact & Package Management

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

2.9 Change Management & GitOps

SCORE	WEIGHT	PE INDICATOR
No answer	1.0 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

2.10 Dependency & Supply Chain Security

SCORE	WEIGHT	PE INDICATOR
L1 Developing	1.1 (Medium)	No

EVIDENCE COLLECTED

- P2-C10-Q1: Adoção esporádica por iniciativa de tech leads, sem KPIs definidos.
- P2-C10-Q2: Programa em fase exploratória; menos de 15% de cobertura medida.
- P2-C10-Q3: Sem prática estabelecida — nenhuma ferramenta ou política implementada.

SCORING RATIONALE

Weighted mean of 3 of 5 questions: 0.67 (L1 Developing). Evidence was provided for 3 question(s), listed above.

4.3 Calculation Summary


Pillar Score = 6.83 / 4.50
= 1.52 → L2 Defined

5. P3: Application Platform – Detailed Scores

P3: Application Platform

L1.9 → L3.3

Gap +1.41



5.1 Pillar Summary

Total Capabilities	9
Sum of Weights	3.10
Weighted Sum of Scores	5.94
Weighted Average	1.92 (= weighted sum / 3.10)
Maturity Level	L2 Defined

5.2 Capability-by-Capability Justification

PE 3.1 Cloud-Native Architecture

SCORE	WEIGHT	PE INDICATOR
L3 Managed	1.1 (Medium)	Yes

EVIDENCE COLLECTED

- P3-C1-Q1: Cobertura de 80%+ com métricas mostrando ganhos consistentes (~20% velocidade).
- P3-C1-Q2: Cobertura de 80%+ com métricas mostrando ganhos consistentes (~20% velocidade).
- P3-C1-Q3: Aproximadamente 45% de adoção, com workshops mensais e métricas iniciais.
- P3-C1-Q4: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P3-C1-Q5: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.

SCORING RATIONALE

Weighted mean of 5 of 5 questions: 2.60 (L3 Managed). Evidence was provided for 5 question(s), listed above.

PE 3.2 API Management

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	Yes

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.3 AI Application Development

SCORE	WEIGHT	PE INDICATOR
L2 Defined	1.0 (Medium)	No

EVIDENCE COLLECTED

- P3-C3-Q1: Aproximadamente 45% de adoção, com workshops mensais e métricas iniciais.
- P3-C3-Q2: Implantação em 35% dos serviços; documentação publicada no Confluence interno.
- P3-C3-Q3: Adoção em mais de 75% dos squads; biblioteca de templates compartilhada e métricas DORA monitoradas.
- P3-C3-Q4: Aproximadamente 45% de adoção, com workshops mensais e métricas iniciais.

SCORING RATIONALE

Weighted mean of 4 of 5 questions: 2.25 (L2 Defined). Evidence was provided for 4 question(s), listed above.

3.4 Data Platform & Lakehouse

SCORE	WEIGHT	PE INDICATOR
No answer	1.0 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.5 Agentic Applications

SCORE	WEIGHT	PE INDICATOR
L1 Developing	1.0 (Medium)	No

EVIDENCE COLLECTED

- P3-C5-Q1: Piloto isolado em 1 squad (~8% dos times); sem governança formal.
- P3-C5-Q2: Adoção esporádica por iniciativa de tech leads, sem KPIs definidos.
- P3-C5-Q3: Cobertura de ~40% das equipes com diretrizes escritas e treinamento básico.
- P3-C5-Q4: Tópico não está no radar atual da liderança técnica.
- P3-C5-Q5: Adoção esporádica por iniciativa de tech leads, sem KPIs definidos.
- P3-C5-Q6: Sem prática estabelecida — nenhuma ferramenta ou política implementada.

SCORING RATIONALE

Weighted mean of 6 of 6 questions: 0.83 (L1 Developing). Evidence was provided for 6 question(s), listed above.

3.6 Identity & Access Management

SCORE	WEIGHT	PE INDICATOR
No answer	1.1 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.7 Multi-Cloud & Portability

SCORE	WEIGHT	PE INDICATOR
No answer	0.8 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.8 Performance & Scalability

SCORE	WEIGHT	PE INDICATOR
No answer	1.0 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

3.9 FinOps & Cost Optimization

SCORE	WEIGHT	PE INDICATOR
No answer	0.9 (Medium)	No

No evidence text was captured. Score derived from question responses only.

SCORING RATIONALE

No questions in this capability were answered.

5.3 Calculation Summary

Pillar Score = $5.94 / 3.10$
= 1.92 → L2 Defined

6. Overall Maturity Calculation

6.1 Pillar Score Summary

PILLAR	WEIGHTED AVG	MATURITY LEVEL
P1: Developer Productivity	2.69	L3 Managed
P2: DevOps Lifecycle	1.52	L2 Defined
P3: Application Platform	1.92	L2 Defined

6.2 Overall Score Calculation

Overall Score = $(2.69 + 1.52 + 1.92) / 3$
= 1.99 → L2 Defined

6.3 Agentic Platform Engineering Readiness

2.60

PE Weighted Score

MEDIUM

AGENTIC PLATFORM ENGINEERING

Recommended Path: **Open Horizons (Backstage)**

SCORE RANGE	PE LEVEL	RECOMMENDED PATH	INTERPRETATION
< 1.0	NOT READY	Build foundation first	Significant foundational work needed before adopting either IDP path. Focus on standardization, source-of-truth, basic CI/CD.
1.0 – 1.9	LOW	Build foundation first	Basic capabilities exist. Close fundamental gaps before scaling. A small Open Horizons (Backstage) pilot may be valuable to learn before committing.
2.0 – 2.9	MEDIUM	Open Horizons (Backstage) / Three Horizons (Red Hat Developer Hub)	Foundation is in place. Open Horizons is the lower-risk default; Three Horizons fits organizations already in the Red Hat / OpenShift ecosystem.
≥ 3.0	HIGH	Either path — strategic choice	Either path can be chosen with confidence. Decision is strategic (vendor preference, OSS vs commercial, team capacity).

ABOUT THESE PATHS

Agentic Platform Engineering is the destination — an internal developer platform with self-service golden paths, AI-augmented workflows, and autonomous operations. It admits two implementation paths:

- **Three Horizons (Red Hat Developer Hub).** Three Horizons (with Red Hat Developer Hub): commercial, OpenShift-aligned, fully supported. Best fit for organizations already in the Red Hat ecosystem or requiring vendor-backed enterprise support.
- **Open Horizons (Backstage).** Open Horizons (with Backstage): open-source, vendor-neutral, fully customizable. Best fit for organizations preferring OSS, with strong platform engineering capacity, or requiring cloud-agnostic deployment.

Both paths produce the same end-state. The choice is operational (tooling, vendor relationship, support model), not capability-based. H1/H2/H3 time phasing (Months 0-6 / 6-18 / 18-36) applies to both paths.

7. Key Evidence Sources

The scoring above is supported by evidence collected during assessment sessions. The categories below list the kinds of artifacts and observations that informed the rationale.

No evidence sources were captured for this assessment.

8. Conclusion

Cliente Exemplo S.A. has reached an overall maturity of L1.99 (L2 Defined) across the assessed pillars. This represents a meaningful baseline from which to drive systematic improvement toward the target state.

0 capabilities currently sit at HIGH gap priority and warrant immediate attention. Pillars analyzed: P1, P2, P3. Each capability has been scored against quantifiable evidence and validated against the framework rubric.

The companion Transformation Roadmap documents (Parts 1-4) translate this current-state picture into a phased H1/H2/H3 plan with specific initiatives, success metrics, and governance structure to close every gap identified here.