

# Metamodels and Feature Models: Complementary Approaches to Formalize Product Comparison Matrices

---

Guillaume Bécan

Ph.D defense

September 23, 2016

Jury

Laurence Duchien - University of Lille 1

Andrzej Wąsowski - IT University of Copenhagen

Felienne Hermans - Delft University of Technology

Olivier Ridoux - University of Rennes 1

Benoit Baudry - Inria Rennes


Mathieu Acher - University of Rennes 1

# Context




# Context

**SONY**  
**Canon**




# Context

**SONY**  
**Canon**





# Context

**SONY**  
**Canon**




which one ?



# Context

**SONY**  
**Canon**



which one ?



# Product Comparison Matrix (PCM)

Comparison of digital SLRs



Features

Brand	Model name	Sensor size	Effective megapixels	Movie mode	Memory card type	Weight (g) <sup>[1]</sup>	In production
Canon	1D X Mark II	Full frame	20.2	yes	CF+CFast	1530	yes
Canon	1D X	Full frame	18.1	yes	CF (2x)	1530	no
Canon	1Ds Mark III	Full frame	21.1	no	CF+SD	1205	no
Canon	1D Mark IV	APS-H	16.1	yes	CF+SD	1180	no
Canon	5D Mark III	Full frame	22.3	yes	CF+SD	950 (860 without battery)	yes
Canon	5D Mark II	Full frame	21.1	yes	CF	810	no
Canon	6D	Full frame	20.2	yes	SD	755 (680 without battery)	no
Canon	7D Mark II	APS-C	20.2	yes	CF+SD	910 (820 without battery)	yes

Products

Cell

The **product** “5D Mark III” has the **feature** “movie mode”

# Product Comparison Matrix (PCM)

Can you find the **lightest** camera with

- > 20 megapixels
- Movie mode
- Full frame sensor



which one ?



Brand	Model name	Sensor size	Effective megapixels	Movie mode	Memory card type	Weight (g) <sup>[1]</sup>	In production
Canon	<a href="#">1D X Mark II</a>	Full frame	20.2	yes	CF+CFast	1530	yes
Canon	<a href="#">1D X</a>	Full frame	18.1	yes	CF (2x)	1530	no
Canon	<a href="#">1Ds Mark III</a>	Full frame	21.1	no	CF+SD	1205	no
Canon	<a href="#">1D Mark IV</a>	APS-H	16.1	yes	CF+SD	1180	no
Canon	<a href="#">5D Mark III</a>	Full frame	22.3	yes	CF+SD	950 (860 without battery)	yes
Canon	<a href="#">5D Mark II</a>	Full frame	21.1	yes	CF	810	no
Canon	<a href="#">6D</a>	Full frame	20.2	yes	SD	755 (680 without battery)	no
Canon	<a href="#">7D Mark II</a>	APS-C	20.2	yes	CF+SD	910 (820 without battery)	yes

# Product Comparison Matrix (PCM)

Can you find the **lightest** camera with

- > 20 megapixels
- Movie mode
- Full frame sensor



which one ?



Brand	Model name	Sensor size	Effective megapixels	Movie mode	Memory card type	Weight (g) <sup>[1]</sup>	In production
Canon	1D X Mark II	Full frame	20.2	yes	CF+CFast	1530	yes
Canon	1D X	Full frame	18.1	yes	CF (2x)	1530	no
Canon	1Ds Mark III	Full frame	21.1	no	CF+SD	1205	no
Canon	1D Mark IV	APS-H	16.1	yes	CF+SD	1180	no
Canon	5D Mark III	Full frame	22.3	yes	CF+SD	950 (860 without battery)	yes
Canon	5D Mark II	Full frame	21.1	yes	CF	810	no
Canon	6D	Full frame	20.2	yes	SD	755 (680 without battery)	no
Canon	7D Mark II	APS-C	20.2	yes	CF+SD	910 (820 without battery)	yes

# Product Comparison Matrix (PCM)


Brand	Model name	Sensor size	Effective megapixels	Lens mount	Viewfinder type	Viewfinder coverage (% of the frame)	Histogram zones	Focus points	Lowest ISO	Highest ISO	DxO Mark sensor score	DxO ISO performance	Cont shr (B5)	LCD size (in)	Live view	Movie mode	Memory card type	Dimensions (mm)	Weight (g)	Announced (date)	In production	Reference
Canon	1D X Mark II	Full frame	20.2	EF	Pentaprism	100	216	61	60	409600	TBA	TBA	14	3.2	yes	CF+EFest	159x168x83	1530	Feb 2016	yes	B101 B102	
Canon	1D X	Full frame	18.1	EF	Pentaprism	100	252	61	60	204800	82	2766	14	3.2	yes	CF (2D)	159x164x83	1530	Oct 2011	no	B101 B102	
Canon	1Dx Mark III	Full frame	21.1	EF	Pentaprism	100	63	46	60	3200	80	1663	5	3	yes	CF+SD	159x160x80	1205	Aug 2007	no	B101 B102	
Canon	1Dx Mark IV	APS-C	16.1	EF	Pentaprism	100	63	46	60	102400	74	1320	10	3	yes	CF+SD	156x157x80	1180	Oct 2009	no	B101 B102	
Canon	5D Mark III	Full frame	22.3	EF	Pentaprism	100	63	61	60	102400	81	2293	6	3.2	yes	CF+SD	152x117x77	950 (650 without battery)	Mar 2012	yes	B101 B102	
Canon	5D Mark II	Full frame	21.1	EF	Pentaprism	98	36	9	60	25600	79	1815	2.9	3	yes	CF	152x114x75	810	Sep 2008	no	B110 B111	
Canon	6D	Full frame	20.2	EF	Pentaprism	97	63	11	60	102400	82	2340	4.6	3	yes	SD	146x111x71	765 (650 without battery)	Sep 2012	no	B110	
Canon	7D Mark II	APS-C	20.2	EF, EF-S	Pentaprism	100	252	65	100	61200	70	1082	10	3	yes	CF+SD	149x112x78	910 (820 without battery)	Sep 2014	yes	B110 B111	
Canon	7D	APS-C	18.0	EF, EF-S	Pentaprism	100	63	19	100	12800	66	854	8	3	yes	CF	148x111x74	820	Sep 2009	no	B110 B111	
Canon	80D	APS-C	24.2	EF, EF-S	Pentaprism	100	63	45	100	25600	TBA	TBA	7.0	3	yes	SD	139x106x79	730	Feb 2016	yes	B110 B111	
Canon	70D	APS-C	20.2	EF, EF-S	Pentaprism	98	63	19	100	25600	68	926	7.0	3	yes	SD	139x106x79	765	Jul 2013	no	B110 B111	
Canon	60D	APS-C	18.0	EF, EF-S	Pentaprism	96	63	9	100	12800	66	813	5.3	3	yes	SD	146x106x79	765	Aug 2010	yes	B110	
Canon	50D	APS-C	15.1	EF, EF-S	Pentaprism	96	36	9	100	12800	63	696	6.3	3	yes	CF	146x108x74	822	Oct 2008	no	B110 B111	
Canon	40D	APS-C	10.1	EF, EF-S	Pentaprism	96	36	9	100	3200	64	703	6.5	3	yes	CF	146x108x74	740	Aug 2007	no	B110	
Canon	30D	APS-C	8.2	EF, EF-S	Pentaprism	96	36	9	100	3200	69	706	6	2.8	no	no	CF	144x106x74	765	Feb 2006	no	B110 B111
Canon	20D	APS-C	8.2	EF, EF-S	Pentaprism	96	36	9	100	3200	62	721	6	1.8	no	no	CF	144x106x72	770	Aug 2004	no	B110
Canon	10D	APS-C	6.3	EF	Pentaprism	96	36	7	100	3200	67	671	3	1.8	no	no	CF	150x107x75	790 (without battery)	Feb 2003	no	B110
Canon	700D, Rebel T6s, EOS 8000D	APS-C	24	EF, EF-S	Pentamirr	96	63	19	100	25600	70	916	6	3	yes	SD	132x101x78	665g	Feb 2015	yes		
Canon	700D, Rebel T6i, Kiss X8i	APS-C	24	EF, EF-S	Pentamirr	96	63	19	100	25600	71	919	6	3	yes	SD	132x101x78	655g	Feb 2015	yes		
Canon	700D, Rebel T5i, Kiss X7i	APS-C	18.0	EF, EF-S	Pentamirr	96	63	9	100	25600	61	681	6.0	3	yes	SD	134x100x79	580	Mar 2013	yes	B110 B111	
Canon	650D, Rebel T4i, Kiss X6i	APS-C	18.0	EF, EF-S	Pentamirr	95	63	9	100	25600	62	722	6.0	3	yes	SD	134x100x79	575	Jun 2012	no	B110 B111	
Canon	650D, Rebel T3i, Kiss X5	APS-C	18.0	EF, EF-S	Pentamirr	95	63	9	100	12800	65	793	3.7	3	yes	SD	133x100x80	515 (without battery)	Feb 2011	yes	B110 B111	
Canon	650D, Rebel T2i, Kiss X4	APS-C	18.0	EF, EF-S	Pentamirr	95	63	9	100	12800	66	784	3.7	3	yes	SD	129x100x78	530	Feb 2010	no	B110 B111	
Canon	550D, Rebel T1i, Kiss X3	APS-C	15.1	EF, EF-S	Pentamirr	95	36	9	100	12800	63	663	3.4	3	yes	SD	129x98x62	480 (without battery)	Mar 2009	no	B110 B111	
Canon	450D, Rebel Xti, Kiss X2	APS-C	12.2	EF, EF-S	Pentamirr	95	36	9	100	1600	61	692	3.6	3	yes	SD	129x98x62	476 (without battery)	Jan 2008	no	B110	
Canon	400D, Digital Rebel XT, Kiss Digital X	APS-C	10.1	EF, EF-S	Pentamirr	95	36	9	100	1600	644	644	3	2.5	no	no	CF	127x95x65	510 (without battery)	Aug 2006	no	B110
Canon	350D, Digital Rebel XT, Kiss Digital II	APS-C	8.0	EF, EF-S	Pentamirr	95	36	7	100	1600	65	728	2.8	1.8	no	no	CF	127x84x64	540 (405 without battery)	Feb 2005	no	B110
Canon	300D, Digital Rebel Kiss Digital	APS-C	6.3	EF, EF-S	Pentamirr	95	36	7	100	1600	65	726	2.6	1.8	no	no	CF	142x99x72	654 (550 without battery)	Aug 2003	no	B110
Canon	1000D, Rebel SL1, Kiss X7	APS-C	18.0	EF, EF-S	Pentamirr	95	63	9	100	25600	63	741	4	3	yes	SD	117x91x69	407 (370 without battery)	Mar 2013	yes	B110 B111	
Canon	1000D, Rebel TS1, Kiss X70	APS-C	18.0	EF, EF-S	Pentamirr	95	63	9	100	12800	63	724	3.0	3	yes	SD	130x100x78	480 (435 without battery)	Feb 2014	yes	B110 B111	
Canon	1100D, Rebel T3, Kiss X80	APS-C	12.2	EF, EF-S	Pentamirr	95	63	9	100	6400	62	765	3	2.7	yes	SD	139x100x78	495	Feb 2014	yes	B110 B111	
Canon	1000D, Rebel XS, Kiss F	APS-C	10.1	EF, EF-S	Pentamirr	95	36	7	100	1600	62	719	3	2.5	yes	SD	126x98x62	502	Jun 2008	no	B110 B111	
Ilum	D4	Full frame	16.2	F-mount	Pentaprism	100	91000	61	60	294800	89	2965	11	3.2	yes	CF+QD	160x157x81	1180 (without battery)	Jan 2012	yes	B110 B111	
Ilum	D3X	Full frame	24.4	F-mount	Pentaprism	100	2005	61	60	6400	88	1992	6	3	yes	CF (2D)	160x157x88	1220	Dec 2008	yes	B110 B111	
Ilum	D3	Full frame	12.1	F-mount	Pentaprism	100	2005	61	100	102400	82	3263	9	3	yes	CF (2D)	160x157x88	1246	Oct 2009	no	B110 B111	
Ilum	D800	Full frame	36.3	F-mount	Pentaprism	100	91000	61	60	25600	95 (D)	2883 (8000)	4	3.2	yes	CF+SD	146x122x82	900 (without battery)	Feb 2012	yes	B110 B111 B110	
Ilum	D700	Full frame	12.1	F-mount	Pentaprism	95	2005	61	100	25600	80	2303	6	3	yes	CF	147x123x77	995	Jul 2008	no	B110 B111	
Ilum	D600	Full frame	24.3	F-mount	Pentaprism	100	2016	39	100	25600	94	2880	6.5	3.2	yes	SD (2D)	141x119x82	760 (no battery)	Sep 2012	yes	B110 B111	
Ilum	D500	APS-C	12.3	F-mount	Pentaprism	100	2005	61	100	6400	70	787	6	3	yes	CF+SD	147x114x74	918	Jul 2009	yes	B110 B111 B110	
Ilum	D7000	APS-C	16.2	F-mount	Pentaprism	100	2016	39	100	25600	80	1167	6	3	yes	SD (2D)	132x106x77	690 (without battery)	Sep 2010	yes	B110	
Ilum	D90	APS-C	12.3	F-mount	Pentaprism	95	420	11	100	6400	73	977	4.5	3	yes	SD	132x103x77	620 (without battery)	Aug 2008	no	B110 B111	
Ilum	D5100	APS-C	16.2	F-mount	Pentamirr	95	420	11	100	25600	80	1183	4	3	yes	SD	129x107x79	660 (without battery)	Apr 2011	yes	B110 B111	
Ilum	D5000	APS-C	12.3	F-mount	Pentamirr	95	420	11	100	6400	72	868	4	2.7	yes	SD	127x104x80	660 (without battery)	Apr 2009	no	B110 B111	
Ilum	D3200	APS-C	24.2	F-mount	Pentamirr	95	420	11	100	12800	81	1111	4	3	yes	SD	125x96x79	695	Apr 2011	yes	B110 B111	
Ilum	D3100	APS-C	14.2	F-mount	Pentamirr	95	420	11	100	12800	67	919	3	3	yes	SD	124x96x745	505	Aug 2010	yes	B110 B111	
Ilum	D3000	APS-C	10.2	F-mount	Pentamirr	95	420	11	100	3200	62	663	3	3	no	no	SD	126x97x64	636	Jul 2009	no	B110
Olympus	E-6	Four Thirds system	12.3	4/3 system	Pentaprism	100	49	11	100	6400	66	619	5	3.0	yes	CF, SD	142x116x78	810 (without battery)	Sep 2010	yes	B110	
Olympus	E-3	Four Thirds system	10.1	4/3 system	Pentaprism	100	49	11	100	3200	66	575	5	2.5	yes	CF, SD	142x116x78	800 (without battery)	Oct 2007	no	B110 B111	
Olympus	E-30	Four Thirds system	12.3	4/3 system	Pentaprism	98	49	11	100	3200	65	630	5	2.7	yes	CF, SD	142x116x78	790	Feb 2009	yes	B110 B111	
Olympus	E-420	Four Thirds system	12.3	4/3 system	Pentamirr	95	49	7	100	3200	65	636	4	2.7	yes	CF, SD	139x104x69	476 (without battery)	Feb 2009	yes	B110 B111	
Pentax	K-01	APS-C	19.5	PK mount	Pentaprism	98	77	11	100	1600	82	1262	1	3	no	SD (2D)	156x117x119	1400	Mar 2010	yes	B110 B111 - Pentax K-01 54.0MP (PRIME) / K-01 54.0MP (K-Mount)	
Pentax	K-0	APS-C	16.3	K mount	Pentaprism	100	77	11	80	61200	82	1162	7	3	yes	SD (2D)	131x97x73	760	Sep 2010	no	B110 B111	
Pentax	K-7	APS-C	14.6	K mount	Pentaprism	100	77	11	100	6400	61	536	5.2	3	yes	SD	131x97x73	760	May 2009	no	B110 B111	
Pentax	K-0	APS-C	16.3	K mount	Pentaprism	100	77	11	100	61200	79	1120	6	3	yes	SD (2D)	139x107x71	650	June 2013	yes	B110 B111	
Pentax	K-000	APS-C	16.3	K mount	Pentaprism	100	77	11	100	61200	79	1087	6	3	yes	SD (2D)	139x107x71	646	June 2013	yes	B110 B111	
Pentax	K-00	APS-C	16.3	K mount	Pentaprism	100	77	11	100	25600	79	1119	6	3	yes	SD (2D)	131x97x73	640	May 2012	yes	B110 B111	
Pentax	K-0	APS-C	12.4	K mount	Pentamirr	96	46	11	100	25600	72	766	6.0	3.0	yes	SD	122x91x67	516 (without battery)	Sep 2010	no	B110 B111	
Pentax	K-0	APS-C	12.4	K mount	Pentamirr	96	46	11	100	12800	72	811	4.7	2.7	yes	SD	122x91x67	580	Sep 2009	no	B110 B111	
Pentax	K-020	APS-C	14.6	K mount	Pentamirr	96	46	11	100	6400	65	639	3	2.7	yes	SD	141x117x101	800	Jan 2008	no	B110	
Sigma	SD1 Merrill	15 x 3	SA mount	Pentaprism	96	77	11	100	6400	N/A	N/A	6	3	no	no	CF	146x113x89	790	February 2012	yes	B110 B111	
Sony	Alpha 900	Full frame	24.6	Sony Alpha 900 A	Pentaprism	100	40	9	100	6400	79	1431	5	3	no	no	CF, IS	156x117x82	895	Sep 2008	yes	B110
Sony	Alpha 850	Full frame	24.6	Sony Alpha 850 A	Pentaprism	98	40	9	100	6400	79	1415	3	3	no	no	CF, IS	156x117x82</				

# Product Comparison Matrix (PCM)

PCMs can be too complex for humans



6 3 6 1	4 9 5 2 9 3 9 5 1	9 3 7 8 4 3 0 1 9	3 9 1 3 0 7 2 0 0	2 7 5 0 4
7 5 2 6	8 7 4 3 9 7 0 2 2 7	4 9 6 7 4 7 7 9 6	7 1 5 3 6 8 2 2 5	3 0 8 4 9
7 7 9 4	6 1 2 7 2 9 4 3 1	2 5 5 8 4 7 0 4 0	8 0 4 7 6 1 0 3 0	0 7 6 8 8
7 8 9 4	3 6 4 1 4 0 4 1 7	5 6 8 1 6 8 0 0 4	0 7 5 6 1 4 8 3 6	8 5 6 3 1
1 9 5 2	0 2 1 3 1 5 9 6 9	1 0 4 6 7 9 9 4 5	1 7 7 9 0 2 0 1 9	2 4 1 7 7
3 9 1 1	4 3 7 0 7 0 7 6 8	0 6 4 6 4 0 4 0	2 3 1 5 1 1 5 4 4	8 3 0 7 8
4 3 0 1	9 4 5 0 7 2 8 9 0	6 2 7 9 7 5 2 7 2	0 4 4 0 5 1 7 1 4	2 8 6 4 5
4 1 6 8	6 0 0 3 8 5 0 3 4	2 3 1 4 4 4 7 7 5	3 2 1 2 1 6 4 6 8	6 9 0 6 3
8 5 7 7	8 0 8 6 0 8 4 9 0	4 0 3 3 9 0 5 9 7	8 3 9 2 8 5 7 8 3	4 6 8 7 1
1 8 9 2	3 8 4 6 5 5 2 5 8	0 SYSTEM FAILURE	4 1 0 3 0 9 0 8 4	2 6 1 2 5
0 7 3 9	7 1 2 7 8 9 7 9 8	3 2 3 9 8 0 3 6 0	5 2 8 9 0 0 8 9 6	9 0 5 3 3
4 3 5 3	9 5 1 5 2 0 4 7 2	5 1 9 8 7 8 2 4 4	3 4 0 4 0 9 1 0 6	2 6 2 1 3
4 0 7 0	0 1 8 5 0 3 8 1 6	8 7 0 0 5 2 4 7 9	4 2 1 7 4 9 1 0 3	8 6 9 1 3
8 9 0 9	1 2 5 0 0 3 6 5 2	7 5 9 7 8 5 6 5 3	3 8 3 4 6 4 3 6 6	7 9 9 8 9
0 8 5 3	1 8 3 2 3 2 5 9 2	4 4 2 0 7 6 4 8 8	6 2 4 9 4 5 6 9 5	3 9 2 9 3
3 6 5 1	2 8 5 6 3 6 5 2 5	6 0 4 0 3 3 3 3 3	0 3 4 4 4 4 2 2 0	6 4 8 7 7
2 0 7 8	1 0 7 2 8 5 7 8 0	8 9 3 3 7 1 3 4 9	7 7 9 6 1 1 2 5 6	4 2 9 2 4
2 0 4 3	1 5 4 3 8 2 7 3 0	3 2 2 2 0 2 5 0 6	2 1 9 9 9 1 5 0 4	2 9 1 7 6

# Software to the rescue



# Engineering Software for PCMs

# Product comparison matrices



Model name	Brand	Live view	DxO ISO perfor-	Effective megapi.	Viewfinder type	Sensor size	Highest ISO
		✓ ✕	✓	✓	✓	✓	✓
E-5	Olympus	yes	519	12.3	Pentaprism	Four Thirds syst...	6400
7D Mark II	Canon	yes	1082	20.2	Pentaprism	APS-C	61200
40D	Canon	yes	703	10.1	Pentaprism	APS-C	3200
100D, Rebel SL1,...	Canon	yes	843	18.0	Pentamirror	APS-C	25600
D4	Nikon	yes	2965	16.2	Pentaprism	Full frame	204800
500D, Rebel T1i, K...	Canon	yes	663	15.1	Pentamirror	APS-C	12800
400D, Digital Reb...	Canon	no	664	10.1	Pentamirror	APS-C	1600
5D Mark II	Canon	yes	1815	21.1	Pentaprism	Full frame	25600
10D Mark IV	Canon	yes	1320	16.1	Pentaprism	APS-H	102400
650D, Rebel T4i, K...	Canon	yes	722	18.0	Pentamirror	APS-C	25600
10D	Canon	no	571	6.3	Pentaprism	APS-C	3200
K-5	Pentax	yes	1162	16.3	Pentaprism	APS-C	51200
760D, Rebel T6s, ...	Canon	yes	915	24	Pentamirror	APS-C	25600

# Diversity in PCMs = Complexity

Billions of PCMs on the Web

Numerous contributors

Organization of information

Format



WIKIPEDIA  
*The Free Encyclopedia*



Brand	Model name	Sensor size	Effective megapixels	Movie mode	Memory card type	Weight (g) <sup>[1]</sup>	In production
Canon	1D X Mark II	Full frame	20.2	yes	CF+CFast	1530	yes
Canon	1D X	Full frame	18.1	yes	CF (2x)	1530	no
Canon	1Ds Mark III	Full frame	21.1	no	CF+SD	1205	no
Canon	1D Mark IV	APS-H	16.1	yes	CF+SD	1180	no
Canon	5D Mark III	Full frame	22.3	yes	CF+SD	950 (860 without battery)	yes
Canon	5D Mark II	Full frame	21.1	yes	CF	810	no
Canon	6D	Full frame	20.2	yes	SD	755 (680 without battery)	no
Canon	7D Mark II	APS-C	20.2	yes	CF+SD	910 (820 without battery)	yes

# Diversity in PCMs = Complexity

Content of cells

Brand	Model name	Sensor size	Effective megapixels	Movie mode	Memory card type	Weight (g) <sup>[1]</sup>	In production
Canon	1D X Mark II	Full frame	20.2	yes	CF+CFast	1530	yes
Canon	1D X	Full frame	18.1	yes	CF (2x)	1530	no
Canon	1Ds Mark III	Full frame	21.1	no	CF+SD	1205	no
Canon	1D Mark IV	APS-H	16.1	yes	CF+SD	1180	no
Canon	5D Mark III	Full frame	22.3	yes	CF+SD	950 (860 without battery)	yes
Canon	5D Mark II	Full frame	21.1	yes	CF	810	no
Canon	6D	Full frame	20.2	yes	SD	755 (680 without battery)	no
Canon	7D Mark II	APS-C	20.2	yes	CF+SD	910 (820 without battery)	yes

Number

Boolean

Enumeration


Multiple values

Condition

Gap between the representation of a PCM and its human interpretation

# How to Engineer Software for PCMs?


# Billions of product comparison matrices



## Comparator



Editor



## Charts

## Importer / Exporter Visualization

# How to formalize product comparison matrices?

# State of the Art

A product comparison matrix is a...

## Table

Relational model (Codd, 1970)

Wang's model (Wang, 1996)

Ontologies (Tijerino, 2005; Wang, 2012)

## Spreadsheet

ClassSheet (Engels, 2005)

Class diagrams (Hermans, 2010)

Data flow diagrams (Hermans, 2011)

Type system (Abraham, 2007)

**No formalism dedicated to PCMs**

# State of the Art

**Product comparison matrix** = view on a product line



**Product line** = set of products presenting commonalities and variabilities

Feature model (Kang, 1990)

+ extensions (Czarnecki, 2004; Classen, 2011; Czarnecki, 2008)

Feature model synthesis from


- Propositional formula (Andersen, 2012; She, 2011; Janota, 2008; Acher, 2013)
- Source code (Nadi, 2014; Vacchi, 2014)
- Textual requirements (Alves, 2008; Chen, 2005; Niu, 2009; Weston, 2009)
- Product descriptions (Davril, 2013)
- Product comparison matrices (Acher, 2012)

**Limited support of product comparison matrices**

# Complementary Approaches to Formalize PCMs

# Billions of product comparison matrices


VPN SERVICE	Based In (Country)		Protocol Support		Encryption		P2P		Bandwidth Control		Logs		Speed Test		Customer Support		Overall Rating	
	Protocol	IP Address	OpenVPN	SSTP	IPsec	SSL/TLS	WireGuard	HTTP/2	BitTorrent	Peer-to-Peer	Bandwidth Shaping	Bandwidth Control	Logs	Speed Test	Support	Reliability	Value	Overall
3Monkey	Switzerland	USA	No	No	No	No	No	No	No	No	No	No	No	No	Excellent	Excellent	Excellent	
AceVPN	USA	USA	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
AirVPN	France	Italy	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Anonime	UK	UK	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Anonymizer	USA	USA	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
AnyConnect	Software	Software	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Astrell	Seychelles	Seychelles	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Autistic / Inventari	Italy	Italy	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Avast Secureline	Czech Rep.	Czech Rep.	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Avira	Software	Software	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
BeeVPN	Denmark	Denmark	Nine	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
BlackVPN	Hong Kong	Hong Kong	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Blockless	Canada	Canada	Five	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
BlinkVPN	Malta	Malta	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Bogon	Seychelles	Seychelles	Five	Yes	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
BTGuard	USA	USA	Cooperative	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Good	Good	Good	
Buffered	Hungary	Hungary	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
CactusVPN	Moldova	Moldova	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Cels	Australia	Australia	No	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Chill0global	Germany	Germany	Fourteen	No	No	No	No	No	No	No	No	No	No	No	Good	Good	Good	
Cloak	USA	USA	Five	Yes	See Note		No	No	Yes	Yes	Yes	Yes	Yes	Yes	Good	Good	Good	



# Create a language for modeling PCMs


# Complementary Approaches to Formalize PCMs

Billions of product comparison matrices



A screenshot of a Microsoft Excel spreadsheet titled "Sheet1 last updated 03/29/2016". The table has a header row with various service names like "VPN SERVICE", "Smart", "AcetVPN", "ActivVPN", "AirVPN", "Airtel", "Anonymous", "AnonymousVPN", "Astro", "Astrolic", "Avast Secureline", "AztreVPN", "BeeVPN", "BlackVPN", "Blockless", "BoleVPN", "Boxpi", "BTGuard", "Buffalo", "CactusVPN", "Celo", "CloudGlobal", and "Cloak". The columns represent different countries or regions such as "Based in (Country)", "USA", "France", "Italy", "UK", "USA", "Seychelles", "Seychelles", "Italy", "Sweden", "Denmark", "Hong Kong", "China", "Seychelles", "Seychelles", "Five", "Five", "Five", "Five", "Fourteen", and "USA". The data consists of binary values (Yes/No) indicating the presence of specific features or services.

VPN SERVICE	Based in (Country)	USA	France	Italy	UK	USA	Seychelles	Seychelles	Italy	Sweden	Denmark	Hong Kong	China	Seychelles	Seychelles	Five	Five	Five	Five	Fourteen	USA
Smart	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
AcetVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
ActivVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
AirVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Airtel	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Anonymous	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
AnonymousVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Astro	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Astrolic	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Avast Secureline	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
AztreVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
BeeVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
BlackVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Blockless	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
BoleVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Boxpi	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
BTGuard	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Buffalo	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
CactusVPN	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Celo	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
CloudGlobal	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Cloak	Based in (Country)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No



Create a language for modeling PCMs


- Define the concepts of the domain
- Cover the diversity of PCMs
- May not be suitable for some services

# Complementary Approaches to Formalize PCMs

Billions of product comparison matrices

VPN SERVICE	Based in (C)
3Monkey	Singapore
AvPN	USA
BoxVPN	France
AirVPN	India
Anonime	UK
AnonymouseVPN	USA
Astrill	Service
Autisticci / Inventati	Seychelles
Awest Secureline	Italy
Astrofile	Czech Rep.
BeeVPN	Denmark
BlackVPN	Hong Kong
Blockless	Canada
BoxyVPN	Five
Boxpn	No
BTGuard	Singapore
Buffered	No
CactusVPN	Seychelles
Celo	No
ChilliGlobal	USA
Cloak	Fourteen
	No
	See Note
	Yes
	Yes
	Yes

synthesis



Services

Editor


Configurator

\*\*\*

Use an existing language for modeling product lines: **feature modeling**

# Complementary Approaches to Formalize PCMs


Billions of product comparison matrices



A screenshot of a complex product comparison matrix (PCM) for various VPN services. The matrix is color-coded and shows numerous features across multiple service providers. A legend on the left identifies the colors for different service types. The matrix includes columns for service names like 3Monkey, AirVPN, Anonime, and Cloak, and rows for geographical locations such as Australia, Canada, France, Germany, Hong Kong, India, Italy, Japan, Malaysia, Mexico, Singapore, Switzerland, Thailand, UK, USA, and Vietnam. The matrix contains binary values (Yes/No) indicating the presence or absence of specific features.

VPN SERVICE		Geographical Locations									
		Denmark	Hong Kong	Canada	France	India	UK	USA	Singapore	Malaysia	Vietnam
Based in (C)	3Monkey	No	No	No	No	No	No	No	No	No	No
	AirVPN	Yes	No	No	No	No	No	No	No	No	No
Autonome	Yes	No	No	No	No	No	No	No	No	No	No
Anonymizer/VPN	Yes	No	No	No	No	No	No	No	No	No	No
Astrill	Yes	No	No	No	No	No	No	No	No	No	No
Autisticci / Inventati	Yes	No	No	No	No	No	No	No	No	No	No
Avast Secureline	Yes	No	No	No	No	No	No	No	No	No	No
Astroline	Yes	No	No	No	No	No	No	No	No	No	No
BeeVPN	Yes	No	No	No	No	No	No	No	No	No	No
BlackVPN	Yes	No	No	No	No	No	No	No	No	No	No
Blockless	Yes	No	No	No	No	No	No	No	No	No	No
BoxyPN	Yes	No	No	No	No	No	No	No	No	No	No
BTGuard	Yes	No	No	No	No	No	No	No	No	No	No
Buffalo	Yes	No	No	No	No	No	No	No	No	No	No
CactusVPN	Yes	No	No	No	No	No	No	No	No	No	No
Celo	Yes	No	No	No	No	No	No	No	No	No	No
ChilliGlobal	Yes	No	No	No	No	No	No	No	No	No	No
Cloak	Yes	No	No	No	No	No	No	No	No	No	No

synthesis



Services

Editor

Configurator

...

$\varphi$


Use an existing language for modeling product lines: **feature modeling**

- Support a class of PCMs
- Feature oriented
- Precise semantics (propositional logic)
- Existing advanced reasoning techniques

# Complementary Approaches to Formalize PCMs


Billions of product comparison matrices

Product Comparison Matrix (PCM) Examples									
VPN SERVICE	Based in (Country)	Supports (Protocol)							
BlackVPN	Hong Kong	No							
CloudVPN	Canada	Five	No						
CloudVPN	Seychelles	No							
CloudVPN	Seychelles	Five	Yes	No	No	Yes	Yes	Yes	Yes
CloudVPN	USA	No							
CloudVPN	Moldova	Five	No	No	No	Yes	No	No	No
CloudVPN	Australia	Five	No	No	No	Yes	Yes	Yes	Yes
CloudVPN	Germany	Fourteen	No	No	No	Yes	Yes	Yes	Yes
CloudVPN	USA	Five	Yes	See Note					



	Model-based approach	Feature model synthesis
<b>Main concept</b>	Product	Feature
<b>Support of PCMs</b>	All	A class of PCMs
<b>Gap with PCMs</b>	Small	Large
<b>Services</b>	Generic (e.g. editor)	Specific (e.g. configurator)

# Model-Based Approach




# Design of a model-based approach for PCMs


Let's pick a first PCM and service and build the appropriate metamodel

Product comparison matrix


	F1	F2	F3
P1	1	2	5
P2	2	3	5
P3	3	1	2



Charts




# Design of a model-based approach for PCMs



# Design of a model-based approach for PCMs

Product comparison matrix

	F1	F2	F3
P1	1	2	5
P2	2	3	5
P3	3	1	2




# Design of a model-based approach for PCMs


Product comparison matrices

	F1	F2	F3
P1	1	2	5
P2	2	3	5
P3	3	1	2



	F1'	F2'
P1'	yes	no
P2'	no	no
P3'	no	yes



Charts




Model




yes  
no

# Design of a model-based approach for PCMs

Metamodel




Product comparison  
matrices



10 PCMs

transformation

Model




Charts

Editor


...

# Design of a model-based approach for PCMs

## Metamodel




Product comparison  
matrices



50 PCMs

transformation

## Model



Charts


Editor

...

# How to evaluate our approach?

Billions of product comparison matrices

VPN SERVICE	Based in (Country)	Nine	No	No	No	No	No	No
3Monkey	Switzerland	No	No	No	No	No	No	No
AceVPN	USA	Five	No	No	No	No	No	No
AdGuardVPN	France	No	No	No	No	No	No	No
AirVPN	Italy	No	No	No	No	No	No	No
Anonmine	UK	USA	No	No	No	No	No	No
AnonymousVPN	Spain	USA	No	No	No	No	No	No
Astrell	Slovakia	USA	No	No	No	No	No	No
Autistic / Inventati	Italy	USA	No	No	No	No	No	No
Avast Secureline	Czech Rep.	USA	No	No	No	No	No	No
BeeVPN	Denmark	Hong Kong	No	No	No	No	No	No
BlackVPN	Canada	Five	No	No	No	No	No	No
Blockless	Canada	No	No	No	No	No	No	No
Boxpn	Seychelles	No	No	No	No	No	No	No
BTGuard	USA	Five	Yes	No	No	No	No	No
Buffered	Hungary	Cooperative	No	No	Yes	Yes	Yes	Yes
CastorVPN	Azerbaijan	Five	No	No	No	No	No	No
Celo	Australia	Fourteen	No	See Note	Yes	Yes	Yes	Yes
ChillGlobal	Germany	Five	Yes	See Note	Yes	Yes	Yes	Yes
Coak	USA							



No oracle to check that our metamodel and transformation are correct, complete and relevant

Validate our approach with users

- Not modeling experts
- Build services to show the concepts of the metamodel in action

# Evaluation: Settings


RQ1: Is our metamodel **complete** and **relevant** to the formalization of PCMs?

RQ2: What is the **precision** of our transformation of raw PCMs to PCM models?



WIKIPEDIA  
The Free Encyclopedia

75 PCMs



Completely automated except for indicating cells that contain features or products


Manual review of PCMs

- 20 evaluators (researchers and engineers)
- Task: check interpretation of each cell
- Development of an editor to support the evaluation

feature	Type	Number of doors	Color	Automatic head
Car 1	4x4	5	black, white, red	yes
Car 2	sedan	5	black, white, red,...	no
Car 3	sedan	5	grey	yes
Car 4	city car	3	black, white, green	no
Car 5	sport	3	Integer(3) :	

# Evaluation

30,061 evaluated cells



Emerging concepts

- Dates
- Units of measure
- Versions

RQ1: Is our metamodel **complete** and **relevant** to the formalization of PCMs?

Almost but we can add the 3 missing concepts to the metamodel

RQ2: What is the **precision** of our transformation of raw PCMs to PCM models?


High precision of the transformation (93.1%)

# Evaluation

Billions of product comparison matrices



VPN SERVICE		Based in (Country)		Protocol		Encryption		P2P		Bandwidth		Latency		Reliability		Security		Logs		Support		Price		Overall	
3Monkey	Switzerland	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
AceVPN	USA	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
AdGuardVPN	France	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
AirVPN	Italy	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Anonmine	UK	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
AnonymousVPN	USA	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Astrill	Sweden	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Autistic / Inventati	Spain	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Avast Secureline	Czech Rep.	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
BeeVPN	Denmark	Nine	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
BlackVPN	Hong Kong	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Blockless	Canada	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Boxpn	Singapore	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
BTGuard	Seychelles	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Buffered	USA	Five	Yes	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
CastorVPN	Hungary	Cooperative	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Cefo	Australia	Five	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
ChillGlobal	Australia	Fifteen	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
cloak	Germany	Five	Yes	See Note *	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	




Data-driven metamodeling (ASE, 2014)

- Iterative process
- Numerous instances
- Co-design of metamodel and transformation


Development of services to validate the approach by end-users

# Evaluation

Billions of product comparison matrices



VPN SERVICE		Based in (Country)									
3Monkey	Switzerland	No	No	No	No	No	No	No	No	No	No
AceVPN	USA	Five	No	No	No	No	No	No	No	No	No
AdGuardVPN	France	No	No	No	No	No	No	No	No	No	No
AirVPN	Italy	No	No	No	No	No	No	No	No	No	No
Anonmine	UK	No	No	No	No	No	No	No	No	No	No
Anonymizer	USA	No	No	No	No	No	No	No	No	No	No
Astirill	Spain	No	No	No	No	No	No	No	No	No	No
Autistic / Inventati	Italy	No	No	No	No	No	No	No	No	No	No
Avast Secureline	Czech Rep.	No	No	No	No	No	No	No	No	No	No
BeeVPN	Denmark	Nine	No	No	No	No	No	No	No	No	No
BlackVPN	Hong Kong	No	No	No	No	No	No	No	No	No	No
Blockless	Canada	Five	No	No	No	No	No	No	No	No	No
Boxpn	Seychelles	No	No	No	No	No	No	No	No	No	No
BTGuard	USA	Five	Yes	No	No	No	No	No	No	No	No
Buffered	Hungary	Cooperative	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
CastorVPN	Australia	Five	No	No	No	No	No	No	No	No	No
Cefo	Australia	Five	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
ChillGlobal	Germany	Fourteen	No	See Note *	Yes						
cloak	USA	Five	Yes	See Note *	Yes						



Success factors (Hermans, 2009):

- Learnability
- Usability
- Expressiveness



# Evaluation

RQ3: Is our metamodel suited for **engineering** automated analyses and **services** dedicated to PCMs?

Experiment: development of an API and an editor (20 Master students)



Learnability: the metamodel is hard to explain



# Evaluation

RQ3: Is our metamodel suited for **engineering** automated analyses and **services** dedicated to PCMs?

Experiment: development of the editor to support the evaluation (1 researcher)

feature	Type	Number of doors	Color	Automatic headlights	0 to 100 km/h
Car 1	4x4	5	black, white, red	yes	9.5
Car 2	sedan	5	black, white, red,...	no	6.3
Car 3	sedan	5	grey	yes	5.6
Car 4	city car	3	black, white, green	no	8.3
Car 5	sport	3	Integer(3) :		3.9
Car 6	sedan		2 doors	yes (premium ve...	N/A




A simplified metamodel was internally used for the editor

# Evaluation

Central operation for services: iterate over each cell

```
for (Product product : getProducts(concepts)) {  
    for (Feature feature : getFeatures(concepts)) {  
        List<ValuedCell> cells = product.getMyValuedCells();  
        for (ValuedCell cell : cells) {  
            if (cell.getMyHeaderFeatures().contains(feature)) {  
                String content = cell.getVerbatim();  
                Constraint interpretation = cell.getInterpretation();  
            }  
        }  
    }  
  
}  
  
private List<Product> getProducts(List<? extends VariabilityConcept> concepts) {  
    List<Product> products = new ArrayList<>();  
    for (VariabilityConcept concept : concepts) {  
        if (concept instanceof ProductFamily) {  
            List<AbstractProduct> subProducts = ((ProductFamily) concept).getProducts();  
            products.addAll(getProducts(subProducts));  
        } else if (concept instanceof Product) {  
            products.add((Product) concept);  
        }  
    }  
    return products;  
}
```



call



Expressiveness: complex navigation to main concepts

# Evaluation

RQ3: Is our metamodel suited for **engineering** automated analyses and **services** dedicated to PCMs?

## Feedback



Concepts of features and products



The metamodel is hard to explain



Rows / Columns  
VS  
Features / Products



A simplified metamodel is used internally for the editor



Influence of Wikipedia



Complex navigation to main concepts




Semantics of the cells

**Our metamodel is not satisfying for engineering services**

**We need another solution !**

# From One Metamodel to Multiple Metamodels

**Objective:** separate each concern in a dedicated metamodel



**Task-specific metamodels:** reduce the gap between the representation of a PCM and the service

# Evaluation

RQ3: Is our metamodel suited for **engineering** automated analyses and **services** dedicated to PCMs?

## Experiments

- Web editor
- Comparator
- Configurator
- Visualization
- Importer / exporter (HTML, CSV and Wikitext)
- Browser extensions
- Machine learning
- Statistics
- Summary
- MatrixMiner (Ben Nasr, 2015)

Informal feedback from

- 4 researchers
- 85 Master students in different courses

# Evaluation

RQ3: Is our metamodel suited for **engineering** automated analyses and **services** dedicated to PCMs?



Explaining the metamodel is easier



Students can program the extraction of statistics in a few minutes

Central operation for services: iterate over each cell


```
for (Product product : pcm.getProducts()) {  
    for (Feature feature : pcm.getConcreteFeatures()) {  
        Cell cell = product.findCell(feature);  
        String content = cell.getContent();  
        Value interpretation =  
cell.getInterpretation();  
    }  
}
```



} Implementing an editor is straightforward (the metamodel is close to the concrete syntax)




Comes with well known synchronization problems




**Separating concerns in dedicated metamodels eases the engineering of services**

# Conclusion

Billions of product comparison matrices





VPN SERVICE	Based in IC	Switzerland	USA	France	Germany	UK	USA	Sweden	Czech Rep.	Denmark	Hong Kong	Canada	Seychelles	Spain	USA	Hungary	Moldova	Australia	Portugal	BTGuard	Buffered	CactusVPN	Cato	ChillGlobal	Cloak
3Monkey	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
AceVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Avast	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Anonymizer	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
AnyAnonymousVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
AntiT	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Antivirus/Internet Security	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Avast SecureLine	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
AzureVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Balvi	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
BlackVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Blockless	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
BolehVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Boxee	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
BTGuard	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Buffered	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
CactusVPN	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Cato	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
ChillGlobal	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		
Cloak	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No		



Model-based approach for formalizing PCMs

- Completeness and relevance of concepts
- Precise transformation
- Dedicated services



OpenCompare

framework and website  
dedicated to PCMs

# Lessons learned

Data-driven metamodeling is hard

- Numerous examples (1,500,000 PCMs in Wikipedia)
- Iterative process
- Co-design of metamodel and transformation

Metamodeling is not just data-driven

- Validation of metamodel and transformation requires end-users
- Requires the development of services for end-users
- Services influence the design of the metamodel


Metamodeling is a multi-objective problem with conflicting forces (data, users, services)

# Synthesis of Feature Models




# Formalizing PCMs

Billions of product comparison matrices




VPN SERVICE		Based in (C)									
3Monkey	Switzerland	No	No	No	No	No	No	No	No	No	No
4ever	USA	No	No	No	No	No	No	No	No	No	No
ActivVPN	France	No	No	No	No	No	No	No	No	No	No
AirVPN	Italy	No	No	No	No	No	No	No	No	No	No
Anonymate	UK	No	No	No	No	No	No	No	No	No	No
AnonymousVPN	USA	No	No	No	No	No	No	No	No	No	No
Astrill	Seychelles	No	No	No	No	No	No	No	No	No	No
Autonat i Inventati	Italy	No	No	No	No	No	No	No	No	No	No
Avast SecureLine	Croatia	No	No	No	No	No	No	No	No	No	No
AzireyVPN	Denmark	No	No	No	No	No	No	No	No	No	No
BeeVPN	Hong Kong	No	No	No	No	No	No	No	No	No	No
BlackVPN	Canada	Five	No	No	No	No	No	No	No	No	No
Blockless	Seychelles	No	No	No	No	No	No	No	No	No	No
BoVPN	Seychelles	No	No	No	No	No	No	No	No	No	No
BTGuard	USA	Five	Yes	No	No	No	No	No	No	No	No
Buffered	Hungary	Cooperative	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
CiscoVPN	Moldova	Five	No	No	No	No	No	No	No	No	No
Celo	Australia	Five	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
ChillGlobal	Germany	Fourteen	No	See Note	Yes						
Cloak	USA	Five	Yes	See Note	Yes						



# Feature Model Synthesis

Product comparison  
matrices



synthesis

Feature  
model

Services

Editor

Configurator

...

$\Phi$

The semantics of a feature model is defined by a propositional formula

# Feature Modeling

	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
PostgreSQL	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
MySQL	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
License	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Domain	✓	✗	✗	✗	✗	✓	✗	✓	✓	✗
Proprietary License	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Local	✗	✗	✓	✗	✓	✗	✗	✗	✗	✓
Programming Language	✗	✓	✗	✗	✓	✓	✓	✓	✗	✓
Java	✗	✓	✗	✗	✗	✓	✗	✗	✗	✓
Storage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PHP	✗	✗	✗	✗	✓	✗	✓	✓	✗	✗
Open Source	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wiki	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosting	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosted Service	✓	✓	✗	✓	✗	✓	✓	✓	✗	✗


## Configuration semantics

Set of valid products

synthesis

What is the gap between PCMs and feature models?  
 Can we build an algorithm to synthesize feature models from PCMs?


## Feature model



# Importance of Ontological Semantics

Multiple feature models can be synthesized with the same configuration semantics

	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
PostgreSQL	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
MySQL	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
License	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Domain	✓	✗	✗	✗	✗	✓	✗	✓	✓	✗
Proprietary License	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Local	✗	✗	✓	✗	✓	✗	✗	✗	✗	✓
Programming Language	✗	✓	✗	✗	✓	✓	✓	✓	✗	✓
Java	✗	✓	✗	✗	✗	✓	✗	✗	✗	✓
Storage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PHP	✗	✗	✗	✗	✓	✗	✓	✓	✗	✗
Open Source	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wiki	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosting	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosted Service	✓	✓	✗	✓	✗	✓	✓	✓	✓	✗



## Ontological semantics

Express the relationships between features  
Hierarchy of features + feature groups

...

# Importance of Ontological Semantics

## Ontological semantics

Express the relationships between features


Hierarchy of features + feature groups

	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
PostgreSQL	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
MySQL	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
License	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Domain	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗
Proprietary License	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Local	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓
Programming Language	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓
Java	✗	✓	✗	✗	✗	✓	✓	✓	✓	✓
Storage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PHP	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗
Open Source	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wiki	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosting	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosted Service	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗

synthesis

$$\Phi = \{\emptyset\}$$

$$\begin{aligned} EQ &= \{PostgreSQL \Leftrightarrow \text{Proprietary License} \} \\ RE &= \{PostgreSQL \Rightarrow \text{Domain} \} \\ EX &= \{\text{Proprietary License} \Rightarrow \neg \text{Programming Language}, \\ &\quad \text{Local} \Rightarrow \neg \text{Proprietary License} \} \end{aligned}$$



## Configurator

Which programming language do you prefer?

Java

PHP



# Importance of Ontological Semantics


## Ontological semantics

Express the relationships between features

Hierarchy of features + feature groups

	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
PostgreSQL	✓	X	X	X	X	X	X	X	X	X
MySQL	X	✓	✓	✓	✓	✓	✓	✓	✓	✓
License	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Domain	✓	✓	X	X	X	X	✓	✓	✓	X
Proprietary License	✓	X	X	X	X	X	✓	✓	X	X
Local	X	X	X	X	X	X	X	X	X	X
Programming Language	X	✓	X	X	✓	✓	✓	✓	✓	✓
Java	X	✓	X	X	X	✓	✓	✓	✓	✓
Storage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PHP	X	X	X	X	✓	✓	✓	✓	X	X
Open Source	X	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wiki	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosting	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hosted Service	✓	✓	X	✓	✓	✓	✓	✓	✓	X

synthesis



## Configurator

Which MySQL database do you prefer?

Java

PHP



**State of the art:** few works address both configuration and ontological semantics


# Contribution

## Product comparison matrices


VPN SERVICE Based in ICANN  
3Monkey AceVPN AcetechVPN 4VPN Anonime AnonymousVPN Anonim Antivirus / Internet Security Avast Secureline AzireVPN BlackVPN Blockless BolehVPN BolehVPN BTGuard Buffered CactusVPN Celio ChildGlobal Cloak

	3Monkey	AceVPN	AcetechVPN	4VPN	Anonime	AnonymousVPN	Anonim	Antivirus / Internet Security	Avast Secureline	AzireVPN	BlackVPN	Blockless	BolehVPN	BolehVPN	BTGuard	Buffered	CactusVPN	Celio	ChildGlobal	Cloak
Name	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Switzerland	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
USA	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
France	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Germany	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
UK	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
USA	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
United Kingdom	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Spain	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Italy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Czech Republic	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Denmark	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hong Kong	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Canada	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Seychelles	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sweden	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
USA	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hungary	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Moldova	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Australia	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fourteen	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
USA	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
See Note	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

## Feature Model




Binary implication graph  
= all possible hierarchies



# Contribution


## Product comparison matrices




**VPN SERVICE**

	3Monkey	AceVPN	AcetechVPN	AvPN	Anonime	AnonymousVPN	Antonis	Avast Secureline	AzireVPN	Balys	BlackVPN	Blockless	BolehVPN	Bsp	BTGuard	Buffeted	CactusVPN	Celo	CloudGlobal	Cloak	
Based in IC	Switzerland	USA	France	USA	UK	USA	Scyld	Spain	Italy	Czech Rep	Sweden	Hong Kong	Canada	Seychelles	Spain	USA	Hungary	Moldova	Australia	Germany	USA
Support	No	No	No	No	No	No	Yes	No	No	No	No	Five	No	No	No	Cooperative	No	No	Yes	Fourteen	Five
Country	Switzerland	USA	France	USA	UK	USA	Scyld	Spain	Italy	Czech Rep	Sweden	Hong Kong	Canada	Seychelles	Spain	USA	Hungary	Moldova	Australia	Germany	USA
Notes																					

## Feature Model



**Weighted binary implication graph = all possible hierarchies**




How to define the weights?

- User input
- Ontological heuristics (similarity of the feature names)
- Logical heuristics

# Contribution


## Product comparison matrices




VPN SERVICE Based in IC  
3Monkey Switzerland  
AceVPN USA  
AcetechVPN France  
AvPN UK  
Anonime USA  
AnonymousVPN Spain  
Antivirus / Internet Security Avast Secureline  
AzireVPN  
B4V  
BlackVPN  
Blockless  
BolehVPN  
Bsp  
BTGuard  
Buffered  
CactusVPN  
Celo  
ChinaGlobal  
Cloak

	Name	No	No	No	No	No	No
3Monkey	No	No	No	No	No	No	No
AceVPN	Five	No	No	No	No	No	No
AcetechVPN	No	No	No	No	No	No	No
AvPN	Five	No	No	No	No	No	No
Anonime	No	No	No	No	No	No	No
AnonymousVPN	Five	No	No	No	No	No	No
Antivirus / Internet Security	Cooperative	No	No	No	Yes	Yes	Yes
Avast Secureline	Five	No	No	Yes	No	No	No
AzireVPN	Fourteen	No	No	Yes	Yes	Yes	Yes
B4V	Five	Yes	See Note	Yes	Yes	Yes	Yes

## Feature Model



**Weighted binary implication graph = all possible hierarchies**




Optimum branching algorithm to extract the best hierarchy

How to define the weights?

- User input
- Ontological heuristics (similarity of the feature names)
- Logical heuristics

# Evaluation of the Ontological Semantics



**Challenge:** synthesize the same feature model as the ground truth

- Hierarchy
- Configuration semantics

# Evaluation of the Ontological Semantics

Key results (Empirical Software Engineering, 2015)

- A fully automated synthesis produces feature models far from ground truth
- User input is necessary to have high quality feature models
- Ontological heuristics improve the quality of ranking lists
- Ontological heuristics produce less clusters than random but they are more accurate

Development of an interactive environment for feature model synthesis (SPLC, 2014)

Ranking lists of parent candidates

+ Storage  
- Proprietary License

License ▾  
PostgreSQL ▾  
Storage ▾  
Wiki ▾

+ License  
+ PostgreSQL  
+ PHP  
+ MySQL

Clusters of features


>  
◦ Storage  
◦ Programming Language

>  
◦ License  
◦ Proprietary License

Storage ▾ ✓ ✘

◦  PostgreSQL  
◦  MySQL

Preview of hierarchy



# Feature Model Synthesis

Product comparison  
matrices

Boolean product  
comparison matrices

VPN SERVICE	JURIS	Based in (Country)
3Monkey	Switzerland	USA
AceVPN	France	France
ActiVPN	Italy	UK
AvPN	USA	USA
Anonmine	Seychelles	Seychelles
Anonymizer	Seychelles	Seychelles
AnonymousVPN	Seychelles	Seychelles
Avast!	Czech Republic	USA
Avast! Internet Security	Sweden	Denmark
AzireVPN	Hong Kong	Canada
Betternet	Malta	Seychelles
BlackVPN	Moldova	Seychelles
Blockless	Hungary	Cooperative
BolehVPN	Australia	No
Bogbit	Germany	No
BTGuard	USA	No
Buffered	Moldova	No
CactusVPN	Australia	No
Celo	Germany	No
CloudGlobal	USA	Fourteen
Cloak	USA	Five
		See Note *
		Yes
		Yes
		Yes

synthesis

Feature  
model

Services

Editor

Configurator

• • •

# Feature Model Synthesis

Product comparison  
matrices

Boolean product  
comparison matrices

VPN SERVICE	JURIS	Based in (Country)	...
3Monkey	Singapore	USA	
AceVPN		France	
ActiVPN		Italy	
AnyVPN		UK	
Anonymizer		USA	
AnonymousVPN		Seychelles	
Avast SecureLine		Seychelles	
Autistic Internet		USA	
Avast Secureline	Czech Republic		
AzireVPN		Sweden	
Betternet		Denmark	
BlackVPN		Hong Kong	
Blockless		Canada	
BolehVPN		Seychelles	
Bogon		Seychelles	
BTGuard		USA	
Buffered		Hungary	Cooperative
CactusVPN		Moldova	No No
Celo		Australia	No No
ChiliGlobal		Germany	No No
Cloak		USA	Fourteen
			Five Yes
			See Note
			Yes Yes
			Yes Yes
			Yes Yes

synthesis

attributed  
feature model

Services

Editor

Configurator


...

**Objective:** increase the number of PCMs supported by feature model synthesis

# From Feature Models to Attributed Feature Models

**Objective:** increase the number of PCMs supported by feature model synthesis

Id	License Type	License Price	Language Support	Lang uage	WYSI WYG
W1	Commercial	10	Yes	Java	Yes
W2	NoLimit	20	No	-	Yes
W3	NoLimit	10	No	-	X
W4	GPL	0	Yes	Python	
W5	GPL	0	Yes	Perl	
W6	GPL	10	Yes	Perl	Yes
W7	GPL	0	Yes	PHP	No
W8	GPL	10	Yes	PHP	Yes



**Attributed feature model** = feature model

- + Attributes (Booleans, numbers and enumerations)
- + Constraints on attributes


**State of the art:** no synthesis algorithm for attributed feature models

# Attributed Feature Model Synthesis

Key differences with feature model synthesis

- Place of attributes
- Generation of constraints on attributes

<b>Id</b>	<b>License Type</b>	<b>License Price</b>	<b>Language Support</b>	<b>Language</b>	<b>WYSI WYG</b>
<b>W1</b>	Commercial	10	Yes	Java	Yes
<b>W2</b>	NoLimit	20	No	-	Yes
<b>W3</b>	NoLimit	10	No	-	Yes
<b>W4</b>	GPL	0	Yes	Python	Yes
<b>W5</b>	GPL	0	Yes	Perl	Yes
<b>W6</b>	GPL	10	Yes	Perl	Yes
<b>W7</b>	GPL	0	Yes	PHP	No
<b>W8</b>	GPL	10	Yes	PHP	Yes



# Contributions

First algorithm for synthesizing attributed feature models from PCMs (SPLC, 2015)

The diagrammatic part of an attributed feature model is an over-approximation of the PCM

Computation of sound and complete data structures that can guide the user during the synthesis




Scalability of the synthesis algorithm may be impacted by attributes

- Computation of or-groups does not scale
- The rest of the computation has a polynomial complexity in practice

# Conclusion

Characterization of the gap between PCMs and attributed feature models




# Conclusion and Perspectives

---

# Contributions

Billions of product  
comparison matrices



# Metamodeling is a multi-objective problem

- Iterative process to cover a maximum of data
  - Validation of the metamodel and transformation by end-users through dedicated tools
  - Developers of services influence the design of the approach

# Contributions

Billions of product comparison matrices

VPN SERVICE	Based in (C)	Denmark	Hong Kong	Canada	Singapore	USA	No													
		None	No	No	No	Five	No													
3Monkey	Singapore	No	No	No	No	Yes	No													
ActivPN	USA	No	No	No	No	Yes	No													
AirVPN	France	No	No	No	No	Yes	No													
Anonime	India	No	No	No	No	Yes	No													
Anonymizer/VPN	UK	No	No	No	No	Yes	No													
Astrill	USA	No	No	No	No	Yes	No													
Autistic / Inventati	Senegal	No	No	No	No	Yes	No													
Awest Secureline	Italy	No	No	No	No	Yes	No													
Astroline	Czech Republic	No	No	No	No	Yes	No													
BeeVPN	Denmark	No	No	No	No	Yes	No													
BlackVPN	Hong Kong	No	No	No	No	Yes	No													
Blockless	Canada	No	No	No	No	Yes	No													
Bobin VPN	Singapore	No	No	No	No	Yes	No													
Boxpn	Seychelles	No	No	No	No	Yes	No													
BTGuard	USA	No	No	No	No	Yes	No													
Buffered	Hungary	No	No	No	No	Yes	No													
CactusVPN	Moldova	No	No	No	No	Yes	No													
Celo	Australia	No	No	No	No	Yes	No													
ChilliGlobal	Germany	No	No	No	No	Yes	No													
Cloak	USA	No	No	No	No	Yes	No													
		See Note				Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

synthesis

Attributed  
feature  
model

Services

Editor

Configurator

\*\*\*

Characterization of the gap between PCMs and attributed feature models

Algorithms and interactive environment to synthesize a sound and complete feature model with an appropriate hierarchy

- Opens to advanced reasoning techniques for PCMs
- Contribute to the community of software product line engineering

# Perspectives

Going beyond attributed feature models

Billions of product comparison matrices

VPN SERVICE	Attributed Feature Model								
	3Monkey	Acetech	AirVPN	Anonime	Anonymizer/VPN	Astirli	Autistic / Inventati	Aveast Secureline	Astrosoft
Based in (C)	Singapore	USA	France	India	UK	USA	Germany	Italy	Czech Rep.
3Monkey	No	No	No	No	No	No	No	No	No
Acetech	No	No	No	No	No	No	No	No	No
AirVPN	No	No	No	No	No	No	No	No	No
Anonime	No	No	No	No	No	No	No	No	No
Anonymizer/VPN	No	No	No	No	No	No	No	No	No
Astirli	No	No	No	No	No	No	No	No	No
Autistic / Inventati	No	No	No	No	No	No	No	No	No
Aveast Secureline	No	No	No	No	No	No	No	No	No
Astrosoft	No	No	No	No	No	No	No	No	No
BeeVPN	Denmark	None	No	No	No	No	No	No	No
BlackVPN	Hong Kong	No	No	No	No	No	No	No	No
Blitzless	FYR Macedonia	No	No	No	No	No	No	No	No
BolehVPN	Senegal	No	No	No	No	No	No	No	No
Boxpn	Seychelles	No	No	No	No	No	No	No	No
BTGuard	USA	Five	Yes	No	No	No	No	No	No
Buffered	Hungary	Cooperative	No	No	Yes	Yes	Yes	Yes	Yes
CactusVPN	Moldova	Five	No	No	No	No	No	No	No
Celo	Australia	Five	No	No	Yes	No	No	No	Yes
ChillGlobal	Germany	Fourteen	No	See Note	Yes	Yes	Yes	Yes	Yes
Cloak	USA	Five	Yes	See Note	Yes	Yes	Yes	Yes	Yes

synthesis

Evaluate user effort

Attributed  
feature  
model

Services

Editor

Configurator


• • •

# Perspectives

Billions of product comparison matrices

A screenshot of a large Excel spreadsheet containing a product comparison matrix. The columns represent different VPN services, and the rows represent countries. The matrix consists of binary values (Yes/No) indicating whether each service is available in each country. A legend at the top left identifies the services: VPN SERVICE, Based in (Country), and some specific services like AceVPN, ActiVPN, AirVPN, etc.


	BeeVPN	BlackVPN	Blockless	BolehVPN	Boxpi	BTGuard	Buffered	CactusVPN	Celo	CloudGlobal	Cloak
	No	No	No	No	No	No	No	No	No	No	No
Singapore	No	No	No	No	No	No	No	No	No	No	No
USA	No	No	No	No	No	No	No	No	No	No	No
France	No	No	No	No	No	No	No	No	No	No	No
Italy	No	No	No	No	No	No	No	No	No	No	No
UK	No	No	No	No	No	No	No	No	No	No	No
USA	No	No	No	No	No	No	No	No	No	No	No
Anonymous	No	No	No	No	No	No	No	No	No	No	No
AnonymousVPN	No	No	No	No	No	No	No	No	No	No	No
Asterisk	No	No	No	No	No	No	No	No	No	No	No
Avast Secureline	No	No	No	No	No	No	No	No	No	No	No
AztreVPN	No	No	No	No	No	No	No	No	No	No	No
BeeVPN	No	No	No	No	No	No	No	No	No	No	No
BlackVPN	No	No	No	No	No	No	No	No	No	No	No
Blockless	No	No	No	No	No	No	No	No	No	No	No
BolehVPN	No	No	No	No	No	No	No	No	No	No	No
Boxpi	No	No	No	No	No	No	No	No	No	No	No
BTGuard	No	No	No	No	No	No	No	No	No	No	No
Buffered	No	No	No	No	No	No	No	No	No	No	No
CactusVPN	No	No	No	No	No	No	No	No	No	No	No
Celo	No	No	No	No	No	No	No	No	No	No	No
CloudGlobal	No	No	No	No	No	No	No	No	No	No	No
Cloak	No	No	No	No	No	No	No	No	No	No	No
	Five	Five	Five	Five	Five	Five	Five	Five	Five	Five	Five
Denmark	Nine	No	No	No	No	No	No	No	No	No	No
Hong Kong	No	No	No	No	No	No	No	No	No	No	No
Croatia	No	No	No	No	No	No	No	No	No	No	No
Seychelles	No	No	No	No	No	No	No	No	No	No	No
USA	Five	Yes	No	No	No	No	No	No	No	No	No
Indonesia	One	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Moldova	No	No	No	No	No	No	No	No	No	No	No
Australia	Five	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Germany	Fifteen	No	No	No	No	No	No	No	No	No	No
USA	Five	Yes	Yes	See Note	Yes	Yes	Yes	Yes	Yes	Yes	Yes



**Data driven:** How to use machine learning to discover and classify new types of cells?


**Service driven:** How to evaluate a metamodel or compare multiple metamodels according to a set of objectives?

**User driven:** How to involve users in OpenCompare?



# How to formalize product comparison matrices?

Billions of product comparison matrices



A screenshot of a web-based application showing a large product comparison matrix. The top section displays a heatmap of service names. Below is a detailed table with columns for 'VPN SERVICE' (e.g., 3Monkey, ActiVPN, Anonymizer, Astrill, AzireyVPN, BeeVPN, BlackVPN, Blockless, BokehVPN, Boxpn, BTGuard, Buffered, CasteVPN, Celso, Cloak) and rows for various countries (e.g., Denmark, Hong Kong, Canada, Seychelles, USA, Hungary, Maldives, Australia, Germany). The table contains binary values (Yes/No) indicating the presence of specific features.

VPN SERVICE	Based in (C)									
3Monkey	No	No	No	No	No	No	No	No	No	No
ActiVPN	USA									
Anonymizer	France									
Astrill	Italy									
AzireyVPN	UK									
BeeVPN	USA									
BlackVPN	Seychelles									
Blockless	Denmark	Yes	No	No	No	No	No	No	No	No
BokehVPN	Hong Kong	No	No	No	No	No	No	No	No	No
Boxpn	Canada	Five	No	No	No	No	No	No	No	No
BTGuard	Seychelles	No	No	No	No	No	No	No	No	No
Buffered	USA	Five	Yes	No	No	No	No	No	No	No
CasteVPN	Hungary	Cooperative	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Celso	Maldives	No	No	No	No	No	No	No	No	No
Cloak	Australia	Five	No	No	No	Yes	Yes	Yes	Yes	Yes
	Germany	Fourteen	No	See Note	Yes	Yes	Yes	Yes	Yes	Yes

