




# NATIONAL HEALTH COVID-19 UPDATE

Top Residents & Staff


Residents Vs. Staff

Recommendations

## Percent of Staff Vaccination by State



## Percent of Resident Vaccination by State






# NATIONAL HEALTH COVID-19 UPDATE

[Top Residents & Staff](#)[Residents Vs. Staff](#)[Recommendations](#)

## Residents vs. Staff Vaccination Rates by State

● Staff ● Residents





## RECOMMENDATIONS

1. **Focus on Low-Vaccination States**, (e.g. *Guam, Texas*) need urgent intervention to boost resident vaccination rates. Deploy mobile clinics, increase public awareness, and collaborate with local community leaders to improve access.
2. **Learn from High-Performing States**, ( *Vermont, Hawaii, and Alaska* ) are leading in vaccinations. Study their successful strategies (e.g., community outreach, incentives, education programs) and replicate them in lower-performing states
3. **Address Vaccine Hesitancy Among Staff**, The large gap between resident and staff vaccination rates suggests hesitancy or logistical challenges. Conduct education programs, debunk misinformation, and provide paid time off for vaccinations.
4. **Increasing the Staff Vaccination Rates**, The low staff vaccination rate (8.47%) is concerning because staff can transmit infections to vulnerable residents. Implement targeted vaccination campaigns, offer incentives, and require booster shots for healthcare staff in long-term care settings.
5. **Monitor and Update Strategies Regularly**. Continue tracking vaccination data and adjust interventions based on new trends and challenges.