

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *



gbera23-dev



Repository name *

practice

✔ practice is available.

Great repository names are short and memorable. How about [musical-goggles](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository



Private

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off



Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM$ git clone git@github.com:gbera23-dev/practice.git
Cloning into 'practice'...
warning: You appear to have cloned an empty repository.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM$ cd practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ touch README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      README.md

nothing added to commit but untracked files present (use "git add" to track)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "initial commit"
[main (root-commit) d2ece0c] initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout master
Already on 'master'
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout -b git_task
Switched to a new branch 'git_task'
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git branch git_1 git_task
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git branch git_2 git_task
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git status
On branch git_task
nothing to commit, working tree clean
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph
* commit d2ece0c6a6c5011f104f98168d7ec7d5554ffd53 (HEAD -> git_task, master, git_2, git_1)
  Author: gbera23-dev <gbera23@freeuni.edu.ge>
  Date: Sun Apr 26 15:20:05 2026 +0400


    initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git push --all -u
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 225 bytes | 225.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:gbera23-dev/practice.git
 * [new branch]      git_1 -> git_1
 * [new branch]      git_2 -> git_2
 * [new branch]      git_task -> git_task
 * [new branch]      master -> master
branch 'git_1' set up to track 'origin/git_1'.
branch 'git_2' set up to track 'origin/git_2'.
branch 'git_task' set up to track 'origin/git_task'.
branch 'master' set up to track 'origin/master'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph
* commit d2ece0c6a6c5011f104f98168d7ec7d5554ffd53 (HEAD -> git_task, origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_2, git_1)
  Author: gbera23-dev <gbera23@freeuni.edu.ge>
  Date: Sun Apr 26 15:20:05 2026 +0400

    initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Switched to branch 'git_1'
Your branch is up to date with 'origin/git_1'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph
* commit d2ece0c6a6c5011f104f98168d7ec7d5554ffd53 (HEAD -> git_1, origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task, git_2)
  Author: gbera23-dev <gbera23@freeuni.edu.ge>
  Date:   Sun Apr 26 15:20:05 2026 +0400


    initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ touch firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
```

WQ



A terminal window with a dark background. The title bar at the top shows the user 'giga' on a machine named 'giga-Lenovo-V15-G2-ITL' in the directory '~/EPAM/practice'. On the right side of the title bar are icons for search, menu, and window management. The terminal content shows the following sequence of commands and output:

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
firstFile.txt  README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "added firstFile.txt"
[git_1 8d1864c] added firstFile.txt
1 file changed, 10 insertions(+)
create mode 100644 firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

A terminal window with a dark background. The title bar at the top shows a window icon, the text "giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice", and standard window controls (search, menu, zoom, and close buttons). The terminal contains two lines of text: the first line shows the command "touch secondFile.txt" being executed, and the second line shows the command "vim secondFile.txt" being entered, with a white cursor at the end of the command.

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ touch secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim secondFile.txt
```

1	11
2	12
3	13
4	14
5	15
6	16
7	17
8	18
9	19
10	20

:WQ



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline
* af04426 (HEAD -> git_1) added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task, git_2) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Switched to branch 'git_2'
Your branch is up to date with 'origin/git_2'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git merge git_1
Updating d2ece0c..af04426
Fast-forward
 firstFile.txt | 10 ++++++++
 secondFile.txt | 10 ++++++++
 2 files changed, 20 insertions(+)
 create mode 100644 firstFile.txt
 create mode 100644 secondFile.txt
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Already on 'git_2'
Your branch is ahead of 'origin/git_2' by 2 commits.
  (use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```


1	11	1
2	12	1
3	13	
4	14	
5	15	
6	16	
7	17	
8	18	
9	19	
10	20	

:WQ



giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "changed two lines in secondFile.txt"
[git_2 a7b118b] changed two lines in secondFile.txt
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

A terminal window with a dark background. The title bar at the top shows the user 'giga' on a machine named 'giga-Lenovo-V15-G2-ITL' in the directory '~/EPAM/practice'. There are standard window control buttons (search, menu, zoom, close) on the right. The terminal text shows the user switching to the 'git_1' branch, which is ahead of the origin by 2 commits. Then, the user lists the directory contents, showing 'firstFile.txt', 'README.md', and 'secondFile.txt'. Finally, the user enters the command to open 'secondFile.txt' in the vim editor, with a cursor at the end of the command.

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Switched to branch 'git_1'
Your branch is ahead of 'origin/git_1' by 2 commits.
  (use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim secondFile.txt
```


giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



1	11	2
2	12	2
3	13	
4	14	
5	15	
6	16	
7	17	
8	18	
9	19	
10	20	


```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "changed two lines in secondFile.txt"
[git_1 e34397f] changed two lines in secondFile.txt
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* e34397f (HEAD -> git_1) changed two lines in secondFile.txt
| * a7b118b (git_2) changed two lines in secondFile.txt
|/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Already on 'git_1'
Your branch is ahead of 'origin/git_1' by 3 commits.
  (use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git merge git_2
Auto-merging secondFile.txt
CONFLICT (content): Merge conflict in secondFile.txt
Automatic merge failed; fix conflicts and then commit the result.
```




A terminal window with a dark background. The title bar at the top reads "giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice". On the right side of the title bar are icons for search, menu, and window management. The terminal content shows two lines of text: the first line is the output of the "ls" command, listing "firstFile.txt", "README.md", and "secondFile.txt"; the second line is the command "vim secondFile.txt" followed by a cursor.

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice$ ls
firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim secondFile.txt
```

×



```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "resolved conflict"
[git_1 08387c1] resolved conflict
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* 08387c1 (HEAD -> git_1) resolved conflict
|
|
| * a7b118b (git_2) changed two lines in secondFile.txt
| * | e34397f changed two lines in secondFile.txt
|/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

A terminal window with a dark background and light gray text. The window title bar at the top shows the user 'giga' on a machine named 'giga-Lenovo-V15-G2-ITL' in the directory '~/EPAM/practice'. On the right side of the title bar are icons for search, menu, and window management. The terminal content shows the user running 'git checkout git_1', which returns a message indicating they are already on that branch and that their local branch is ahead of the origin by 5 commits. The user then runs 'vim firstFile.txt', and the cursor is visible at the end of the command line.

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Already on 'git_1'
Your branch is ahead of 'origin/git_1' by 5 commits.
  (use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
```

×


```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "modified two lines of firstFile.txt"
[git_1 e0fdd4f] modified two lines of firstFile.txt
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```


A terminal window with a dark background. The title bar at the top shows the user 'giga' on a machine named 'giga-Lenovo-V15-G2-ITL' in the directory '~/EPAM/practice'. The terminal contains the command 'vim firstFile.txt' followed by a cursor. The window has standard macOS-style window controls (zoom, search, menu, zoom out, close) on the right side of the title bar.

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice  
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
```

giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



1	1	1
2	2	1
3	3	2
4	4	2
5	5	
6	6	
7	7	
8	8	
9	9	
10	10	

A terminal window with a dark background and light gray text. The title bar at the top reads "giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice". On the right side of the title bar are icons for search, menu, and window management. The terminal shows a sequence of commands and their outputs: 1. "vim firstFile.txt" is entered. 2. "git add firstFile.txt" is entered. 3. "git commit -m 'modified another two lines of firstFile.txt'" is entered. 4. The output shows the commit hash "[git_1 05ec80d]", the commit message "modified another two lines of firstFile.txt", and a summary "1 file changed, 2 insertions(+), 2 deletions(-)". 5. The prompt "giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice\$" is shown with a cursor at the end.

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "modified another two lines of firstFile.txt"
[git_1 05ec80d] modified another two lines of firstFile.txt
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* 05ec80d (HEAD -> git_1) modified another two lines of firstFile.txt
* e0fdd4f modified two lines of firstFile.txt
* 08387c1 resolved conflict
|\
| * a7b118b (git_2) changed two lines in secondFile.txt
* | e34397f changed two lines in secondFile.txt
|/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git format-patch -1 e0fdd4f
0001-modified-two-lines-of-firstFile.txt.patch
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
0001-modified-two-lines-of-firstFile.txt.patch  firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Switched to branch 'git_2'
Your branch is ahead of 'origin/git_2' by 3 commits.
(use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
0001-modified-two-lines-of-firstFile.txt.patch  firstFile.txt  README.md  secondFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git am 0001-modified-two-lines-of-firstFile.txt.patch
Applying: modified two lines of firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice$ git log --graph --oneline --all
* 8b88a1f (HEAD -> git_2) modified two lines of firstFile.txt
| * 05ec80d (git_1) modified another two lines of firstFile.txt
| * e0fdd4f modified two lines of firstFile.txt
| * 08387c1 resolved conflict
| \
|  /
| /
| /
* | a7b118b changed two lines in secondFile.txt
| * e34397f changed two lines in secondFile.txt
| /
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git cherry-pick 05ec80d
[git_2 723d4fc] modified another two lines of firstFile.txt
Date: Sun Apr 26 16:50:52 2026 +0400
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Already on 'git_2'
Your branch is ahead of 'origin/git_2' by 5 commits.
(use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git reset --soft HEAD~2
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "combined commit of last two commits"
[git_2 828a572] combined commit of last two commits
 1 file changed, 4 insertions(+), 4 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```


giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
```

```
Already on 'git_2'
```

```
Your branch is ahead of 'origin/git_2' by 4 commits.
```

```
(use "git push" to publish your local commits)
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ touch thirdFile.txt
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim thirdFile.txt
```

giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
1 hello
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practices$ git add thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit --amend --author="Giga <gigaBeradze@email.com>" --date="mon April 25 11:00:00 2026 +0000" -m "changed name for commit"
[git_2 fe7be29] changed name for commit
Author: Giga <gigaBeradze@email.com>
Date: Sat Apr 25 11:00:00 2026 +0000
    2 files changed, 5 insertions(+), 4 deletions(-)
create mode 100644 thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* fe7be29 (HEAD -> git_2) changed name for commit
| * 05ec80d (git_1) modified another two lines of firstFile.txt
| * e0fdd4f modified two lines of firstFile.txt
|   08387c1 resolved conflict
| \
| |
| /
|/
* | a7b118b changed two lines in secondFile.txt
| * e34397f changed two lines in secondFile.txt
|/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ece0c (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Already on 'git_2'
Your branch is ahead of 'origin/git_2' by 4 commits.
(use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* fe7be29 (HEAD -> git_2) changed name for commit
* 05ec80d (git_1) modified another two lines of firstFile.txt
* e0fdd4f modified two lines of firstFile.txt
* 083b7c1 resolved conflict
| \
| /
|/
|/
* | a7b118b changed two lines in secondFile.txt
| | e34397f changed two lines in secondFile.txt
|/
*/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ce0bc (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git revert HEAD --no-edit
[git_2 6ebdabf] Revert "changed name for commit"
Date: Sun Apr 26 17:13:42 2026 +0400
2 files changed, 4 insertions(+), 5 deletions(-)
delete mode 100644 thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* 6ebdabf (HEAD -> git_2) Revert "changed name for commit"
* fe7be29 changed name for commit
* 05ec80d (git_1) modified another two lines of firstFile.txt
* e0fdd4f modified two lines of firstFile.txt
* 083b7c1 resolved conflict
| \
| /
|/
|/
* | a7b118b changed two lines in secondFile.txt
| | e34397f changed two lines in secondFile.txt
|/
*/
* af04426 added secondFile.txt
* 8d1864c added firstFile.txt
* d2ce0bc (origin/master, origin/git_task, origin/git_2, origin/git_1, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ touch thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "added thirdFile.txt"
[git_2 bf8faba] added thirdFile.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 thirdFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Already on 'git_2'
Your branch is ahead of 'origin/git_2' by 6 commits.
  (use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git reset --hard HEAD~2
HEAD is now at fe7be29 changed name for commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Switched to branch 'git_1'
Your branch is ahead of 'origin/git_1' by 7 commits.
(use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git push origin git_1
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 4 threads
Compressing objects: 100% (14/14), done.
Writing objects: 100% (21/21), 1.83 KiB | 626.00 KiB/s, done.
Total 21 (delta 5), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (5/5), done.
To github.com:gbera23-dev/practice.git
   d2ece0c..05ec80d  git_1 -> git_1
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_2
Switched to branch 'git_2'
Your branch is ahead of 'origin/git_2' by 4 commits.
(use "git push" to publish your local commits)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git push origin git_2
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 415 bytes | 207.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:gbera23-dev/practice.git
   d2ece0c..fe7be29  git_2 -> git_2
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log --graph --oneline --all
* fe7be29 (HEAD -> git_2, origin/git_2) changed name for commit
| * 05ec80d (origin/git_1, git_1) modified another two lines of firstFile.txt
| * e0fdd4f modified two lines of firstFile.txt
| * 08387c1 resolved conflict
| |
| |
| |
| |
| * a7b118b changed two lines in secondFile.txt
| * e34397f changed two lines in secondFile.txt
| |
| |
| * af04426 added secondFile.txt
| * 8d1864c added firstFile.txt
| * d2ece0c (origin/master, origin/git_task, master, git_task) initial commit
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM
giga@giga-Lenovo-V15-G2-ITL:~/EPAM$ ls
git-intermediate-techniques-3082618  gitPracticeTASK2  task2.2.1-java-new-method-creation  task3.1.1-java-unit-tests-generation-template
gitPracticeTASK1                     practice          task2.3.2-java-defect-identification-template
giga@giga-Lenovo-V15-G2-ITL:~/EPAM$ git clone git@github.com:gbera23-dev/practice.git practice1
Cloning into 'practice1'...
remote: Enumerating objects: 27, done.
remote: Counting objects: 100% (27/27), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 27 (delta 6), reused 26 (delta 5), pack-reused 0 (from 0)
Receiving objects: 100% (27/27), done.
Resolving deltas: 100% (6/6), done.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM$
```




giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice1

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ git checkout git_1
Switched to branch 'git_1'
Your branch is up to date with 'origin/git_1'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ vim firstFile.txt
```



giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice1

```
1 1 1
2 2 1
3 3 2
4 4 2
5 5 3
6 6 3
7 7
8 8
9 9
10 10
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ git checkout git_1
Switched to branch 'git_1'
Your branch is up to date with 'origin/git_1'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ vim firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ git add firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ git commit -m "changed two lines in firstFile.txt"
[git_1 24085b0] changed two lines in firstFile.txt
1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$ git push origin git_1
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 359 bytes | 359.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:gbera23-dev/practice.git
05ec80d..24085b0  git_1 -> git_1
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice1$
```


giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_1
Switched to branch 'git_1'
Your branch is up to date with 'origin/git_1'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
```

giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice

```
1 1 1
2 2 1
3 3 2
4 4 2
5 5
6 6
7 7 4
8 8 4
9 9
10 10
```

A terminal window with a dark background. The title bar at the top shows a window icon, the text "giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice", a search icon, a menu icon, and window control buttons (minimize, maximize, close). The terminal text shows the prompt "giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice\$" followed by the command "vim firstFile.txt" and a white cursor at the end.

```
giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim firstFile.txt
```



giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice



```
1 1 1
2 2 1
3 3 2
4 4 2
5 5
6 6
7 7 4
8 8 4
9 9 5
10 10
```

```
:wq
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git stash
Saved working directory and index state WIP on git_1: 05ec80d modified another two lines of firstFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git pull origin git_1
From github.com:gbera23-dev/practice
* branch          git_1      -> FETCH_HEAD
Updating 05ec80d..24085b0
Fast-forward
 firstFile.txt | 4 ++--
 1 file changed, 2 insertions(+), 2 deletions(-)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git push origin git_1
Everything up-to-date
```



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git stash pop
```

```
Auto-merging firstFile.txt
```

```
CONFLICT (content): Merge conflict in firstFile.txt
```

```
On branch git_1
```

```
Your branch is up to date with 'origin/git_1'.
```

```
Unmerged paths:
```

```
(use "git restore --staged <file>..." to unstage)
```

```
(use "git add <file>..." to mark resolution)
```

```
both modified:   firstFile.txt
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
0001-modified-two-lines-of-firstFile.txt.patch
```

```
no changes added to commit (use "git add" and/or "git commit -a")
```

```
The stash entry is kept in case you need it again.
```



giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice

```
1 1 1
2 2 1
3 3 2
4 4 2
5 5 3
6 6 3
7 7
8 8
9 9
10 5
11 6
12 7 4
13 8 4
14 9 5
15 10
```



giga@giga-Lenovo-V15-G2-ITL: ~/EPAM/practice

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout git_task
Switched to branch 'git_task'
Your branch is up to date with 'origin/git_task'.
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git checkout -b git_3
Switched to a new branch 'git_3'
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
0001-modified-two-lines-of-firstFile.txt.patch  doubtingFile.txt  README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "added doubtingFile.txt"
[git_3 0163bcf] added doubtingFile.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ ls
0001-modified-two-lines-of-firstFile.txt.patch  doubtingFile.txt  README.md
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "1"
[git_3 c0d5967] 1
1 file changed, 1 insertion(+)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "2"
[git_3 8c718d7] 2
1 file changed, 1 insertion(+)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "3"
[git_3 7d33bd8] 3
1 file changed, 1 insertion(+)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "4"
[git_3 0b169e1] 4
1 file changed, 1 insertion(+)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ vim doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git add doubtingFile.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git commit -m "5"
[git_3 4123c74] 5
1 file changed, 1 insertion(+)
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$
```



```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log >> log.txt
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git rebase -i HEAD~5
```

```
[detached HEAD b799c3d] 1
Date: Sun Apr 26 18:22:00 2026 +0400
1 file changed, 1 insertion(+)
```

```
[detached HEAD f3ca1a1] 1
Date: Sun Apr 26 18:22:00 2026 +0400
1 file changed, 5 insertions(+)
```

```
Successfully rebased and updated refs/heads/git_3.
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git log
commit f3ca1a1c4d0193f87c33ec274730271103cac254 (HEAD -> git_3)
```

```
Author: gbera23-dev <gbera23@freeuni.edu.ge>
```

```
Date: Sun Apr 26 18:22:00 2026 +0400
```

1

```
commit f3ca1a1c4d0193f87c33ec274730271103cac254 (HEAD -> git_3)
```

```
Author: gbera23-dev <gbera23@freeuni.edu.ge>
```

```
Date: Sun Apr 26 18:22:00 2026 +0400
```

1

2

3

4

5

s

```
commit 0163bcf13c5b67b952b866d8d9e0070751eb652d
```

```
Author: gbera23-dev <gbera23@freeuni.edu.ge>
```

```
Date: Sun Apr 26 18:19:33 2026 +0400
```

```
added doubtingFile.txt
```

```
commit d2ece0c6a6c5011f104f98168d7ec7d5554ffd53 (origin/master, origin/git_task
fatal: unrecognized argument: branch
```

```
giga@giga-Lenovo-V15-G2-ITL:~/EPAM/practice$ git reflog
f3ca1a1 (HEAD -> git_3) HEAD@{0}: rebase (finish): returning to refs/heads/git_3
f3ca1a1 (HEAD -> git_3) HEAD@{1}: rebase (squash): 1
2a27f19 HEAD@{2}: rebase (squash): # This is a combination of 4 commits.
7c04855 HEAD@{3}: rebase (squash): # This is a combination of 3 commits.
379fd79 HEAD@{4}: rebase (squash): # This is a combination of 2 commits.
b799c3d HEAD@{5}: rebase (reword): 1
c0d5967 HEAD@{6}: rebase: fast-forward
0163bcf HEAD@{7}: rebase (start): checkout HEAD~5
4123c74 HEAD@{8}: commit: 5
0b169e1 HEAD@{9}: commit: 4
7d33bd8 HEAD@{10}: commit: 3
8c718d7 HEAD@{11}: commit: 2
c0d5967 HEAD@{12}: commit: 1
0163bcf HEAD@{13}: commit: added doubtingFile.txt
d2ece0c (origin/master, origin/git_task, master, git_task) HEAD@{14}: checkout: moving from git_task to git_3
d2ece0c (origin/master, origin/git_task, master, git_task) HEAD@{15}: checkout: moving from git_1 to git_task
34085b0 (origin/git_1, git_1) HEAD@{16}: reset: moving to HEAD
```