


K8s Probes concept



```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes (main)
$ kubectl create cluster --name probeluster --nodegroup-name b17dng --node-type m7i-flex.large --nodes 4 --managed
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes (main)
$ kubectl get cluster
NAME          REGION    EKSCTL CREATED
probeluster   us-east-1 True
  
```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes (main)
$ kubectl get nodes
NAME                                STATUS    ROLES    AGE    VERSION
ip-192-168-12-246.ec2.internal      Ready    <none>    15m    v1.34.9-eks-93b80c6
ip-192-168-24-227.ec2.internal      Ready    <none>    15m    v1.34.9-eks-93b80c6
ip-192-168-53-140.ec2.internal      Ready    <none>    15m    v1.34.9-eks-93b80c6
ip-192-168-60-191.ec2.internal      Ready    <none>    15m    v1.34.9-eks-93b80c6
  
```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes (main)
$ ll
total 2260
-rw-r--r-- 1 Bhavana 197121 2302623 Jun 21 15:46 'Kubernetes Day 13.docx'
drwxr-xr-x 1 Bhavana 197121      0 Jun 21 15:46 Notes/
drwxr-xr-x 1 Bhavana 197121      0 Jun 3 21:02 ppt/
drwxr-xr-x 1 Bhavana 197121      0 Jun 22 06:10 practice/
  
```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes (main)
$ cd practice/16_17_June_probes/
  
```

1. Liveness Probe

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ ll
total 1
-rw-r--r-- 1 Bhavana 197121 568 Jun 22 06:21 1-livenessprobe_httpget.yaml
```

```
#1-livenessprobe_httpget.yaml
---
apiVersion: v1
kind: Pod
metadata:
  name: fb-liveness-pod
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
    - containerPort: 80

  livenessProbe:
    httpGet:
      path: /
      port: 80
    initialDelaySeconds: 5 #wait for 5 seconds before starting the probe
    periodSeconds: 10 #run for every 10 seconds
    failureThreshold: 3 #after 3 failures, the pod will be restarted

#kubectl exec -it fb-livenessprobe --bash
#curl localhost:80
# output --> nginx page
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl apply -f 1-livenessprobe_httpget.yaml
pod/fb-liveness-pod created
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME          READY   STATUS    RESTARTS   AGE
fb-liveness-pod 1/1     Running   0           5s
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl exec -it fb-liveness-pod -- bash
root@fb-liveness-pod:/# curl localhost:80
<!DOCTYPE html>
<html>
<head>
<title>welcome to nginx!</title>
<style>
```

```

html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>

<p>For online documentation and support please refer to
<a href="https://nginx.org/">nginx.org</a>.<br/>
To engage with the community please visit
<a href="https://community.nginx.org/">community.nginx.org</a>.<br/>
For enterprise grade support, professional services, additional
security features and capabilities please refer to
<a href="https://f5.com/nginx">f5.com/nginx</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
root@fb-liveness-pod:/# exit
exit

```

```

#1-livenessprobe_httpget.yaml
---
apiVersion: v1
kind: Pod
metadata:
  name: fb-liveness-pod
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
    - containerPort: 80

  livenessProbe:
    httpGet:
      path: /
      port: 8082
    initialDelaySeconds: 5 #wait for 5 seconds before starting the probe
    periodSeconds: 10 #run for every 10 seconds
    failureThreshold: 3 #after 3 failures, the pod will be restarted

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl delete -f 1-livenessprobe_httpget.yaml
pod "fb-liveness-pod" deleted from default namespace

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl apply -f 1-livenessprobe_httpget.yaml
pod/fb-liveness-pod created

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE

```

```
fb-liveness-pod 1/1 Running 0 5s
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	0	15s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	1 (7s ago)	38s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	2 (0s ago)	61s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	3 (6s ago)	97s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	4 (4s ago)	2m5s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	1/1	Running	4 (16s ago)	2m17s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
fb-liveness-pod	0/1	CrashLoopBackoff	4 (2s ago)	2m33s

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl exec -it fb-liveness-pod -- curl localhost:8082
```

```
error: Internal error occurred: unable to upgrade connection: container not found ("nginx")
exit code: 7
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl delete po --all
```

```
pod "fb-liveness-pod" deleted from default namespace
```

```
#2-livenessprobe_exec.yaml
```

```
---
```

```
apiVersion: v1
```

```
kind: Pod
```

```
metadata:
```

```
  name: liveness-pod-exec
```

```
spec:
```

```
  containers:
```

```

- name: nginx
  image: nginx
  ports:
  - containerPort: 80

livenessProbe:
  exec:
    command:
    - cat
    - /usr/share/nginx/html/index.html
  initialDelaySeconds: 5    # Wait 5s after container starts before checking
  periodSeconds: 5         # Run the check every 10 seconds
  failureThreshold: 2      # Restart container after 3 failed checks

#kubectl exec -it liveness-pod -- bash
#cat /usr/share/nginx/html/index.html

##  $?  would return 0 if the file is present, and 1 if the file is not present.

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl apply -f 2-livenessprobe_exec.yaml
pod/liveness-pod-exec created

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS   AGE
liveness-pod-exec   1/1      Running   0           6s

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl exec -it liveness-pod-exec -- bash
root@liveness-pod-exec:/# cat /usr/share/nginx/html/index.html
<!DOCTYPE html>
<html>
<head>
<title>welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>

<p>For online documentation and support please refer to
<a href="https://nginx.org/">nginx.org</a>.<br/>
To engage with the community please visit
<a href="https://community.nginx.org/">community.nginx.org</a>.<br/>
For enterprise grade support, professional services, additional
security features and capabilities please refer to
<a href="https://f5.com/nginx">f5.com/nginx</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>

```



```
root@liveness-pod-exec:/# exit
exit
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl exec -it liveness-pod-exec -- sh -c 'cat
/usr/share/nginx/html/index.html'
<!DOCTYPE html>
<html>
<head>
<title>welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>

<p>For online documentation and support please refer to
<a href="https://nginx.org/">nginx.org</a>.<br/>
To engage with the community please visit
<a href="https://community.nginx.org/">community.nginx.org</a>.<br/>
For enterprise grade support, professional services, additional
security features and capabilities please refer to
<a href="https://f5.com/nginx">f5.com/nginx</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
```

```
$ kubectl delete po --all
pod "liveness-pod-exec" deleted from default namespace
```

```
#2-livenessprobe_exec.yaml
---
apiVersion: v1
kind: Pod
metadata:
  name: liveness-pod-exec
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
    - containerPort: 80

  livenessProbe:
    exec:
      command:
      - cat
      - /usr/share/nginx/html/iiiindex.html
    initialDelaySeconds: 5    # Wait 5s after container starts before checking
    periodSeconds: 5         # Run the check every 10 seconds
    failureThreshold: 2      # Restart container after 3 failed checks
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl apply -f 2-livenessprobe_exec.yaml
pod/liveness-pod-exec created
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY   STATUS    RESTARTS   AGE
liveness-pod-exec   1/1     Running   0           5s
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY   STATUS    RESTARTS   AGE
liveness-pod-exec   1/1     Running   1 (2s ago)  12s
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY   STATUS             RESTARTS   AGE
liveness-pod-exec   0/1     CrashLoopBackOff   3 (7s ago)  47s
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl delete po --all
pod "liveness-pod-exec" deleted from default namespace
```

```
#3-livenessprobe_tcp.yaml
---
apiVersion: v1
kind: Pod
metadata:
  name: mysql-liveness-pod
  labels:
    app: mysql
spec:
  containers:
  - name: mysql
    image: mysql:8.0
    ports:
    - containerPort: 3306
    env:
    - name: MYSQL_ROOT_PASSWORD
      value: "rootpassword"          # Set a root password
    - name: MYSQL_DATABASE
      value: "testdb"                # Optional: create a default database
    - name: MYSQL_USER
      value: "testuser"              # Optional: create a test user
    - name: MYSQL_PASSWORD
      value: "testpass"              # Optional: create test user password

  livenessProbe:
    tcpSocket:
      port: 3306                     # Check if TCP connection to port 3306 is open
    initialDelaySeconds: 10          # Wait 10 seconds before first check
    periodSeconds: 10                # Check every 10 seconds
    failureThreshold: 2              # Restart container after 2 failed checks
```

```
#kubectl exec -it mysql-liveness-pod -- sh
#netstat -tulnp | grep 3306
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl apply -f 3-livenessprobe_tcp.yaml
pod/mysql-liveness-pod created
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get po
NAME                READY    STATUS             RESTARTS   AGE
mysql-liveness-pod  0/1     ContainerCreating   0          6s
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get po
NAME                READY    STATUS    RESTARTS   AGE
mysql-liveness-pod  1/1     Running   0          16s
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl delete -f 3-livenessprobe_tcp.yaml
pod "mysql-liveness-pod" deleted from default namespace
```

```
#3-livenessprobe_tcp.yaml
```

```
---
apiVersion: v1
kind: Pod
metadata:
  name: mysql-liveness-pod
  labels:
    app: mysql
spec:
  containers:
  - name: mysql
    image: mysql:8.0
    ports:
    - containerPort: 3306
    env:
    - name: MYSQL_ROOT_PASSWORD
      value: "rootpassword"           # Set a root password
    - name: MYSQL_DATABASE
      value: "testdb"                 # Optional: create a default database
    - name: MYSQL_USER
      value: "testuser"               # Optional: create a test user
    - name: MYSQL_PASSWORD
      value: "testpass"               # Optional: create test user password

  livenessProbe:
    tcpSocket:
      port: 4406                      # Check if TCP connection to port 4406 is open
    initialDelaySeconds: 10           # Wait 10 seconds before first check
    periodSeconds: 10                 # Check every 10 seconds
    failureThreshold: 2               # Restart container after 2 failed checks
```



```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl apply -f 3-livenessprobe_tcp.yaml
pod/mysql-liveness-pod created

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE
mysql-liveness-pod  1/1      Running   0            14s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE
mysql-liveness-pod  1/1      Running   1 (3s ago)   35s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl describe po mysql-liveness-pod

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE
mysql-liveness-pod  1/1      Running   2 (5s ago)   67s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE
mysql-liveness-pod  1/1      Running   3 (24s ago)  115s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS    RESTARTS    AGE
mysql-liveness-pod  1/1      Running   4 (18s ago)  2m19s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl get po
NAME                READY    STATUS             RESTARTS    AGE
mysql-liveness-pod  0/1      CrashLoopBackOff   4 (15s ago)  2m46s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)
$ kubectl delete -f 3-livenessprobe_tcp.yaml
pod "mysql-liveness-pod" deleted from default namespace

```

2. Readiness probe

```

3. #4-readinessprobe_http.yaml
4. ---
5. apiVersion: v1
6. kind: Pod

```

```

7. metadata:
8.   name: readiness-pod-http
9. spec:
10.   containers:
11.   - name: nginx
12.     image: nginx
13.     ports:
14.     - containerPort: 80
15.
16.   readinessProbe:
17.     httpGet:
18.       path: /
19.       port: 80
20.     initialDelaySeconds: 5
21.     periodSeconds: 5
22.     timeoutSeconds: 2
23.     successThreshold: 1
24.     failureThreshold: 3
25.
26.   # initialDelaySeconds: Gives Nginx time to start before probing begins.
27.   # periodSeconds: 5 Checks readiness every 5 seconds instead of 10.
28.   # timeoutSeconds: 2 Probe fails if no response within 2 seconds.
29.   # successThreshold: 1 One successful probe marks the pod Ready.
30.   # failureThreshold: 3 Three consecutive failures are required before
    marking the pod NotReady.

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl apply -f 4-readinessprobe_http.yaml
pod/readiness-pod-http created
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get po
```

NAME	READY	STATUS	RESTARTS	AGE
readiness-pod-http	1/1	Running	0	52s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl apply -f 7-facebook.yaml
deployment.apps/fb-deploy created
service/fb-lb-svc created
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deploy-7796579976-4rdwb	1/1	Running	0	17s
pod/fb-deploy-7796579976-czw62	1/1	Running	0	17s
pod/fb-deploy-7796579976-sjdpc	1/1	Running	0	17s
pod/readiness-pod-http	1/1	Running	0	3m30s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP
service/fb-lb-svc	LoadBalancer	10.100.59.150	
a26d2d4cd0412444280ee47cf6025dc3-1234393208.us-east-1.elb.amazonaws.com			
80:32256/TCP			
service/kubernetes	ClusterIP	10.100.0.1	<none>
443/TCP			

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deploy	3/3	3	3	18s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deploy-7796579976	3	3	3	19s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl describe svc fb-lb-svc
Name: fb-lb-svc
Namespace: default
Labels: app=facebook
Annotations: <none>
Selector: app=facebook
Type: LoadBalancer
IP Family Policy: Singlestack
IP Families: IPv4
IP: 10.100.59.150
IPs: 10.100.59.150
LoadBalancer Ingress: a26d2d4cd0412444280ee47cf6025dc3-1234393208.us-east-1.elb.amazonaws.com
Port: <unset> 80/TCP
TargetPort: 80/TCP
NodePort: <unset> 32256/TCP
Endpoints: 192.168.47.199:80,192.168.23.51:80,192.168.35.37:80
Session Affinity: None
External Traffic Policy: Cluster
Internal Traffic Policy: Cluster
Events:
  Type    Reason                      Age    From                      Message
  ----    -
  Normal  EnsuringLoadBalancer        47s    service-controller        Ensuring load balancer
  Normal  EnsuredLoadBalancer         44s    service-controller        Ensured load balancer
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get po
NAME                                READY    STATUS    RESTARTS    AGE
fb-deploy-7796579976-4rdwb         1/1      Running   0            2m37s
fb-deploy-7796579976-czw62         1/1      Running   0            2m37s
fb-deploy-7796579976-sjdpd         1/1      Running   0            2m37s
readiness-pod-http                 1/1      Running   0            5m50s
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl exec -it fb-deploy-7796579976-4rdwb -- bash
root@fb-deploy-7796579976-4rdwb:/# ls
bin boot dev docker-entrypoint.d docker-entrypoint.sh etc home lib
lib64 media mnt opt proc root run sbin srv sys tmp usr var
root@fb-deploy-7796579976-4rdwb:/# cd /usr/share/nginx/html/
root@fb-deploy-7796579976-4rdwb:/usr/share/nginx/html# ls
50x.html index.html
root@fb-deploy-7796579976-4rdwb:/usr/share/nginx/html# rm -rf *
root@fb-deploy-7796579976-4rdwb:/usr/share/nginx/html# ls
root@fb-deploy-7796579976-4rdwb:/usr/share/nginx/html# exit
exit
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

```
$ kubectl get po
NAME                                READY    STATUS    RESTARTS    AGE
fb-deploy-7796579976-4rdwb         0/1      Running   0            4m31s
fb-deploy-7796579976-czw62         1/1      Running   0            4m31s
fb-deploy-7796579976-sjdpd         1/1      Running   0            4m31s
```

readiness-pod-http

1/1

Running

0

7m44s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/16_17_June_probes (main)

\$ kubectl describe svc fb-lb-svc

Name: fb-lb-svc
Namespace: default
Labels: app=facebook
Annotations: <none>
Selector: app=facebook
Type: LoadBalancer
IP Family Policy: Singlestack
IP Families: IPv4
IP: 10.100.59.150
IPs: 10.100.59.150
LoadBalancer Ingress: a26d2d4cd0412444280ee47cf6025dc3-1234393208.us-east-1.elb.amazonaws.com
Port: <unset> 80/TCP
TargetPort: 80/TCP
NodePort: <unset> 32256/TCP
Endpoints: 192.168.47.199:80,192.168.35.37:80
Session Affinity: None
External Traffic Policy: Cluster
Internal Traffic Policy: Cluster

Events:

Type	Reason	Age	From	Message
----	-----	----	----	-----
Normal balancer	EnsuringLoadBalancer	4m54s	service-controller	Ensuring load
Normal balancer	EnsuredLoadBalancer	4m51s	service-controller	Ensured load